

biohall[®]
Germany



biohall[®]
Germany
100 : 1.0
A
DIN
In 20°C
± 0.5
ml

Fabrik für Laborglas

biohall[®]
Germany
In 27°C
DIN
A
NS 19/26
500 ml
± 0.25
Bord
E14

Batch No.
Test:
Sign & Date

biohall[®]
Germany

PRICE LIST 2023-25

biohall[®]
Germany

Welcome to



biohall®

With immense pleasure we welcome you to our 2023-25 edition of BIOHALL catalogue cum price list..

It takes great pleasure to share that we have extended our reach to 50 countries, and even more pleasure in sharing the fact that our range has been really liked for its best and consistent quality along with economical pricing .This year we have started a new facility specializing in OEM order handling which gives us an edge over others in quick and swift processing of orders at the same time delivering consistent quality. Addition of more warehouse space for both finished goods and semi finished goods has helped to minimize the delivery time.

Our facility which is already producing labware according to ASTM, DIN, EN ISO has been more equipped with latest technology machinery to keep producing the best in class Glassware , new machines have been added to upscale the production and cater to the ever increasing demand in the global market.

Our post purchase service and grievance handling process has been well appreciated and immensely applauded over past years. Delivery highest quality labware is one dimension of our business but at the same time any issue if at all which arises has been keenly sorted out and we aggressively work in the direction to maintain highest standards of service for pre and post purchase.

At Biohall we have strived hard to identify the gaps in the market space and the requirements of research fraternity. Biotechnologists at the heart of operations have ensured the requirements being fulfilled with right product with right quality and most importantly at the right cost. With the same Zeal we wish to continue the same forever.

We are an ISO certified company our high quality products and in-house stringent testing methods have helped us earn a huge clientele all over the world. Our dedicated research & development department strive to work hard to maintain our brand and continuously upgrade ourselves to provide best in industry solutions to clients.

Any products which falls outside the range of catalog can be inquired for separately and we will do our best in providing the same, we can also be contacted for customized glassware.

Our Manufacturing Facility

Biohall manufacturing facility employs state of art manufacturing machines to create glass with world class quality. Biohall employs more than 55 glass blowers to make a wide product range as required by our vast customer base globally.

Our capacity enables us to produce and ship over 15 containers per month. Our complete range of products which encompasses from interchangeable range to Volumetric ware and filtration glassware to general glassware range are produced Inhouse using Automatic and semi-automatic machines.

Annealing Process is an integral part of the manufacturing process and carefully each and every product produced undergo annealing process to create stress free and strong glassware.



Calibration Facility


We are committed to produce highly accurate Labware with an in-house ISO 17025:2017 accredited laboratory, well equipped with the latest equipments for calibration under well controlled environment.

Biohall Calibration Laboratory has undertaken accreditation for its system for calibration and Testing as per ISO 17025:2017, which means the calibration provided to customers for volumetric ware is acceptable in calibration laboratories worldwide.

Results of calibration are guaranteed for precision as per DIN, ISO AND USP standards, The German calibration machines ensures the highest level precision.

During the calibration process on the Automated german machines:

- The blanks are filled precisely with defined amount of triple distilled water under fixed temperature.
- Lowest meniscus point is determined by laser controlled sensors and a fine diamond wheel automatically marks the calibration.



- Cylinders, burettes and pipettes are marked for minimum two point calibration lines.
- The wet surface area factor is always taken into account throughout the process..



Biohall Automatic Volumetric Calibration Machine

All calibration laboratories at BIOHALL are strictly controlled and done under highly controlled environment maintain right temperature ,pressure and humidity. This temperature is very important for the accuracy so if the environmental temperature is different , calibration machines have to be adjusted accordingly.

All volumetric glassware is calibrated either as “To contain” “TC, In” or “To deliver” “TD, Ex”.

Types of Certificates

Conformity Mark DE-M

Volumetric instruments that comply with the requirements of applicable standards (e.g. the German weights and measures regulation) are labelled accordingly with “DE-M”. The “DE-M 19” mark is made up of the elements DE (which stands for “Deutschland”), M (which stands for “Metrologie” (metrology)), and the year number 19(2019), the year in which the measuring instrument was labelled).

Batch Certificate

Volumetric flasks, measuring and mixing cylinders with a batch number and accuracy class A are supplied with a batch certificate. This certificate documents the mean value obtained from measuring the batch in question, the standard deviation and the day of issue. The batch certificates can also be retrieved online. The batch number consists of four digits, e.g.: The first two numbers specify the production year, and the following two numbers specify the batch.

Individual Certificate

Volumetric flasks which are numbered individually, are supplied with an individual certificate. The individual number is permanently laser-etched onto the base of the volumetric flask and is entered on the corresponding certificate. The volume measured for the corresponding volumetric flask, the measurement uncertainty and the day of issue are documented on this certificate. The individual number is a consecutive number and comprises three letters and a four digit number.

USP Individual Certificate

The volumetric flasks are labelled with an individual number. This is permanently etched onto the base of the volumetric flask and is entered on the corresponding certificate. The accuracy limits for USP compliant volumetric flasks are stricter than flasks conforming to ISO 1042 and therefore satisfy the requirements of the United States Pharmacopoeia (USP). The volume measured for the corresponding volumetric flask, the measurement uncertainty and the day of issue are documented on this certificate.

Compliance Certificate

Certificate of Compliance is issued with Beakers, Conical and Reagent bottles to certify their compliance with the respective standards. This certificate is provided with each and every piece.



biohall® Fabrik für Laborglas

CALIBRATION CERTIFICATE (Class "A")

[ISO 17025:2005 CERTIFIED LABORATORY]

Item Tested: Volumetric flask 100 ml
Lot No.: 04.19
Test Method: Gravimetric Method
Item Tested on: 10/04/2019
Nominal Volume: 100 ml
Tolerance: ± 0.10 ml
Standard Deviation: 0.001 ml
The Product was found to contain the following volume at 20 degree Celsius
Certified Volume: 100.005 ml
Delivery Time: NA
Standard weight: 100 g
Balance: (METTLER) Sr. no. 2738421143
Thermometer: DM201D : -40 to 900°C/0.1°C
 All the above devices have valid calibration traceable to German weights and standards, traceable to International Standards.
 The product has been found to compliant to **ISO 1042:1998 CLASS A**. The above calibration result is valid at the time of calibration under lab conditions and calibrated at 20°C at RH 48%.

Calibrated by:



Ms. Sori Maheshwarl
 Date of issue: 14/04/2019

CALIBRATION CERTIFICATE

W : www.biohall-labware.com

biohall® Fabrik für Laborglas

Conformity Certificate

Description: Biohall GL 45 Laboratory Glass bottle with screw cap and pouring ring (PP).

Production & Inspection: The Articles listed under catalog Number are hereby confirmed to BIOHALL Quality system according to DIN ISO 9001 duly certified by UK Certification & Inspection Ltd.

Address: 73-75 Shelton Street Covent Garden London, United Kingdom
 Certificate Registration No. IEC 3042.

The properties of Biohall glassware corresponds to Applicable Technical Regulation/Standards/Procedure:
 ISO 4796-1:2016
 Packing type: Die cut Boxes

Chemical Durability:
 Biohall Glassware is highly resistance to water, neutral and acid solutions, concentrated on acid and their mixtures as well as to chloride, bromine, iodine and organic matters.
 Even during extended period of reaction and temperatures above 50° C., its chemical resistance exceeds of most metals and other materials.
 It can repeated dry and wet sterilization without surface deterioration and subsequent contamination.

Note:

- Only hydrofluoric acid, very hot phosphoric acid and alkaline solutions increasingly attack the glass surface with rising concentration and temperature.
- Do not Autoclave Reagent Bottle with tight cap, plug sterile cotton during autoclaving.

CATALOG NO: BLS.1105.04
RETRACE CODE: BC04C 430
CAPACITY: 250 ML
Signature Quality Manager:



Chemical Composition:
 81% in weight: SiO₂
 13.0% in weight: B₂O₃
 6% in weight: Na₂O

Thermal Properties:
 Coefficient of Linear Expansion: 12.5 x 10⁻⁷°C
 Strain point: 515°C
 Annealing Point: 565°C
 Softening Point: 605°C
 Specific Heat: 0.2
Thermal Conductivity
 (Cal/cm 3°C, Sec): 0.0027

Material:
 3.3 borosilicate glass is a low alkali borosilicate composition. It is virtually free of magnesia lime-silica group and contains only traces of heavy metals.



CONFORMITY CERTIFICATE

W : www.biohalllabware.com


biohall® Fabrik für Laborglas

Certificate of Conformity

Manufacturer Name: Biohall Life Sciences

Product of Declaration:
 BEAKER LOW FORM made of heat resistant Boro. 3.3 glass that meets ASTM E-438 TYPE -1 CLASS A, DIN 12331, ISO 3819 comply as per German weights and regulation standards.

BLS.1000.01	Beaker Low Form With Graduation and Spout 5 ml
BLS.1000.02	Beaker Low Form With Graduation and Spout 10 ml
BLS.1000.03	Beaker Low Form With Graduation and Spout 25 ml
BLS.1000.04	Beaker Low Form With Graduation and Spout 50 ml
BLS.1000.05	Beaker Low Form With Graduation and Spout 100 ml
BLS.1000.06	Beaker Low Form With Graduation and Spout 150 ml
BLS.1000.07	Beaker Low Form With Graduation and Spout 200 ml
BLS.1000.08	Beaker Low Form With Graduation and Spout 400 ml
BLS.1000.09	Beaker Low Form With Graduation and Spout 500 ml
BLS.1000.10	Beaker Low Form With Graduation and Spout 600 ml
BLS.1000.11	Beaker Low Form With Graduation and Spout 800 ml
BLS.1000.12	Beaker Low Form With Graduation and Spout 1000 ml
BLS.1000.13	Beaker Low Form With Graduation and Spout 2000 ml
BLS.1000.14	Beaker Low Form With Graduation and Spout 3000 ml
BLS.1000.15	Beaker Low Form With Graduation and Spout 5000 ml
BLS.1000.16	Beaker Low Form With Graduation and Spout 10000 ml



CONFORMITY CERTIFICATE

(This is a computer generated certificate and do not require any Signature)

W : www.biohalllabware.com

biohall® Fabrik für Laborglas

Certificate of Conformity

Manufacturer Name: Biohall Life Sciences

Product of Declaration:
 Erlenmeyer Flask s Narrow Neck made of heat resistant Boro 3.3 glass that meets ASTM E-438 TYPE -1 CLASS A, DIN 12331, ISO 3819 complias per German weights and regulation standards.

BLS.1201.01	Erlenmeyer Flasks Narrow Neck 25 ml
BLS.1201.02	Erlenmeyer Flasks Narrow Neck 50 ml
BLS.1201.03	Erlenmeyer Flasks Narrow Neck 100 ml
BLS.1201.04	Erlenmeyer Flasks Narrow Neck 250 ml
BLS.1201.05	Erlenmeyer Flasks Narrow Neck 500 ml
BLS.1201.06	Erlenmeyer Flasks Narrow Neck 1000 ml
BLS.1201.07	Erlenmeyer Flasks Narrow Neck 2000 ml
BLS.1201.08	Erlenmeyer Flasks Narrow Neck 3000 ml
BLS.1201.09	Erlenmeyer Flasks Narrow Neck 5000 ml



CONFORMITY CERTIFICATE

(This is a computer generated certificate and do not require any Signature)

W : www.biohalllabware.com

Quality Policy

Delivering Quality is the foundation of Biohall and no stone is left unturned when it comes to implementing best quality control parameters. We conduct periodical internal audits to keep check over all the quality systems implemented as per our ISO 9001:2015 standards and ensure our commitment to quality is well experienced by our customers.

All our systems and processes are audited through a three stage audit system involving internal and external audit agencies. Our business philosophy for Total Quality Management is KAIZEN.

We emphasize on Critical to Quality policy and implement six sigma through DMAIC Approach.

We believe in delivering quality in the product and also the service which include pre and post purchase query and complain/grievance handling.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS

This is to Certify that
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

has been assessed by GI and found to comply with the requirements of

ISO 9001 : 2015
Quality Management System

For The Following Scope:
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Certificate No.	: Q-GI-1001-1682
Date of Issue	: 04-01-2023
Date of Expiry	: 03-01-2026
Recertification on or before	: 03-01-2026

Q-GI-1001-1682 TESTED

Director (Certification)

ISO 9001 CERTIFIED System

GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isoglobalimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isoglobalimpact.in>. Global Impact is an independent system, product and person assessment body.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS

This is to Certify that the technical documentation for the product :
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Manufactured by :
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

Complies with the applicable requirements of the **Low Voltage Directive 2014/35/EU**

The technical documentation / inspection / test results comply with the requirements of **Low Voltage Directive (LVD)**, hence manufacturer's declaration of conformity according to above directive is accepted. **BIOHALL LIFE SCIENCE PVT. LTD.** can place the CE marking as per laid down regulations on the products mentioned as above.

Certificate No.	: Q-GI-1001-1687
Date of Issue	: 04-01-2023
Date of Expiry	: 03-01-2026
Recertification on or before	: 03-01-2026

Q-GI-1001-1687 TESTED

Director (Certification)

CE
161107

GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isoglobalimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isoglobalimpact.in>. Global Impact is an independent system, product and person assessment body.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS


This is to Certify that
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

has been assessed by GI and found to comply with the requirements of

ISO 13485 : 2016
Medical Device - Quality Management System

For The Following Scope:
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Certificate No. : Q-GI-1001-1683
Date of Issue : 04-01-2023
Date of Expiry : 03-01-2026
Recertification on or before : 03-01-2026

  
Director (Certification)


GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isogloballimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isogloballimpact.in>. Global Impact is an independent system, product and person assessment body.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS




This is to Certify that the Management System of
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

Has been assessed by GI and found to comply with the requirements of



For The Following Scope:
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Certificate No. : FD-GI-1001-1685
Date of Issue : 04-01-2023
Date of Expiry : 03-01-2026
Recertification on or before : 03-01-2026

  
Director (Certification)

GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isogloballimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isogloballimpact.in>. Global Impact is an independent system, product and person assessment body.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS




This is to Certify that
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

has been assessed by GI and found to comply with the requirements of

GMP
Guidelines for Good Manufacturing Practice (GMP)

For The Following Scope:
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Certificate No. : GMP-GI-1001-1686
Date of Issue : 04-01-2023
Date of Expiry : 03-01-2026
Recertification on or before : 03-01-2026

  
Director (Certification)

GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isogloballimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isogloballimpact.in>. Global Impact is an independent system, product and person assessment body.

GLOBAL IMPACT
WE TAKE YOUR BUSINESS TO NEW HEIGHTS




This is to Certify that the Management System of
BIOHALL LIFE SCIENCE PVT. LTD.
91-92, Industrial Area, Naggal, Kardhan Road
Ambala Cantt.-133001 (Haryana) INDIA

Has been assessed by GI and found to comply with the requirements of

ISO 14001 : 2015
Environmental Management System

For The Following Scope:
Design, Manufacturer & Distribution of Scientific Instruments,
Laboratory Equipments, Microscopes, Laboratory Glassware
Laboratory Plastic Ware & Consumables

Certificate No. : EM-GI-1001-1684
Date of Issue : 04-01-2023
Date of Expiry : 03-01-2026
Recertification on or before : 03-01-2026

  
Director (Certification)

GI-AMB-2019/ADIT
SCO 225, 2nd Floor, Sector - 7, Rohini, Delhi (INDIA)
E-mail : info@isogloballimpact.in

This certificate remains the property of Global Impact and must be returned whenever demand.
The validity of this certificate can be verified at <http://www.isogloballimpact.in>. Global Impact is an independent system, product and person assessment body.

Our Quality Assurance Process

Raw Material

Right raw material as per our prefixed quality standards are procured from our partners. Biohall makes all its Products from tubing of ASTM E-438 TYPE I, CLASS A BORO 3.3 GLASS.

Production

The automated and semi automated machines are used to produce the products as per the technical drawings made according to international standards.

Dimensional Confirmation Checks

Dimensional checks are performed by the QC departments for their adherence to the defined standards.

Glass Optical Checks for Stress & Scatches

Each piece produced is checked for the stresses which might cause the cracking of the glasses and also for scratches which might happen while handling at each step for producing glass quality.

Glass Thickness and Strength

Every single piece produced is essentially checked for the wall thickness to determine the strength and ensure adherence to standards set as per DIN/ASTM/ISO.

Joint Testing

The Joints are tested for their fitness as per their taper of cones and sockets to ensure highest level fitness and ensure no leaks. Vacuum tests are performed subsequent to the fitness checks to ensure absolutely no leaks.

Post Printing Checks

The Glassware is checked for the print quality at two stages first before putting in the furnace and after taking out of furnace, this ensure no product with defective print reaches the market.

Pre & Post Purchase Service

We ensure that ease of doing business with biohall should be first motivation for each client and hence ensure top class service when it comes to smooth communication, query handling and grievance redressal approach.


Delivery Policy

We believe in clear commitments for delivery and maintain heavy stocks for all the products to fulfill our orders well on time with shortest lead times. Our warehousing capacity which is increasing with each year has capacity to hold both finished goods and semifinished goods (for OEM) to ensure shortest lead time for both Biohall brand and OEM customers. In rare cases where the fulfillment is not possible with the in-house stocks we commit clear timelines for delivery and religiously adhere to the same.



Packaging

We use packing material of high grade so as to ensure minimum breakage of material while transportation at the same time ensuring presentation of the product is world class. We use german packing standards and collaborate with leading packaging company for specialized solutions for the same.



Printing

The next step of the glassware production is silk screening on the bodies of the calibrated products. The stretchable screen stencils are used in printing process carried out at Biohall. These stencils are easily stretched to match the calibration marks so that volume precision is maintained for all volume levels.

BIOHALL uses 3 different colors of ink (blue / amber / white) that are specially manufactured to be used on laboratory glassware.

As a standard BIOHALL product line is printed with Amber ink whereas Blue and White prints are also available upon request. Regardless of the color, highly contrasted and fine printing allows precise reading, especially for scaled products such as measuring cylinders, pipettes and burettes.

Highest Quality lead free Inks are used for the printing process and ensure the inks are chemical resistant and more importantly acid resistant.

ADVANTAGES OF GERMAN AMBER INK used at BIOHALL:

- Better absorption
- Biohall Amber print is Resistant to any acid known to human kind
- Biohall Amber stain graduation penetrates into the glass surface via ion exchange process and is, therefore, more resistant than the blue or white, the color is practically indestructible. It is best suited for daily usage as it does not wear off by heavy and extreme usage.
- Amber ink is absorbed and furnaceed twice at a temperature range of 560 degree C which makes the stain penetrate and absorb the glass surface better hence highly resistant to acid /alkaline attack.
- It has the rich contrasts an excellent readability. The graduation of the glass is done by screen printing. For volumetric range stretch-stencils are used, which ensure an especially precise compliance with the calibration points.

According to the DIN standards, the following information has to be printed on the bodies of all volumetric glassware:

- Brand
- Nominal capacity
- Class degree
- Calibration temperature
- Standards
- Possible error limits
- Batch numbers



Furnace and Heating

All the products coming out of the printing room are put into specially designed and temperature controlled tunnel furnaces so that heating and annealing processes can be accomplished successfully.

The temperature control of the furnace ensures a long lasting printing quality. In order to get the highest levels of precision, carefully controlled gradual heating and cooling processes are essential.



OEM Policy

We are open to produce the material for our associates in their own established brand names at a very economical price and at the same time meeting all the quality standard mentioned. We are already producing highest quality material for some leading brands around the world.

For enquiries of OEM product regarding prices and MOQ please contact us at sales@biohall-labware.com

German Calibration Regulation

- Biohall strictly follows Conformity testing of volumetric measuring devices pursuant to the German Calibration Regulation (Eichordnung)
- According to the specifications of the German Calibration Regulation (Eichordnung), manufacturers can certify the conformity of volumetric measuring devices to the requirements of the German Calibration Regulation since 12.08.1988. The specifications of the German Calibration Regulation, Annex 12 and DIN 12600, in which the conformity testing procedure is described, form the basis in this respect.
- The conformity certificate is required for volumetric measuring devices used in the area regulated by law. Conformity certificates can only be issued for Class A and AS volumetric measuring devices.

BIOHALL Product Standards (Standards for volumetric measuring devices)

1. DIN (Deutsches Institut für Normung), the German Institute for Standardization
 DIN standards are German standards compiled by working committees within DIN to maintain the general standard of technology.
 Volumetric measuring devices such as measuring flasks, measuring pipettes, measuring cylinders, volumetric pipettes, burettes, capillary pipettes and volumetric measuring devices with pistons are governed by standards pursuant to DIN.
 Adherence to the DIN standard is a component part of the calibration certificate issued pursuant to the German Calibration Regulation (Eichordnung).
2. ISO (International Organization for Standardization)
 ISO standards are international standards compiled by the International Organization for Standardization. These international standards are adopted as German standards.
3. ASTM (American Society for Testing and Materials), ASTM standards are international standards compiled for the USA.
 Biohall uses imported borosilicate 3.3 glass with a minimum content in silica of 80% and a low expansion coefficient ($3.3 \cdot 10^{-6} \text{ K}^{-1}$) included in the 3.3 borosilicate group, as defined in ISO 3585 standard. This particular combination of properties makes this type of glass the most used in labware.

Physical and Chemical Properties

Linear expansion coefficient (@ 20/300 °C)	3.3•10 ⁻⁶ K ⁻¹
Strain point	520 °C
Annealing point	560 ± 10 °C
Softening point	820 ± 10 °C
Density	2.23 ± 0.02 g/cm ³
Hydrolytic resistance (according to ISO 719, water at 98 °C)	Class 1
Hydrolytic resistance (according to ISO 720, water at 121 °C)	Class 1
Resistance to acids (according to ISO 1776, DIN 12116)	Class 1
Resistance to alkalis (according to ISO 695)	Class 2

Typical Composition

80,4% in weight SiO₂
 13,0% in weight B₂O₃
 4,2% in weight Na₂O
 2,4% in weight Al₂O₃

PROPERTIES OF OUR BOROSILICATE GLASSWARE

Hydrolytic resistance

1. The resistance is determined with two methods, at 98 °C and at 121 °C: 1. Acc. to DIN ISO 719 BIOHALL® corresponds to hydrolytic resistance class 1 (of five classes). The amount of Na₂O/g glass grain leached out after one hour in water at 98 °C is measured. The quantity of Na₂O leached out is less than 3 µg/g of glass grain.
2. It also corresponds to hydrolytic resistance class 1 acc. to DIN ISO 720 (of three classes). The quantity of Na₂O leached out after one hour in water at 121 °C is less than 62 µg/g of glass grain. Due to its good hydrolytic resistance BIOHALL® meets the requirements of the USP, JP and EP for a neutral glass according to glass type 1. Therefore it can be used in an almost unrestricted way in pharmaceutical applications and in contact with foodstuffs.

Acid Resistance

Acid resistance can be determined by two methods:

1. In accordance with DIN ISO 12116 - BIOHALL® corresponds to class 1 (of four classes). The acid removal is measured at fire finished glass surfaces, as a time dependent weight loss under the exposure of 18 % hydrochloric acid. After a boiling period of three hours this removal is only 0,3 mg/dm².
2. In accordance with DIN ISO 1776 the attacked layer thickness of the glass is examined in dependency of the type of acid and its concentration. The maximum attack occurs at acid ranges of 4-7 n. At higher concentrations, the reaction rate decreases significantly, so that the layer thicknesses which are attacked are only in the range of a few thousand µm after years. Thus, the mechanisms of acid attack are not relevant for the wall thicknesses of laboratory glasses used in practice.

Alkali Resistance

In accordance with DIN ISO 695 BIOHALL® corresponds to alkali resistance .The surface erosion after three hours boiling in a mixture of equal volume fractions of sodium hydroxide solution (concentration 1 mol/l) and sodium carbonate solution (concentration 0,5 mol/l) is only 134 mg/100 cm². The surface removal through alkali

is directly proportional to time. A visible attack on the glass surface takes place only at temperatures above 60°C, at lower temperatures the reaction rates are so low that hardly any reduction of the wall thickness takes place over a period of years. Long-term tests have shown that the use of NaOH with a concentration of 1 mol/l at an operating temperature of 50°C produces a glass surface removal of 1 mm after 25 years in a continuous flow.

Autoclaving of BIOHALL Laboratory Glass

According to DIN 58900, part 1 and DIN 58946, part 1/2, 1987, hot air sterilization is the “killing resp. irreversible disabling of all augmentable microorganisms” under the influence of “saturated steam of at least 120°C and 2 bar”. As minimum residence time (time to kill + excess time) is considered for 20 minutes at 121°C. A raised vapor temperature of 121°C is only possible with a raised pressure of 2 bars. Vessels must only be hot air sterilized with open closures, to avoid additional pressure build-up resulting in breakage.

Temperature Resistance When Heated And Thermal Shock Resistance

The maximum permissible operating temperature for BIOHALL® is 590°C. Above a temperature of 626°C BIOHALL® begins to soften and at 860°C it changes to the liquid state. As it has a very low coefficient of linear expansion ($\alpha = 3.3 \times 10^{-6} \text{K}^{-1}$), a feature of BIOHALL® is its high thermal shock resistance (up to $\Delta T = 100 \text{ K}$). For a temperature change of 1 K, the glass changes by only 3.3×10^{-6} relative length units, resulting in low levels of mechanical strain where a thermal gradient exists. The thermal shock resistance is depending on the wall thickness and geometry of the products.

Temperature resistance at low temperatures

BIOHALL® can be cooled down to the maximum possible negative temperature and is therefore suitable for use with liquid nitrogen (approx. -196°C). During such freezing you have to observe the expansion of the content. In general BIOHALL® products are recommended for use down to -70°C. Besides the geometry of the products you also have to pay attention to the property of the used components. During cooling and thawing ensure that the temperature difference does not exceed 100 K. In practice, stepwise cooling and heating are recommended.

Care & Maintenance of Laboratory Glassware

To obtain the maximum performance from your laboratory glassware correct handling is essential. The following information is a guide on the safe handling of Biohall glassware and tips on how you can optimize its performance and life span.

General Precautions

We recommend that all glassware is washed before it is first used.

Before using any piece of glassware, always take time to examine it carefully and ensure that it is in good condition. Do not use any glassware that is scratched, chipped, cracked or etched. Defects like these can seriously weaken the mechanical strength of the glass and cause it to break in use.

Dispose of broken or defective glassware safely. Use a purpose-designed disposal bin that is puncture resistant and clearly labelled. Biohall® glassware (or any other borosilicate glass) should under no circumstances be disposed of in a domestic glass recycling stream (e.g. bottle banks), as its high melting point makes it incompatible with other glass (soda-lime glass) for recycling. The correct method of disposal is to include it in the general waste in accordance with the relevant guidelines, provided that the glass is free from any harmful chemical contamination.

Never use excessive force to fit rubber bungs into the neck of a piece of glassware. Always ensure that you select the correct size of bung.

Many Biohall® glass products are supplied with durable, easy to use plastic screw thread tubing connectors to allow the safe fitting of any flexible tubing. When attaching tubing, ensure that the screw thread connector is removed from the glassware, the tubing is lubricated and protective gloves are worn. Never use excessive force to connect the rubber hose or tubing.

Carrying or lifting large glass flasks, beakers or bottles, etc. by the neck or rim can be very dangerous. Always provide support from the base and sides.

When stirring solutions in glass vessels, avoid using stirring rods with sharp ends which can scratch the glassware causing it to become weakened.

Heating and Cooling

The maximum recommended working temperature for Biohall® glassware is 500 °C (for short periods only). However, once the temperature exceeds 150 °C extra care must be taken to ensure that the heating and then cooling of the glassware is achieved in a slow and uniform manner.

Always heat glassware gently and gradually to avoid sudden temperature changes which may cause the glass to break due to thermal shock. Similarly, allow hot glassware to cool gradually and in a location away from cold draughts.

If you are using a hotplate, ensure that the top plate is larger than the base of the vessel to be heated. If the base of the vessel overhangs the hotplate top, hotspots can occur causing the base of the vessel to break. Also, never put cold glassware onto a pre-heated hotplate. Always warm up the glassware from ambient temperature.

If you are using a Bunsen burner, employ a soft flame and use a wire gauze with a ceramic centre to diffuse the flame. Never apply direct localised heat to a piece of glassware.

Biohall® borosilicate glass is microwave safe. However, as with any microwave vessel, ensure that it holds microwave absorbing material, before placing it in the oven. Many of our products utilise plastics screwcaps and connectors. These components are typically manufactured from polypropylene or PTFE, both of which are also microwave safe.

When autoclaving containers e.g. bottles with screwcaps, always loosen off the caps. Autoclaving glassware with a tightly screwed cap can result in pressure differences which will cause the container to break.

Vacuum and Pressure Use

Because working conditions can vary enormously, Biohall cannot guarantee the performance of any of its glassware when used under vacuum or positive pressure. The application of positive pressures inside glass apparatus is particularly hazardous and should be avoided, if at all possible. Safety precautions should always be taken to protect personnel and a number of these are listed below:

Always use an adequate safety screen and/or protective cage when using glassware under vacuum or positive pressure.

Flat bottomed vessels such as Erlenmeyer flasks and bottles should not be used under vacuum as they are likely to implode. Exceptions are vessels with specially thickened walls such as Buchner filter flasks and desiccators.

Under no circumstances should glassware that is scratched, cracked or chipped be used. Any damage to the glassware will seriously impair its mechanical strength. Never subject glassware to sudden pressure changes. Always apply and release pressure gradients and vacuums gradually.

Avoid stressing the glass by over-tightening clamps. Support glassware gently where possible.

Biohall Ground Glass Joints

To prevent joints leaking in use and to assist separation, lubricate the ground surfaces of the joint with a silicone-free laboratory grease. Apply a light coating completely around the upper part of the joint.

If ground glass joints do seize, we suggest the following remedies to separate the joint: Always wear thick protective gloves and safety spectacles. Never use force. Carefully rock the cone (inner joint) in the socket to achieve separation.

If the joint is dry, try to provide lubrication. Hold the joint upright and add penetrating oil to the top of the cone. Wait until the penetrating oil is well dispersed into the joint before trying to separate.

If the use of temperature is permissible e.g. no volatile substances are present, warm the outer socket under a running stream of hot tap water. Hold under the tap for a few minutes before trying to separate the joint.

Biohall Volumetric Glassware

Always ensure that volumetric glassware is kept scrupulously clean. Dirt, and especially grease, can distort the shape of the meniscus and can also cause droplets of liquid to adhere to the vessel walls. Both seriously impair accuracy. (Good cleanliness is indicated by uniform wetting of the glass surface with distilled water).

Never pipette by mouth. Always use a purpose designed pipette filler.

Autoclaving at 121 °C and cleaning glassware in an automatic dishwasher will not affect the accuracy of Biohall® volumetric products.

All items should be held in a vertical position when reading the meniscus. The meniscus should be at eye level to avoid parallax errors.

If using strong corrosive acids, etc. select volumetric products manufactured from chemically resistant Biohall® borosilicate glass.

Never expose volumetric glassware to direct heat e.g. hotplates and Bunsen flames, as this will affect the accuracy.

Volumetric Glassware

BIOHALL® volumetric glassware are robust, virtually inert and exceptionally resistant to high temperatures. Outstanding corrosion protection also guarantees they are particularly cost effective. Stringent specifications apply for the selection of raw materials and mixture preparation for the borosilicate glass 3.3. In addition, because Biohall® laboratory glassware is manufactured exclusively in-house, high quality is guaranteed. This applies to every manufacturing phase – from glass melting through to calibration. The result: outstanding precision during volumetric measurement.

The volumetric instruments are essentially available in the accuracy classes A, AS and B.

Accuracy class A:

- Denotes the accuracy limit in accordance with DIN and ISO and is therefore the most accurate class. A conformity mark is printed on volumetric instruments in class A to indicate they satisfy the requirements of the German weights and measures regulation and the applicable standards.

Accuracy class AS:

- Denotes pipettes and burettes in accuracy class A with a rapid discharge (S). The waiting time is significantly less than with class A.

Accuracy class B:

- Denotes an accuracy limit which is twice as large as class A.

INDEX

ADAPTERS	20 - 34
BEAKERS	36 - 38
BOTTLES	40 - 48
BURETTES	50 - 60
COLUMNS	62 - 64
CONDENSORS	66 - 72
CYLINDERS	74 - 78
DISHES	79 - 84
FILTRATION	86 - 88
FUNNELS	90 - 96
FLASKS	98 - 114
VOLUMETRIC FLASK	116-121
PIPETTES	124-132
STOPCOCK, TUBES, JOINTS	134 - 152

DISTILLATION APPARATUS 154 - 172

RUBBERWARE 174-184

METALWARE 186-202

BRUSHES 203-205

PORCELAIN & SILICAWARE 206-208

ACCREDITATION BODIES WORLD WIDE 209-210



ADAPTERS



Adapter, Reduction

- Used for connecting non similar joint size.
- Top outer joint is smaller and the lower joint is bigger.
- Made as per DIN 12257.
- ASTM E-676 standards are available upon request.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.120	14/23	19/26	10	260
BLS.I.121	14/23	24/29	10	318
BLS.I.122	14/23	29/32	10	301
BLS.I.123	19/26	24/29	10	318
BLS.I.124	19/26	29/32	10	387
BLS.I.125	19/26	34/35	10	495
BLS.I.126	19/26	40/38	10	459
BLS.I.127	19/26	45/40	10	496
BLS.I.128	19/26	55/44	10	701
BLS.I.129	24/29	29/32	10	387
BLS.I.130	24/29	34/35	10	495
BLS.I.131	24/29	40/38	10	453
BLS.I.132	24/29	45/40	10	520
BLS.I.133	24/29	50/42	10	584
BLS.I.134	24/29	55/44	10	704
BLS.I.135	29/32	34/35	10	500
BLS.I.136	29/32	40/38	10	559
BLS.I.137	29/32	45/40	10	540
BLS.I.138	34/35	40/38	10	759
BLS.I.139	34/35	45/40	10	821
BLS.I.140	34/35	50/42	10	995

Adapter, Expansion

- Used for connecting non similar joints sizes.
- Top outer joint is larger and the lower joint is smaller.
- Made as per DIN 12257
- ASTM E-676 standards are available upon request.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.141	19/26	14/23	10	260
BLS.I.142	24/29	14/23	10	318
BLS.I.143	24/29	19/26	10	318
BLS.I.144	29/32	19/26	10	337
BLS.I.145	29/32	24/29	10	387
BLS.I.146	34/35	19/26	10	495
BLS.I.147	34/35	24/29	10	495
BLS.I.148	34/35	29/32	10	495
BLS.I.149	40/38	24/29	10	486
BLS.I.150	45/40	29/32	10	617

Adapters, Multiple

- Complies as per DIN 12594.
- With two Parallel Neck with sockets & one cone at the bottom.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.151	14/23	14/23	10	269
BLS.I.152	14/23	19/26	10	281
BLS.I.153	19/26	19/26	10	294
BLS.I.154	19/26	24/29	10	328
BLS.I.155	24/29	24/29	10	358
BLS.I.156	19/26	34/35	10	416
BLS.I.157	29/32	29/32	10	470



Order Now

BORO
3.3
GLASSONE
CONEONE
SOCKET

Adapters, Multiple

- Two Neck one Vertical & One at 45°

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.158	14/23	14/23	10	281
BLS.I.159	14/23	19/26	10	281
BLS.I.160	19/26	19/26	10	294
BLS.I.161	19/26	24/29	10	300
BLS.I.162	24/29	24/29	10	320
BLS.I.163	19/26	34/35	10	515
BLS.I.164	29/32	29/32	10	302



Order Now

BORO
3.3
GLASSONE
CONEONE
SOCKET

Adapters, Multiple

- Multiple Adapter Three Neck two parallel & One at 45°

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.166	19/26	19/26	10	403
BLS.I.167	19/26	24/29	10	431
BLS.I.168	19/26	29/32	10	500
BLS.I.169	24/29	24/29	10	657
BLS.I.170	29/32	29/32	10	729
BLS.I.171	24/29	34/35	10	897



Order Now

BORO
3.3
GLASSONE
CONETHREE
SOCKET



Adapter Swan Neck

- With screw thread for a thermometer or to have a rubber hose.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.248	14/23	19/26	1	351
BLS.I.249	19/26	19/26	1	366
BLS.I.250	19/26	24/29	1	351
BLS.I.251	24/29	24/29	1	366
BLS.I.252	29/32	29/32	1	335



Adapter, Receiver Delivery

- With Short Stem

Item Code	Socket	Approx Length mm	Pack	INR/Piece
BLS.I.173	14/23	65	10	162
BLS.I.174	19/26	65	10	191
BLS.I.175	24/29	65	10	220
BLS.I.176	29/32	65	10	276



Adapter, Receiver Delivery

- With Long Stem

Item Code	Socket	Approx Length mm	Pack	INR/Piece
BLS.I.177	14/23	190	10	255
BLS.I.178	19/26	200	10	255
BLS.I.179	24/29	200	10	294
BLS.I.180	29/32	200	10	358



Adapters, Tubing Straight

- Straight

Item Code	Socket	Pack	INR/Piece
BLS.I.181	14/23	10	162
BLS.I.182	19/26	10	191
BLS.I.183	24/29	10	220
BLS.I.184	29/32	10	276



Order Now



ADAPTERS, Tubing Straight

- Straight
- With hooks

Item Code	Socket	Pack	INR/Piece
BLS.TS.181	14/23	10	160
BLS.TS.182	19/26	10	180
BLS.TS.183	24/29	10	200
BLS.TS.184	29/32	10	250



Order Now



Adapters, Receiver Bend with Vent

- Also available with Drip tip
- Wide side arm to provide vent
- Avoids the problem of closed system

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.222	14/23	14/23	1	230
BLS.I.223	19/26	19/26	1	265
BLS.I.224	19/26	24/29	1	314
BLS.I.225	24/29	24/29	1	343
BLS.I.226	29/32	29/32	1	500



Order Now





Adapters, Receiver, Vaccum Straight

- Complies as per DIN 12594
- Adapter Straight with Vacuum Connection and screw thread
- Also available with drip tip
- Delivery system within cone

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.193	14/23	14/23	1	235
BLS.I.194	14/23	19/26	1	245
BLS.I.195	19/26	19/26	1	290
BLS.I.196	19/26	24/29	1	320
BLS.I.197	24/29	24/29	1	350
BLS.I.198	24/29	29/32	1	398
BLS.I.199	29/32	29/32	1	696



Order Now



Adapters, Receiver, Vaccum, Angled

- Complies as per DIN 12594
- Bend with Vacuum Connection and screw thread

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.186	14/23	14/23	1	200
BLS.I.187	14/23	19/26	1	210
BLS.I.188	19/26	19/26	1	270
BLS.I.189	19/26	24/29	1	300
BLS.I.190	24/29	24/29	1	300
BLS.I.191	24/29	29/32	1	400
BLS.I.192	29/32	29/32	1	500



Order Now



ADAPTERS, Receiver

- Inclined at 105 angle upwards
- Side Socket

Item Code	Socket	Pack	INR/Piece
BLS.I.207	14/23	1	311
BLS.I.208	19/26	1	401
BLS.I.209	19/26	1	430
BLS.I.210	24/29	1	494
BLS.I.211	29/32	1	612



Order Now


Adapter Receiver With Multiple connection

- With side arm for connection to a vacuum supply.
- Cow type design distribution adapter with three receivers 40 degrees apart
- With 135 degree angle between the receiver tubes and the centre of the condenser
- Used with short path style distilling heads
- Glass hose connection for vacuum and three receiver with cones.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.AM.284	14/23	14/23	1	700
BLS.AM.285	14/23	19/26	1	712
BLS.AM.286	19/26	19/26	1	800
BLS.AM.287	24/29	24/29	1	1800



Order Now



Adapter Receiver With Multiple connection

- Without side arm
- Cow type design distribution adapter with three receivers 40 degrees apart
- With 135 degree angle between the receiver tubes and the centre of the condenser
- Used with short path style distilling heads

Item Code	Socket	Cone	Pack	INR/Piece
BLS.AW.288	14/20	14/20	1	700
BLS.AW.289	24/29	24/29	1	720



Order Now



Adapter, Receiver Plain Bend

- Without Vent
- Used as a simple path provider between the flask and the distillation condensers.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.201	14/23	14/23	1	223
BLS.I.202	14/23	19/26	1	232
BLS.I.203	19/26	19/26	1	273
BLS.I.204	19/26	24/29	1	302
BLS.I.205	24/29	24/29	1	331
BLS.I.206	29/32	24/29	1	401



Order Now





Order Now

Adapter Recovery Bend

- With Sloping End
- With drip tip

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.212	14/23	14/23	1	191
BLS.I.213	24/29	14/23	1	265
BLS.I.214	19/26	19/26	1	265
BLS.I.215	24/29	19/26	1	274
BLS.I.216	29/32	19/26	1	358
BLS.I.217	29/32	29/32	1	389
BLS.I.218	24/29	24/29	1	274
BLS.I.219	34/35	24/29	1	426
BLS.I.220	29/32	24/29	1	399
BLS.I.221	34/35	34/35	1	480



Adapter Still Head Plain

- With Thermometer socket
- As per DIN 12594 standards
- With drip Tip
- Used as connection between distillation assembly and condenser.

Item Code	Socket	Cone	Cone size to fit condensor	Pack	INR/Piece
BLS.I.232	14/23	14/23	14/23	1	377
BLS.I.233	14/23	19/26	19/26	1	421
BLS.I.234	14/23	24/29	19/26	1	480
BLS.I.235	14/23	29/32	19/26	1	529
BLS.I.236	14/23	34/35	19/26	1	612
BLS.I.237	14/23	24/29	24/29	1	471
BLS.I.238	14/23	34/35	24/29	1	715
BLS.I.239	14/23	29/32	24/29	1	514
BLS.I.240	14/23	29/32	29/32	1	764
BLS.I.241	14/23	34/35	29/32	1	701



Order Now

Adapter Recovery Bend Vertical

- Used in distillation assembly

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.227	14/23	14/23	1	279
BLS.I.228	19/26	19/26	1	343
BLS.I.229	24/29	19/26	1	351
BLS.I.230	24/29	24/29	1	436
BLS.I.231	29/32	29/32	1	573



Order Now



Adapter, Claisen Heads

- Sloping with 2X B14 Socket
- As per DIN 12594 standards

Item Code	Socket	Cone	Cone size to fit condenser	Pack	INR/Piece
BLS.I.242	14/23	14/23	14/23	1	470
BLS.I.243	14/23	19/26	19/26	1	519
BLS.I.244	14/23	24/29	19/26	1	549
BLS.I.245	14/23	24/29	24/29	1	569
BLS.I.246	14/23	29/32	29/32	1	642
BLS.I.247	14/23	34/35	24/29	1	682



Order Now



Adapter, Splash Head Straight

- Pear shaped
- With drip tip
- Used to stop movement of raw liquid between flask and condenser.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.255	19/26	19/26	1	400
BLS.I.256	24/29	19/26	1	400
BLS.I.257	24/29	24/29	1	400
BLS.I.258	29/32	29/32	1	400
BLS.I.259	34/35	24/29	1	735



Order Now





Adapter Splash Head Vertical Pear Shaped

- Pear shaped vertical.
- Lower cone for flask and upper cone for condenser.

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.265	14/23	14/23	1	500
BLS.I.266	19/26	19/26	1	505
BLS.I.267	24/29	19/26	1	529
BLS.I.268	24/29	24/29	1	549
BLS.I.269	29/32	29/32	1	686



Order Now



Adapter Splash Head Vertical Pear Shape Sloping

- Pear shaped
- With drip tip

Item Code	Socket	Cone	Pack	INR/Piece
BLS.I.260	14/23	14/23	1	480
BLS.I.261	19/26	19/26	1	500
BLS.I.262	24/29	19/26	1	529
BLS.I.263	24/29	24/29	1	573
BLS.I.264	29/32	29/32	1	593



Order Now



Adapter Socket Glass Stopcock

Item Code	Socket	BORE	KEY	Pack	INR/Piece
BLS.SG.290	14/23	3	Glass Stopper	1	400
BLS.SG.291	19/26	3	Glass Stopper	1	400
BLS.SG.292	24/29	3	Glass Stopper	1	400
BLS.SG.293	29/32	3	Glass Stopper	1	517



Order Now

Adapter Socket PTFE

- 90 degree
- Teflon stopcock

Item Code	Socket	BORE	KEY	Pack	INR/Piece
BLS.SP.294	14/23	3	PTFE	1	450
BLS.SP.295	19/26	3	PTFE	1	468
BLS.SP.296	24/29	3	PTFE	1	488
BLS.SP.297	29/32	3	PTFE	1	617



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE

PTFE



Adapter Socket to Rubber Tubing Straight Connection

Item Code	Socket	Pack	INR/Piece
BLS.I.300	14/23	1	142
BLS.I.301	19/26	1	153
BLS.I.302	24/29	1	169
BLS.I.303	29/32	1	208



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE

Screw



Adapter Cone to Rubber Tubing Right angle Connection

- 90 Deg Connection for rubber hose attachment

Item Code	Socket	Pack	INR/Piece
BLS.I.304	14/23	1	121
BLS.I.305	19/26	1	145
BLS.I.306	24/29	1	185
BLS.I.307	29/32	1	264



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE





Adapter Cone with Glass Stopper / PTFE

- Available in Teflon and Glass Stopcock

Item Code	Socket	BORE	KEY	Pack	INR/Piece
BLS.CG.290	14/23	3	GLASS STOPPER	1	400
BLS.CG.291	19/26	3	GLASS STOPPER	1	400
BLS.CG.292	24/29	3	GLASS STOPPER	1	400
BLS.CG.293	29/32	3	GLASS STOPPER	1	517
BLS.CP.294	14/23	3	PTFE	1	450
BLS.CP.295	19/26	3	PTFE	1	468
BLS.CP.296	24/29	3	PTFE	1	488
BLS.CP.297	29/32	3	PTFE	1	617



Order Now



Thermometer Pocket

- For incorporating thermometers into jointed-ware assemblies
- Best fit for most still heads.

Item Code	Cone	Length mm	Pack	INR/Piece
BLS.I.279	14/23	45	10	189
BLS.I.280	19/26	45	10	224
BLS.I.281	24/29	45	10	255



Order Now



Air Leak Tube/ Gas Inlet Tube

- Tubes come with most accurate dimensions
- Well tested as per parameters set
- Durable and High Quality tubes.

Item Code	Socket	Pack	INR/Piece
BLS.I.282	14/23	10	174
BLS.I.283	19/26	10	195
BLS.I.284	24/29	10	217
BLS.I.285	29/32	10	316



Order Now

Drying Tube 75 DEG

- These tubes are used to connect to reaction vessel for the purpose of keeping free of moisture.
- It is used to house a disposable solid desiccant.

Item Code	Cone	Pack	INR/Piece
BLS.I.509	14/23	10	169
BLS.I.510	19/26	10	200
BLS.I.511	24/29	10	224
BLS.I.512	29/32	10	287



Order Now



Drying Tube Straight

- These tubes are used to connect to reaction vessel for the purpose of keeping free of moisture

Item Code	Cone	Pack	INR/Piece
BLS.IS.509	14/23	10	169
BLS.IS.510	19/26	10	200
BLS.IS.511	24/29	10	224
BLS.IS.512	29/32	10	287



Order Now



Adapter cone screw thread

- Used for gas inner tube or securing thermometer

Item Code	Cone	Pack	INR/Piece
BLS.AC.766	14/23	6	234
BLS.AC.767	19/26	6	240
BLS.AC.768	24/29	6	280
BLS.AC.769	29/32	6	376



Order Now





Adapter Vaccum, Inlet, Inner Joint, 90 Deg

- A cone and a Hose connection on side.

Item Code	Cone	Pack	INR/Piece
BLS. IJ.987	14/23	1	234
BLS. IJ.988	19/26	1	240
BLS. IJ.989	24/29	1	280
BLS. IJ.990	29/32	1	376
BLS. IJ.991	34/35	1	455



Adapter .Twin Connecting Hose

- One cone and 2 hose connection at 180 Deg From one another for flow of inert gas


Item Code	Cone	Pack	INR/Piece
BLS. IJ.989	24/29	1	376



Adapters, Distilling Receiver, Cow type

- With 1 socket and 4 cone
- With Drip Tip
- Flask available in 100 ml and 250 ml

Item Code	Socket	Cone	Pack	INR/Piece
BLS.DM.287	14/23	14/23	1	700
BLS.DM.288	19/26	19/26	1	720
BLS.DM.289	24/29	19/26	1	800
BLS.DM.290	29/32	24/29	1	1600



Rotary Evaporator, Bump, Anti Splash

- Used with rotary evaporators
- Prevents mixing of content of flask into condenser
- Bump traps provide more volume from reaction which have tendency to foam.

Item Code	Capacity	Socket	Cone	Pack	INR/Piece
BLS.RE.290	150	29/32	19/26	1	640
BLS.RE.291	150	29/32	24/29	1	660
BLS.RE.292	150	29/32	29/32	1	680
BLS.RE.292A	250	29/32	19/26	1	760
BLS.RE.292B	500	29/32	24/29	1	1050



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE

ONE
SOCKET



Rotary Evaporator, Bump, Anti Climb

- Used with rotary evaporator
- Useful for liquids that make foam

Item Code	Capacity	Socket	Cone	Pack	INR/Piece
BLS.REA.293	150	29/32	19/26	1	640
BLS.REA.294	150	29/32	24/29	1	660
BLS.REA.295	150	29/32	29/32	1	680
BLS.REA.295A	250	29/32	19/26	1	760
BLS.REA.295B	500	29/32	24/29	1	1050



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE

ONE
SOCKET



Adapters, Flash Chromatography Reservoirs

- As per ASTM E -438, Type 1, Class A, Borosilicate 3.3

Item Code	Capacity	Socket	Cone	Pack	INR/Piece
BLS.FC.294	250	29/40	24/29	1	650



Order Now

BORO
3.3
GLASS

Chemical
Resistant

ONE
CONE

ONE
SOCKET





Glass Stirring Rods

Item Code	Approx OD x Length mm	Pack Size	INR/Piece
BLS.GR.01	8 x 150	10	60
BLS.GR.02	8 x 200	10	68
BLS.GR.03	8 x 250	10	72
BLS.GR.04	8 x 300	10	80
BLS.GR.05	10 x 150	10	65
BLS.GR.06	10 x 200	10	75
BLS.GR.07	10 x 250	10	85
BLS.GR.08	10 x 300	10	95



Order Now



BEAKERS



Beakers, Low Form with Spout, DIN/ISO

- Complies with DIN 12331 & ISO 3819
- The Spout design enables precise and clean pouring
- Large labeling field for easy marking
- Uniform wall thickness & ideal for heating liquids
- Clear metric Graduation for convenience
- Highly resistant to chemical attack

Item Code	Capacity(ml)	Dia(mm)	Height(mm)	Pack of	INR/Piece
BLS.1000.01	5	22	30	10	88
BLS.1000.02	10	26	35	10	91
BLS.1000.03	25	34	50	10	93
BLS.1000.04	50	42	58	10	65
BLS.1000.05	100	50	70	6	71
BLS.1000.06	150	60	88	10	74
BLS.1000.07	250	70	95	6	101
BLS.1000.08	400	80	110	6	147
BLS.1000.09	500	83	118	6	147
BLS.1000.10	600	90	125	6	202
BLS.1000.11	800	100	135	6	315
BLS.1000.12	1000	105	157	6	315
BLS.1000.13	2000	132	185	4	735
BLS.1000.14	3000	152	210	1	1557
BLS.1000.15	5000	170	270	1	2465
BLS.1000.16	10000	220	350	1	6820



Beaker with spout Low form with Handle

- The Spout design enables precise and clean pouring
- Large labeling field for easy marking
- Uniform wall thickness & ideal for heating liquids
- Clear metric Graduation for convenience
- Highly resistant to chemical attack

Item Code	Capacity(ml)	Dia(mm)	Height(mm)	Pack of	INR/Piece
BLS.1001.17	250 ML	70	95	6	385
BLS.1001.18	500 ML	90	125	6	578
BLS.1001.19	1000 ML	105	157	6	1600

Beakers, Tall form with Spout DIN/ISO

- Complies with DIN 12331 & ISO 3819
- Designed with pouring spout
- Clear Graduation for easy reading convenience
- Clear metric Graduation for convenience
- Uniform wall thickness
- Large labeling field for easy marking
- Ideal for heating liquids
- Highly resistant to chemical attack

Item Code	Capacity(ml)	Dia(mm)	Height(mm)	Pack of	INR/Piece
BLS.1001.01	50	38	70	10	126
BLS.1001.02	100	48	80	10	143
BLS.1001.03	150	54	95	10	151
BLS.1001.04	250	60	120	6	160
BLS.1001.05	400	70	130	6	206
BLS.1001.06	500	75	142	6	230
BLS.1001.07	600	80	150	6	258
BLS.1001.08	1000	90	192	6	431



Order Now

Beakers, Tall form, Without Spout DIN/ISO

- Complies with DIN 12331 & ISO 3819
- Large labeling field for easy marking
- Highly resistant to chemical attack
- Uniform wall thickness
- Ideal for heating liquids
- Clear metric Graduation for convenience
- Clear Graduation for easy reading convenience
- Designed without pouring spout

Item Code	Capacity(ml)	Dia (mm)	Height (mm)	Pack of	INR/Piece
BLS.1001.09	50	38	70	10	126
BLS.1001.10	100	48	80	10	143
BLS.1001.11	150	54	95	10	151
BLS.1001.12	250	60	120	6	160
BLS.1001.13	400	70	130	6	206
BLS.1001.14	500	75	142	6	230
BLS.1001.15	600	80	150	6	258
BLS.1001.16	1000	90	192	6	431



Order Now



Amber Colour Beaker, Low Form, With Graduation & Spout

- In compliance to ISO 3819/DIN 12331/IS 2619 Standard
- Printed in white color
- The spout design enables clean and precise pouring
- Uniform wall thickness distribution makes it ideal for heating liquids
- The easy-to-read scale and labeling field for marking
- High resistance to chemical attack

Item Code	Capacity (ml)	O.D. x Ht, mm	Pack of	INR/Piece
BLS.1000.17	50	42x60	10	325
BLS.1000.18	100	50x72	10	470
BLS.1000.19	150	60x80	10	490
BLS.1000.20	250	68x100	6	545
BLS.1000.21	500	83x115	6	770




Beakers Philips, Conical With Spout

Item Code	Capacity (ml)	O.D. x Ht, mm	Pack of	INR/Piece
BLS.1001.250	250	68x110	2	740
BLS.1001.500	500	85x142	2	915



BOTTLES



Bottles, Reagent Clear Screw Neck DIN/ISO

- Complies with DIN/ISO 4796
- Specially designed PE Pouring rings for drip-free operations
- Autoclavable PE screw cap and pouring ring
- These complete bottles are autoclavable & can be sterilized
- These bottles are highly mechanically durable and chemical resistance
- Printed with retrace code.
- Clear scale Graduation & large marking area

Item Code	Capacity(ml)	Dia (mm)	Height (mm)	Pack of	INR/Piece
BLS.1105.01	25*	36	70	10	260
BLS.1105.02	50*	46	87	10	290
BLS.1105.03	100	56	100	10	330
BLS.1105.04	250	70	138	10	340
BLS.1105.05	500	86	176	6	375
BLS.1105.06	1000	101	225	6	620
BLS.1105.07	2000	136	260	2	1025
BLS.1105.08	3000	158	295	1	4610
BLS.1105.09	5000	181	330	1	5695
BLS.1105.10	10000	227	410	1	9900
BLS.1105.11	15000	284	490	1	14500
BLS.1105.12	20000	288	505	1	17630



Bottles, Reagent Amber Screw Cap DIN/ISO

- Complies with DIN/ISO 4796
- Autoclavable PE screw cap and pouring ring
- The uniform Amber colour is highly durable and chemical resistance
- These complete bottles are autoclavable & can be sterilized
- Specially designed PE Pouring rings for drip-free operations
- These bottles are highly mechanically durable and chemical resistance
- These bottles are ideal for long term storage of light sensitive media & substance

Item Code	Capacity (ml)	Dia (mm)	Height (mm)	Pack of	INR/Piece
BLS.1106.01.A	25*	36	70	10	390
BLS.1106.01	50*	46	87	10	450
BLS.1106.02	100	56	100	10	490
BLS.1106.03	250	70	138	10	540
BLS.1106.04	500	86	176	6	640
BLS.1106.05	1000	101	225	6	865
BLS.1106.06	2000	136	260	2	1620
BLS.1106.06.A	3000	158	295	1	8581
BLS.1106.07	5000	181	330	1	8910
BLS.1106.08	10000	227	410	1	12700
BLS.1106.09	15000	284	490	1	17890
BLS.1106.10	20000	288	505	1	19220



Order Now

Bottles, Reagent Clear Narrow Neck with Head Stopper

- Complies with ISO 4796-2, Large marking area
- These complete bottles are mechanically strong and chemical resistant
- Sturdy ground neck, PE Stopper also available.

Item Code	Capacity (ml)	N/S	Pack of	INR/Piece
BLS.1106.11	30	14/23	10	330
BLS.1106.12	60	14/23	10	365
BLS.1106.13	100	14/23	10	404
BLS.1106.13A	125	19/26	10	404
BLS.1106.14	250	19/26	6	404
BLS.1106.15	500	24/29	6	416
BLS.1106.16	1000	29/32	6	655
BLS.1106.17	2000	29/32	2	1230



Bottles, Reagent Amber Narrow Neck with Head Stopper

- Complies with ISO 4796-2, Sturdy ground neck, Large marking area
- These complete bottles are mechanically strong and chemical resistant
- The uniform Amber colour is highly durable and chemical resistance
- These bottles are ideal for long term storage of light sensitive media & substance, PE Stopper also available.

Item Code	Capacity (ml)	N/S	Pack of	INR/Piece
BLS.1104.01	30	14/23	10	510
BLS.1104.02	60	14/23	10	540
BLS.1104.03	100	14/23	10	550
BLS.1104.03A	125	19/26	10	550
BLS.1104.04	250	19/26	6	675
BLS.1104.05	500	24/29	6	805
BLS.1104.06	1000	29/32	6	1035
BLS.1104.07	2000	29/32	2	1960



Caps, PP Screw Cap with Pouring Ring for Laboratory Reagent Bottles

- Autoclavable upto 140°C
- Made of high grade polypropylene

Item Code	Colour	DIN Thread	Pack of	INR/Piece
BLS.1105.SC12	Blue	GL 45	10	96
BLS.1105.SC13	Orange	GL 45	10	102
BLS.1105.SC14	Yellow	GL 45	10	102
BLS.1105.SC15	Green	GL 45	10	102
BLS.1105.SC16	Grey	GL 45	10	102
BLS.1105.SC17	Blue	GL 25	10	92
BLS.1105.SC18	Blue	GL 32	10	92



Order Now





Bottles, Weighing

- Complies ASTM – 438, TYPE-1, Boro 3.3 glass
- These bottles are chemically resistant & mechanically strong
- Tall Form

Item Code	O.D. x Ht. (mm)	Form	Capacity (ml)	Pack of	INR/ Piece
BLS.1100.01	20X40MM	TALL FORM	5 ML	10	241
BLS.1100.02	25X50MM	TALL FORM	15 ML	10	251
BLS.1100.03	15X50MM	TALL FORM	7 ML	10	251
BLS.1100.04	25X60MM	TALL FORM	15 ML	10	251
BLS.1100.05	30X60MM	TALL FORM	25 ML	10	314
BLS.1100.06	30X65MM	TALL FORM	30ML	10	314
BLS.1100.07	40X80MM	TALL FORM	60 ML	10	482
BLS.1100.08	40X90MM	TALL FORM	60 ML	10	482



Bottles, Weighing

- Complies ASTM – 438, TYPE-1, Boro 3.3 glass
- These bottles are chemically resistant & mechanically strong
- Short Form

Item Code	O.D. x Ht. (mm)	Form	Capacity (ml)	Pack of	INR/ Piece
BLS.1100.10	60X40MM	SQUAT TYPE	40 ML	10	482
BLS.1100.11	40X30MM	SQUAT TYPE	20 ML	10	384
BLS.1100.12	50X25MM	SQUAT TYPE	20 ML	10	541
BLS.1100.13	50x35 MM	SQUAT TYPE	35 ML	10	541
BLS.1100.14	50X50MM	SQUAT TYPE	50 ML	10	655
BLS.1100.15	60X30MM	SQUAT TYPE	40 ML	10	763

Bottles, Clear Dropping

- Complies ISO DIN 4796 Type 1 Boro 3.3
- Made From chemical Resistant glass
- These bottles comes with interchangeable ground joint with dropper and rubber teat.

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.1101.01	30	10	270
BLS.1101.02	60	10	310
BLS.1101.03	100	10	410
BLS.1101.04	125	10	410
BLS.1101.05	250	10	530



Order Now

Bottles, Amber, Dropping

- Complies ISO DIN 4796 Type 1 Boro 3.3
- Made From chemical Resistant glass
- These bottles come with interchangeable ground joint with dropper and rubber teat.

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.1102.01	30	10	415
BLS.1102.02	60	10	555
BLS.1102.03	100	10	640
BLS.1102.04	125	10	640
BLS.1102.05	250	10	815



Order Now



Pycnometers to Gay – Lussac, Calibrated Class-A

- Suitable for determining the density with build in thermometer & thermometer pocket
- Complies with ISO 3507
- These bottles are mechanically strong and chemical resistant
- All sizes have a durable area for marking
- With thermometer along with certificate

Item Code	Capacity (ml)	Tolerance (±ml)	Pack of	INR/Piece
BLS.1107.01	10	1	2	953
BLS.1107.02	25	2	2	1109
BLS.1107.03	50	3	2	1166
BLS.1107.04	100	3	2	1515



Order Now



Pycnometers to Gay – Lussac, Calibrated Class-A

- Complies with DIN/ISO 3507
- With Individual Work Certificate
- With Teflon stopper

Item Code	Capacity (ml)	Tolerance (±ml)	Pack of	INR/Piece
BLS.1110.01	10	1	2	853
BLS.1110.02	25	2	2	1009
BLS.1110.03	50	3	2	1066
BLS.1110.04	100	3	2	1113



Order Now



Pycnometers to Gay – Lussac, Class-B

- Complies with DIN/ISO 3507
- Without Work Certificate
- With Teflon stopper

Item Code	Capacity (ml)	Tolerance (±ml)	Pack of	INR/Piece
BLS.B110.01	10	1	2	405
BLS.B110.02	25	2	2	445
BLS.B110.03	50	3	2	477
BLS.B110.04	100	3	2	517



Order Now



Bottle Aspirator with GL 45 Cap

- Complies with ISO 4796, Made From Heat Resistant Boro 3.3 Glass
- These bottles comes with autoclavable PP Screw caps & pouring rings
- Suitable to store aggressive media

Item Code	Capacity (ml)	Approx. O.D *Height (mm)	Thread Specification	Pack of	INR/Piece
BLS.1108.01	250	70 x 138	GL 45	1	472
BLS.1108.02	500	86 x 176	GL 45	1	502
BLS.1108.03	1000	101 x 225	GL 45	1	838
BLS.1108.04	2000	136 x 260	GL 45	1	1375
BLS.1108.05	5000	181 x 323	GL 45	1	6190
BLS.1108.06	10000	235 x 405	GL 45	1	10980
BLS.1108.07	20000	296 x 500	GL 45	1	19420



Order Now



Aspirator Bottles With Socket Outlet For Stopcock and PP Cap

- Complies with IS 1388 (Part III), ISO 4796-3, Supplied with GL45 screw caps and pouring ring made of polypropylene, autoclavable at 121°C
- All sizes have a durable matt-finished enamelled area for marking
- Suitable for storage of aggressive media.

Item Code	Capacity (ml)	Approx O.D. x Height, mm	Thread Specification	Outlet Ground Joint Size	Pack of	INR/Piece
BLS.1109.01	1000	101 x 225	GL 45	19 / 26	1	840
BLS.1109.02	2000	136 x 260	GL 45	19 / 26	1	1380
BLS.1109.03	5000	181 x 330	GL 45	29 / 32	1	6200
BLS.1109.04	10000	235 x 410	GL 45	29 / 32	1	11200
BLS.1109.05	20000	296 x 505	GL 45	29 / 32	1	20200



Aspirator Bottles With I/C Glass Stopcock and PP Cap

- Complies with IS 1388 (Part III), ISO 4796-3, Supplied with GL45 screw caps and pouring ring made of polypropylene, autoclavable at 121°C
- All sizes have a durable matt-finished enamelled area for marking
- Suitable for storage of aggressive media.

Item Code	Capacity (ml)	Approx O.D. x Height, mm	Thread Specification	Outlet Ground Joint Size	Pack of	INR/Piece
BLS.1110.01	1000	101 x 225	GL 45	19 / 26	1	1340
BLS.1110.02	2000	136 x 260	GL 45	19 / 26	1	1890
BLS.1110.03	5000	181 x 330	GL 45	29 / 32	1	6750
BLS.1110.04	10000	235 x 410	GL 45	29 / 32	1	11800
BLS.1110.05	20000	296 x 505	GL 45	29 / 32	1	20800





Solution Bottles With Tooled Neck, Clear

- Complies with IS 1388 (Part II), ISO 4796 - 2
- 10 & 20 litre bottles specially designed for handling and storing culture media
- All sizes have a durable matt-finished enamelled area for marking

Item Code	Capacity (ml)	Approx Neck I. D. mm	Pack of	INR/Piece
BLS.158.01	250	18	10	428
BLS.158.02	500	23	6	460
BLS.158.03	1000	28	6	725
BLS.158.04	2000	33	2	1230
BLS.158.05	3000	44	1	6115
BLS.158.06	5000	44	1	7825
BLS.158.07	10000	54	1	12860
BLS.158.08	20000	54	1	21350



Order Now



Solution Bottles With Tooled Neck, Amber

- Complies with IS 1388 (Part II), ISO 4796 - 2
- 10 & 20 litre bottles specially designed for handling and storing culture media
- All sizes have a durable matt-finished enamelled area for marking
- Uniform amber colour protects media from light radiation with a wavelength between 300 nm and 500 nm
- Ideal for use with light-sensitive media and for the long-term storage of substances

Item Code	Capacity (ml)	Approx Neck I. D. mm	Pack of	INR/Piece
BLS.159.01	250	18	10	780
BLS.159.02	500	23	6	815
BLS.159.03	1000	28	6	1190
BLS.159.04	2000	33	2	2050
BLS.159.05	3000	44	1	5250
BLS.159.06	5000	44	1	8910
BLS.159.07	10000	54	1	12600
BLS.159.08	20000	54	1	19220



Order Now

BOD With Interchangeable stopper

- Complies as per ISO 9213 And ASTM E-438 Type 1 ,Class A
- With Large Marking area
- Calibrated upto 3 decimal points for accuracy

Item Code	Capacity (ml)	Approx. O.D *Height (mm)	Pack of	INR/Piece
BLS.1109.01	60 ML	42 x 100	10	335
BLS.1109.02	125 ML	55 x 120	10	410
BLS.1109.03	300 ML	70 x 143	10	535



Order Now



McCartney Bottles

- Thick, Clear & Wide Mouth Glass Bottle
- Aluminum Screw Cap, Leak proof
- Made of Soda Glass (Rubber Liner (Grey Bromo butyl rubber)
- These Bottles along with the Cap and Rubber Liner can be Autoclaved easily.
- These bottles can be sterilized with the Medium present inside it.

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.1114.01	7 ML	100	40
BLS.1114.02	15 ML	100	40
BLS.1114.03	28 ML	100	42



Order Now



Bottle, Gas Washing with Head for Gas Bottle

- Complies with IS 11990
- Complete interchangeable joints

Item	Capacity (ml)	Joint Size	Pack of	INR/Piece
BLS.1111.00	125	29/32	2	900
BLS.1111.01	250	29/32	2	950
BLS.1111.02	500	29/32	2	1100



Order Now





Bottle, Gas Washing

- With interchangeable joints.

Item	Capacity (ml)	Joint Size	Pack of	INR/Piece
BLS.1113.00	125	29/32	1	700
BLS.1113.01	250	29/32	1	820
BLS.1113.02	500	29/32	1	1000



Order Now



Heads for Gas Bottles

- With interchangeable joints.

Item	Capacity (ml)	Joint Size	Pack of	INR/Piece
BLS.1112.01	100	29/32	1	300
BLS.1112.02	125	29/32	1	350
BLS.1112.03	250	29/32	1	400
BLS.1112.04	500	29/32	1	415



Order Now



Wash Bottle with Head

- Complies with IS 11990
- Complete interchangeable joints


Item	Capacity (ml)	Joint Size	Pack of	INR/Piece
BLS.1111.03	250	29/32	2	700
BLS.1111.04	500	29/32	2	820
BLS.1111.05	1000	29/32	2	1000



Order Now



BURETTEs



Burettes with glass stopcock in Schellbach stripe, Class A

- With individual Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stipe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.28	10	0.05	0.03	1	1995
BLS.1800.29	25	0.1	0.05	1	1995
BLS.1800.30	50	0.1	0.05	1	2295
BLS.1800.31	100	0.2	0.1	1	2295



Order Now

Burettes with glass stopcock in Schellbach stripe, Class A

- With batch Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stipe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.L.1800.28	10	0.05	0.03	1	1600
BLS.L.1800.29	25	0.1	0.05	1	1799
BLS.L.1800.30	50	0.1	0.05	1	1900
BLS.L.1800.31	100	0.2	0.1	1	1995



Order Now



Burettes with Glass Stopcock in Clear Glass Class A

- With Individual work Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.1800.01	10	0.05	0.03	1	1300
BLS.1800.02	25	0.1	0.05	1	1500
BLS.1800.03	50	0.1	0.05	1	1800
BLS.1800.04	100	0.2	0.1	1	2300



Order Now

Burettes with Glass Stopcock in Clear Glass Class A

- With Batch Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.L.1800.01	10	0.05	0.03	1	1000
BLS.L.1800.02	25	0.1	0.05	1	1300
BLS.L.1800.03	50	0.1	0.05	1	1400
BLS.L.1800.04	100	0.2	0.1	1	1900



Order Now


Burettes with Glass Stopcock in Clear Glass Class B


- With Glass Stopcock
- Compliance with DIN/ISO 385 standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.1800.05	10	0.05	0.05	1	614
BLS.1800.06	25	0.1	0.1	1	602
BLS.1800.07	50	0.1	0.1	1	640
BLS.1800.08	100	0.2	0.2	1	877



Order Now





Burettes with PTFE stopcock in Schellbach stripe, Class A

- With individual Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stipe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.32	10	0.05	0.03	1	2295
BLS.1800.33	25	0.1	0.05	1	2295
BLS.1800.34	50	0.1	0.05	1	2444
BLS.1800.35	100	0.2	0.1	1	2444



Burettes with PTFE stopcock in Schellbach stripe, Class A

- With batch Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stipe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.L.1800.32	10	0.05	0.03	1	1800
BLS.L.1800.33	25	0.1	0.05	1	1800
BLS.L.1800.34	50	0.1	0.05	1	2000
BLS.L.1800.35	100	0.2	0.1	1	2000



Burettes with PTFE Stopcock in Clear Glass Class A

- With Individual work Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.09	10	0.05	0.03	1	1478
BLS.1800.10	25	0.1	0.05	1	1706
BLS.1800.11	50	0.1	0.05	1	2050
BLS.1800.12	100	0.2	0.1	1	2808



Burettes with PTFE Stopcock in Clear Glass Class A

- With Batch work Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.L.1800.09	10	0.05	0.03	1	1300
BLS.L.1800.10	25	0.1	0.05	1	1500
BLS.L.1800.11	50	0.1	0.05	1	1800
BLS.L.1800.12	100	0.2	0.1	1	2400



Order Now



Burettes Class B, with PTFE Stopcock

- Compliance with DIN/ISO 385
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.15	10	0.05	0.05	1	745
BLS.1800.16	25	0.1	0.1	1	755
BLS.1800.17	50	0.1	0.1	1	795
BLS.1800.18	100	0.2	0.2	1	1190



Order Now



Burettes with PTFE Needle in Schellbach stripe, Class A

- With individual Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stipe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1801.01R	10	0.05	0.03	1	1058
BLS.1801.02R	25	0.1	0.05	1	1191
BLS.1801.03R	50	0.1	0.05	1	1985
BLS.1801.04R	100	0.2	0.1	1	1985





Burettes with PTFE Needle in Schellbach stripe, Class A

- With Batch Certificate
- Compliance with DIN ISO 385 and USP standard
- Printed in blue & Amber colour
- Schellbach stripe for accurate reading

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.L.1801.04R	10	0.05	0.03	1	1058
BLS.L.1801.05R	25	0.1	0.05	1	1191
BLS.L.1801.06R	50	0.1	0.05	1	1800
BLS.L.1801.07R	100	0.2	0.1	1	1800

Burettes with PTFE Needle in Clear Glass Class A

- With Individual work Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.20	10	0.05	0.03	1	1325
BLS.1800.21	25	0.1	0.05	1	1575
BLS.1800.22	50	0.1	0.05	1	1715
BLS.1800.23	100	0.2	0.1	1	2090

Burettes with PTFE Needle in Clear Glass Class A


- With Batch work Certificate
- Compliance with DIN/ISO 385 and USP standard
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.L.1800.20	10	0.05	0.03	1	1200
BLS.L.1800.21	25	0.1	0.05	1	1300
BLS.L.1800.22	50	0.1	0.05	1	1500
BLS.L.1800.23	100	0.2	0.1	1	1700

Burettes with PTFE Needle in Clear Glass Class B

- Compliance with DIN/ISO 385
- Printed in blue, amber and white colour

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.24	10	0.05	0.05	1	545
BLS.1800.25	25	0.1	0.1	1	510
BLS.1800.26	50	0.1	0.1	1	555
BLS.1800.27	100	0.2	0.2	1	750



Order Now


Burettes with Pinch Cock Rubber tubing and glass jet. Accuracy as per Class `B`.

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.B181.01	10	0.05	0.05	1	720
BLS.B181.02	25	0.1	0.1	1	740
BLS.B181.03	50	0.1	0.1	1	760
BLS.B181.04	100	0.2	0.2	1	790



Burettes, Double Oblique Bore Glass Key Stopcock, 3-way, Accuracy as per Class `A`, with works certificate.

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.B182.01	10	0.05	0.02	1	1850
BLS.B182.02	25	0.1	0.05	1	1950
BLS.B182.03	50	0.1	0.05	1	1950
BLS.B182.04	100	0.2	0.01	1	2000



Burettes, Double Oblique Bore Glass Key Stopcock, 3-way, Accuracy as per Class `B`

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.B183.01	10	0.05	0.05	1	1350
BLS.B183.02	25	0.1	0.1	1	1400
BLS.B183.03	50	0.1	0.1	1	1400
BLS.B183.04	100	0.2	0.2	1	1460



Burettes, Three Way Bore Screw type PTFE Needle Valve Stopcock, Accuracy as per Class `A`, with works certificate.

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.B184.01	10	0.05	0.02	1	2050
BLS.B184.02	25	0.1	0.05	1	2200
BLS.B184.03	50	0.1	0.05	1	2200
BLS.B184.04	100	0.2	0.1	1	2350



AMBER Burettes with Glass Stopcock, Class A

- With Individual work Certificate. Compliance with DIN/ISO 385 and USP standard. Printed in white colour.

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.36	10	0.05	0.03	1	2495
BLS.1800.37	25	0.1	0.05	1	2495
BLS.1800.38	50	0.1	0.05	1	2795
BLS.1800.39	100	0.2	0.1	1	3095

AMBER Burettes with PTFE Stopcock, Class A

- With Individual work Certificate. Compliance with DIN/ISO 385 and USP standard. Printed in white colour.

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.40	10	0.05	0.03	1	2695
BLS.1800.41	25	0.1	0.05	1	2695
BLS.1800.42	50	0.1	0.05	1	2995
BLS.1800.43	100	0.2	0.1	1	3295

AMBER Burettes with Screw Type Rotaflow Stopcock, Class A

- With Individual work Certificate. Compliance with DIN/ISO 385 and USP standard. Printed in white colour.

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.44	10	0.05	0.03	1	2495
BLS.1800.45	25	0.1	0.05	1	2495
BLS.1800.46	50	0.1	0.05	1	2795
BLS.1800.47	100	0.2	0.1	1	3095

AMBER Burettes with Glass / PTFE Stopcock, Class B

- Compliance with DIN/ISO 385 and USP standard. Printed in white colour.

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.180B.01	10	0.05	0.05	1	1370
BLS.180B.02	25	0.1	0.1	1	1470
BLS.180B.03	50	0.1	0.1	1	1565
BLS.180B.04	100	0.2	0.2	1	1750

AMBER Burettes with Screw Type Rotaflow Stopcock, Class B

- Compliance with DIN/ISO 385 and USP standard. Printed in white colour.

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.180B.05	10	0.05	0.05	1	1170
BLS.180B.06	25	0.1	0.1	1	1270
BLS.180B.07	50	0.1	0.1	1	1365
BLS.180B.08	100	0.2	0.2	1	1550



AMBER Automatic Burettes Class A PTFE Needle

- With individual Certificate
- With Intermediate PTFE Needle
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.48	10	0.05	0.03	1	13670
BLS.1800.49	25	0.1	0.05	1	14645
BLS.1800.50	50	0.1	0.05	1	16045
BLS.1800.51	100	0.2	0.1	1	16780



Order Now



AMBER Automatic Burettes Class A Glass Stopcock

- With individual Certificate
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.56	10	0.05	0.03	1	13840
BLS.1800.57	25	0.1	0.05	1	14665
BLS.1800.58	50	0.1	0.05	1	16145
BLS.1800.59	100	0.2	0.1	1	16675



Order Now



AMBER Automatic Burettes Class A PTFE Stopcock

- With individual Certificate
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.64	10	0.05	0.03	1	14495
BLS.1800.65	25	0.1	0.05	1	15475
BLS.1800.66	50	0.1	0.05	1	16945
BLS.1800.67	100	0.2	0.1	1	17730



Order Now





AMBER Automatic Burettes Class B, PTFE Rotaflow

- Made from Boro 3.3
- Compliance with DIN/ISO 385
- Printed in white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.1800.52	10	0.05	0.05	1	9145
BLS.1800.53	25	0.1	0.1	1	9245
BLS.1800.54	50	0.1	0.1	1	9845
BLS.1800.55	100	0.2	0.2	1	9945



AMBER Automatic Burettes Class B, Glass Stopcock

- Made from Boro 3.3
- Compliance with DIN/ISO 385
- Printed in white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.1800.56.B	10	0.05	0.05	1	9745
BLS.1800.57.B	25	0.1	0.1	1	9885
BLS.1800.58.B	50	0.1	0.1	1	10090
BLS.1800.59.B	100	0.2	0.2	1	10575



AMBER Automatic Burettes Class B, PTFE Stopcock

- Made from Boro 3.3
- Compliance with DIN/ISO 385
- Printed in white colour

Item Code	Capacity (ml)	Division	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.1800.68	10	0.05	0.05	1	9945
BLS.1800.69	25	0.1	0.1	1	9435
BLS.1800.70	50	0.1	0.1	1	9675
BLS.1800.71	100	0.2	0.2	1	9975





Automatic Burettes Class A PTFE Needle

- With individual Certificate
- With Intermediate PTFE Needle
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.72	10	0.05	0.03	1	5575
BLS.1800.73	25	0.1	0.05	1	6720
BLS.1800.74	50	0.1	0.05	1	6720
BLS.1800.75	100	0.2	0.1	1	7140



Order Now



Automatic Burettes Class A Glass Stopcock

- With individual Certificate
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.76	10	0.05	0.03	1	5575
BLS.1800.77	25	0.1	0.05	1	6720
BLS.1800.78	50	0.1	0.05	1	6720
BLS.1800.79	100	0.2	0.1	1	7140



Order Now



Automatic Burettes Class A PTFE Stopcock

- With individual Certificate
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.84	10	0.05	0.03	1	5575
BLS.1800.85	25	0.1	0.05	1	6720
BLS.1800.86	50	0.1	0.05	1	6720
BLS.1800.87	100	0.2	0.1	1	7140



Order Now





Automatic Burettes Class B PTFE Needle

- With Intermediate PTFE Needle
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.180B.1	10	0.05	0.05	1	4025
BLS.180B.2	25	0.1	0.1	1	3925
BLS.180B.3	50	0.1	0.1	1	4300
BLS.180B.4	100	0.2	0.2	1	4942



Order Now

Automatic Burettes Class B Glass Stopcock

- With Intermediate Glass Stopcock
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.80	10	0.05	0.05	1	4125
BLS.1800.81	25	0.1	0.1	1	4060
BLS.1800.82	50	0.1	0.1	1	4395
BLS.1800.83	100	0.2	0.2	1	5010



Order Now

Automatic Burettes Class B, PTFE Stopcock

- With Intermediate PTFE Stopcock
- Complies with DIN/ISO 385 standard

Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of	INR/Piece
BLS.1800.88	10	0.05	0.05	1	4445
BLS.1800.89	25	0.1	0.1	1	4345
BLS.1800.90	50	0.1	0.1	1	4625
BLS.1800.91	100	0.2	0.2	1	5375



Order Now





COLUMNS



Order Now

Chromatographic column, With indentations & PTFE Stopcock

- NS socket and PTFE stopcock.
- Made of Boro 3.3,
- PTFE Stopcock bore 0-2.5 mm

Item Code	SIZE	JOINT	Pack of	INR/Piece
BLS.CC.01	13 X 200MM	24/29	1	738
BLS.CC.02	13 X 250MM	24/29	1	763
BLS.CC.03	13 X 300MM	24/29	1	770
BLS.CC.04	13 X 450MM	24/29	1	864
BLS.CC.05	20 X 200MM	24/29	1	889
BLS.CC.06	20 X 250MM	24/29	1	896
BLS.CC.07	20 X 300MM	24/29	1	896
BLS.CC.08	20 X 450MM	24/29	1	952
BLS.CC.09	25 X 200MM	24/29	1	914
BLS.CC.10	25 X 250MM	24/29	1	918
BLS.CC.11	25 X 300MM	24/29	1	920
BLS.CC.12	25 X 450MM	24/29	1	927
BLS.CC.13	40 X 200MM	24/29	1	1128
BLS.CC.14	40 X 250MM	24/29	1	1153
BLS.CC.15	40 X 300MM	24/29	1	1166
BLS.CC.16	40 X 450MM	24/29	1	1172
BLS.CC.17	50 X 250MM	24/29	1	1128
BLS.CC.18	50 X 300MM	24/29	1	1153
BLS.CC.19	50 X 450MM	24/29	1	1166
BLS.CC.20	50 X 600MM	24/29	1	1172



Order Now

Chromatography Column PTFE Stopcock

- Spherical Joint For Flash chromatography

Item Code	SIZE (MM)	Joint	Attachement	Pack of	INR/Piece
BLS.CC.40	13 X 200	S35/20	SPHERICAL JOINT	1	864
BLS.CC.41	13 X 250	S35/20	SPHERICAL JOINT	1	864
BLS.CC.42	13 X 300	S35/20	SPHERICAL JOINT	1	864
BLS.CC.43	13 X 450	S35/20	SPHERICAL JOINT	1	864
BLS.CC.44	20 X 200	S35/20	SPHERICAL JOINT	1	1058
BLS.CC.45	20 X 250	S35/20	SPHERICAL JOINT	1	1058
BLS.CC.46	20 X 300	S35/20	SPHERICAL JOINT	1	1058
BLS.CC.47	20 X 450	S35/20	SPHERICAL JOINT	1	1128
BLS.CC.48	25 X 200	S35/20	SPHERICAL JOINT	1	1128
BLS.CC.49	25 X 250	S35/20	SPHERICAL JOINT	1	1128
BLS.CC.50	25 X 300	S35/20	SPHERICAL JOINT	1	1128
BLS.CC.51	25 X 450	S35/20	SPHERICAL JOINT	1	1242
BLS.CC.52	40 X 200	S35/20	SPHERICAL JOINT	1	1242
BLS.CC.53	40 X 250	S35/20	SPHERICAL JOINT	1	1242
BLS.CC.54	40 X 300	S35/20	SPHERICAL JOINT	1	1242
BLS.CC.55	40 X 450	S35/20	SPHERICAL JOINT	1	1368

Chromatography Column with Fritted Disk and Socket

- Made of Boro 3.3
- Sintered frit Porosity 0
- PTFE Stopcock bore 0-2.5 mm

Item Code	SIZE (MM)	JOINT	Attachement	Pack of	INR/Piece
BLS.CC.21	13 X 200	24/29	FRITTED DISC	1	1115
BLS.CC.22	13 X 250	24/29	FRITTED DISC	1	1115
BLS.CC.23	13 X 300	24/29	FRITTED DISC	1	1115
BLS.CC.24	13 X 450	24/29	FRITTED DISC	1	1115
BLS.CC.25	20 X 200	24/29	FRITTED DISC	1	1178
BLS.CC.26	20 X 250	24/29	FRITTED DISC	1	1178
BLS.CC.27	20 X 300	24/29	FRITTED DISC	1	1178
BLS.CC.28	20 X 450	24/29	FRITTED DISC	1	1216
BLS.CC.29	26 X 200	24/29	FRITTED DISC	1	1216
BLS.CC.30	26 X 250	24/29	FRITTED DISC	1	1216
BLS.CC.31	26 X 300	24/29	FRITTED DISC	1	1216
BLS.CC.32	26 X 450	24/29	FRITTED DISC	1	1480
BLS.CC.33	40 X 250	24/29	FRITTED DISC	1	1480
BLS.CC.34	40 X 300	24/29	FRITTED DISC	1	1480
BLS.CC.35	40 X 450	24/29	FRITTED DISC	1	1480
BLS.CC.36	50 X 250	24/29	FRITTED DISC	1	1720
BLS.CC.37	50 X 300	24/29	FRITTED DISC	1	1720
BLS.CC.38	50 X 450	24/29	FRITTED DISC	1	1720
BLS.CC.39	50 X 600	24/29	FRITTED DISC	1	1720



Order Now



Chromatography Columns with Reservoir

- Made of Boro 3.3
- Sintered frit Porosity 0
- PTFE Stopcock bore 0-2.5 mm

Item Code	SIZE (MM)	JOINT	Reservoir	Pack of	INR/Piece
BLS.CC.76	50 (13) X 8 (203)	24/29	100 ML	1	1329
BLS.CC.77	50 (13) X 12 (305)	24/29	100 ML	1	1329
BLS.CC.78	75 (19) X 8 (203)	24/29	250 ML	1	1329
BLS.CC.79	75 (19) X 12 (305)	24/29	250 ML	1	1358
BLS.CC.80	1.0 (25) X 8 (203)	24/29	250 ML	1	1358
BLS.CC.81	1.0 (25) X 12 (305)	24/29	251 ML	1	1455
BLS.CC.82	1.0 (25) X 18 (457)	24/29	500 ML	1	1483
BLS.CC.83	2.0 (50) X 18 (457)	24/29	1000ML	1	2361



Order Now



Chromatography Column, PTFE Stopcock, Reinforced Top

- With reinforced beaded top, All Biohall Columns are heavy walled.

Item Code	SIZE	JOINT	Pack of	INR/Piece
BLS.CC.56	13 X 200 MM	24/29	1	738
BLS.CC.57	13 X 250 MM	24/29	1	763
BLS.CC.58	13 X 300 MM	24/29	1	770
BLS.CC.59	13 X 450 MM	24/29	1	864
BLS.CC.60	20 X 200 MM	24/29	1	889
BLS.CC.61	20 X 250 MM	24/29	1	896
BLS.CC.62	20 X 300 MM	24/29	1	896
BLS.CC.63	20 X 450 MM	24/29	1	952
BLS.CC.64	25 X 200 MM	24/29	1	914
BLS.CC.65	25 X 250 MM	24/29	1	918
BLS.CC.66	25 X 300 MM	24/29	1	920
BLS.CC.67	25 X 450 MM	24/29	1	927
BLS.CC.68	40 X 200 MM	24/29	1	1128
BLS.CC.69	40 X 250 MM	24/29	1	1153
BLS.CC.70	40 X 300 MM	24/29	1	1166
BLS.CC.71	40 X 450 MM	24/29	1	1172
BLS.CC.72	50 X 250 MM	24/29	1	1128
BLS.CC.73	50 X 300 MM	24/29	1	1153
BLS.CC.74	50 X 450 MM	24/29	1	1166
BLS.CC.75	50 X 600 MM	24/29	1	1172

Chromatography Columns

- With integral sintered disc., without stopcock.

Item Code	Length (MM)	Disc Dia (mm)	Pack of	INR/Piece
BLS.L.1801.01	150	10	1	597
BLS.L.1801.02	200	15	1	608
BLS.L.1801.03	300	15	1	619
BLS.L.1801.04	400	20	1	673
BLS.L.1801.05	400	30	1	840
BLS.L.1801.06	500	30	1	878
BLS.L.1801.07	500	40	1	1196
BLS.L.1801.08	600	40	1	1240
BLS.L.1801.09	1000	40	1	1558


Chromatography Columns, with integral sintered disc, Glaskey Stopcock, Socket and Cone.

Item Code	I.D. (mm)	Length (mm)	Socket	Cone	Pack of	INR/Piece
BLS.L.1801.11	10	100	14/23	19/26	1	1400
BLS.L.1801.12	10	200	14/23	19/26	1	1450
BLS.L.1801.13	10	300	14/23	19/26	1	1480
BLS.L.1801.14	20	300	24/29	19/26	1	1530
BLS.L.1801.15	20	400	24/29	19/26	1	1565
BLS.L.1801.16	20	400	24/29	24/29	1	1600





CONDENSERS



Liebig Condenser

- Manufactured from 33 expansion, low extractable borosilicate glass conforming to USP Type I and ASTM E438, Type I, Class A requirement
- Liebig Condenser with Sealed inner tube
- AS per DIN 12576

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2300.21	120 MM	14/20	GLASS Connector	1	599
BLS.2300.22	150 MM	24/40	GLASS Connector	1	599
BLS.2300.23	160 MM	14/23	GLASS Connector	1	534
BLS.2300.24	160 MM	19/26	GLASS Connector	1	534
BLS.2300.25	200 MM	24/29	GLASS Connector	1	425
BLS.2300.26	250 MM	19/26	GLASS Connector	1	569
BLS.2300.27	250 MM	24/29	GLASS Connector	1	569
BLS.2300.28	250 MM	29/32	GLASS Connector	1	569
BLS.2300.29	300 MM	19/26	GLASS Connector	1	642
BLS.2300.30	300 MM	24/29	GLASS Connector	1	499
BLS.2300.31	300 MM	29/32	GLASS Connector	1	752
BLS.2300.32	300 MM	24/29	GLASS Connector	1	752
BLS.2300.33	400 MM	24/29	GLASS Connector	1	546
BLS.2300.34	400 MM	29/32	GLASS Connector	1	826
BLS.2300.35	500 MM	24/29	GLASS Connector	1	1534
BLS.2300.36	600 MM	24/29	GLASS Connector	1	1662
BLS.2300.37	120 MM	14/20	GL 14	1	599
BLS.2300.38	150 MM	24/29	GL 14	1	599
BLS.2300.39	160 MM	14/23	GL 14	1	582
BLS.2300.40	160 MM	19/26	GL 14	1	582
BLS.2300.41	200 MM	24/29	GL 14	1	582
BLS.2300.42	250 MM	19/26	GL 14	1	616
BLS.2300.43	250 MM	24/29	GL 14	1	616
BLS.2300.44	250 MM	29/32	GL 14	1	616
BLS.2300.45	300 MM	19/26	GL 14	1	685
BLS.2300.46	300 MM	24/29	GL 14	1	685
BLS.2300.47	300 MM	29/32	GL 14	1	685
BLS.2300.48	300 MM	24/29	GL 14	1	685
BLS.2300.49	400 MM	24/29	GL 14	1	863
BLS.2300.50	400 MM	29/32	GL 14	1	863
BLS.2300.51	500 MM	24/29	GL 14	1	1534



Coil Condensor

- Manufactured with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- Available Glass connectors and with plastic screw thread connector
- Highly efficient with large cooling surface
- Suitable for Distillation & Reflux Applications

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2300.52	150 MM	14/23	GLASS Connector	1	886
BLS.2300.53	150 MM	24/29	GLASS Connector	1	886
BLS.2300.54	160 MM	14/23	GLASS Connector	1	886
BLS.2300.55	160 MM	19/26	GLASS Connector	1	886
BLS.2300.56	160 MM	24/29	GLASS Connector	1	886
BLS.2300.57	200 MM	14/23	GLASS Connector	1	1075
BLS.2300.58	200 MM	24/29	GLASS Connector	1	1075
BLS.2300.59	250 MM	19/26	GLASS Connector	1	1075
BLS.2300.60	250 MM	24/29	GLASS Connector	1	1075
BLS.2300.61	250 MM	29/32	GLASS Connector	1	1075
BLS.2300.62	250 MM	24/29	GLASS Connector	1	1075
BLS.2300.63	300 MM	24/29	GLASS Connector	1	893
BLS.2300.64	300 MM	29/32	GLASS Connector	1	1332
BLS.2300.65	300 MM	24/29	GLASS Connector	1	1332
BLS.2300.66	400 MM	29/32	GLASS Connector	1	1351
BLS.2300.67	400 MM	24/29	GLASS Connector	1	1315
BLS.2300.68	500 MM	24/29	GLASS Connector	1	1137
BLS.2300.69	150 MM	24/29	GL 14	1	966
BLS.2300.70	160 MM	14/23	GL 14	1	966
BLS.2300.71	160 MM	19/26	GL 14	1	966
BLS.2300.72	200 MM	24/29	GL 14	1	966
BLS.2300.73	250 MM	19/26	GL 14	1	1109
BLS.2300.74	250 MM	24/29	GL 14	1	1109
BLS.2300.75	250 MM	29/32	GL 14	1	1109
BLS.2300.76	250 MM	24/29	GL 14	1	1109
BLS.2300.77	300 MM	24/29	GL 14	1	1356
BLS.2300.78	300 MM	29/32	GL 14	1	1356
BLS.2300.79	300 MM	24/29	GL 14	1	1356
BLS.2300.80	400 MM	29/32	GL 14	1	1356
BLS.2300.81	400 MM	24/29	GL 14	1	1374
BLS.2300.82	500 MM	24/29	GL 14	1	1374





Condenser Reflux

- Manufactured with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- Available Glass connectors and with plastic screw thread connector
- Tightly wrapped coil providing maximum cooling

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2301.83	100 MM	14/20	GLASS Connector	1	1088
BLS.2301.84	150 MM	14/23	GLASS Connector	1	1088
BLS.2301.85	150 MM	24/29	GLASS Connector	1	1088
BLS.2301.86	200 MM	24/29	GLASS Connector	1	1088
BLS.2301.87	250 MM	24/29	GLASS Connector	1	1212
BLS.2301.88	300 MM	24/29	GLASS Connector	1	1212
BLS.2301.89	400 MM	24/29	GLASS Connector	1	1260
BLS.2301.90	150 MM	14/23	GL 14	1	1214
BLS.2301.91	150 MM	24/29	GL 14	1	1214
BLS.2301.92	200 MM	24/29	GL 14	1	1214
BLS.2301.93	300 MM	24/29	GL 14	1	1543
BLS.2301.94	400 MM	24/29	GL 14	1	1795



Condenser West

- Provides high cooling efficiency due to the increased flow rate
- Narrow annular space of the West design provides high cooling efficiency
- Manufactured with ASTM E-438, Type-1, Class A, Boro 3.3 Glass

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2304.86	100 MM	14/20	GLASS Connector	1	599
BLS.2304.87	150 MM	14/23	GLASS Connector	1	599
BLS.2304.88	150 MM	14/23	GLASS Connector	1	599
BLS.2304.89	200 MM	14/23	GLASS Connector	1	599
BLS.2304.90	200 MM	29/32	GLASS Connector	1	599
BLS.2304.91	200 MM	19/26	GLASS Connector	1	599
BLS.2304.92	200 MM	24/29	GLASS Connector	1	599
BLS.2304.93	200 MM	24/40	GLASS Connector	1	599
BLS.2304.94	300 MM	29/32	GLASS Connector	1	599
BLS.2304.95	300 MM	24/29	GLASS Connector	1	876
BLS.2304.96	400 MM	29/32	GLASS Connector	1	895
BLS.2304.97	500 MM	29/32	GLASS Connector	1	995
BLS.2304.98	600 MM	29/32	GLASS Connector	1	1095

Dimroth Condenser In Compliance To DIN 12591 Standard

- Manufactured from ASTM E-438, Type – 1, Class-A, Boro 3.3 Glass
- The condenser comes with plastic screw thread and glass connector

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2303.01	100 MM	14/23	GLASS Connector	1	1060
BLS.2303.02	150MM	14/23	GLASS Connector	1	1060
BLS.2303.03	150 MM	24/40	GLASS Connector	1	1060
BLS.2303.04	160 MM	14/23	GLASS Connector	1	1060
BLS.2303.05	160 MM	19/26	GLASS Connector	1	1060
BLS.2303.06	250 MM	19/26	GLASS Connector	1	1177
BLS.2303.07	250 MM	24/29	GLASS Connector	1	1177
BLS.2303.08	250 MM	29/32	GLASS Connector	1	1177
BLS.2303.09	300 MM	24/29	GLASS Connector	1	1264
BLS.2303.10	300 MM	29/32	GLASS Connector	1	1264
BLS.2303.11	400 MM	29/32	GLASS Connector	1	1410
BLS.2303.12	500 MM	24/40	GLASS Connector	1	1867
BLS.2303.13	150 MM	14/23	GL 14	1	1119
BLS.2303.14	150 MM	24/40	GL 14	1	1119
BLS.2303.15	160 MM	14/23	GL 14	1	1119
BLS.2303.16	160 MM	19/26	GL 14	1	1119
BLS.2303.17	250 MM	19/26	GL 14	1	1235
BLS.2303.18	250 MM	24/29	GL 14	1	1235
BLS.2303.19	250 MM	29/32	GL 14	1	1235
BLS.2303.20	300 MM	24/29	GL 14	1	1322
BLS.2303.21	300 MM	29/32	GL 14	1	1322
BLS.2303.22	400 MM	29/32	GL 14	1	1468
BLS.2303.23	500 MM	24/40	GL 14	1	1867

Davies Double Surface Condenser

- Manufactured from ASTM E-438, Type – 1, Class-A, Boro 3.3 Glass
- The condenser comes with glass connector


Item Code	SIZE	JOINT	Pack of	INR/Piece
BLS.2306.94	365 MM	29/32	1	2678
BLS.2306.95	200 MM	19/26	1	1846
BLS.2306.96	200 MM	24/29	1	1981
BLS.2306.97	300 MM	19/26	1	2439
BLS.2306.98	300 MM	24/29	1	2678



Order Now




Order Now




Air Condensers

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2307A.01	14/23	14/23	200	2	444
BLS.2307A.02	19/26	19/26	200	2	477
BLS.2307A.03	24/29	24/29	250	2	563
BLS.2307A.04	19/26	19/26	400	2	595
BLS.2307A.05	24/29	24/29	500	2	687
BLS.2307A.06	34/35	34/35	500	2	1114
BLS.2307A.07	19/26	19/26	600	2	950
BLS.2307A.08	24/29	24/29	750	2	1090
BLS.2307A.09	—	19/26	750	2	480
BLS.2307A.10	—	24/29	750	2	520
BLS.2307A.11	—	19/26	1000	2	550
BLS.2307A.12	—	24/29	1000	2	580



Double Coil Condensers with common inlet

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2308.01	19/26	19/26	200	1	2150
BLS.2308.02	24/29	24/29	200	1	2220
BLS.2308.03	34/35	34/35	350	1	5310
BLS.2308.04	34/35	34/35	450	1	7960
BLS.2308.05	34/35	34/35	600	1	9270



Davies Condensers (Double Surface).


Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2309.01	19/26	19/26	150	1	1650
BLS.2309.02	24/29	24/29	150	1	1680
BLS.2309.03	19/26	19/26	200	1	2160
BLS.2309.04	24/29	24/29	200	1	2850
BLS.2309.05	29/32	29/32	200	1	1890
BLS.2309.06	—	19/26	200	1	1710
BLS.2309.07	—	24/29	200	1	1720
BLS.2309.08	—	34/35	200	1	1720
BLS.2309.09	—	19/26	250	1	1720
BLS.2309.10	19/26	19/26	250	1	1930
BLS.2309.11	24/29	24/29	250	1	1950
BLS.2309.12	19/26	19/26	300	1	2290
BLS.2309.13	24/29	24/29	300	1	3110
BLS.2309.14	24/29	24/29	400	1	3480
BLS.2309.15	24/29	24/29	500	1	3525
BLS.2309.16	34/35	34/35	500	1	3550
BLS.2309.17	34/35	34/35	600	1	4335



Order Now


Jacketed Coil Condensers

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2310.01	19/26	19/26	150	1	1896
BLS.2310.02	24/29	24/29	150	1	1920
BLS.2310.03	—	34/35	150	1	1850
BLS.2310.04	—	40/38	150	1	2000
BLS.2310.05	19/26	19/26	200	1	2040
BLS.2310.06	24/29	24/29	200	1	2090
BLS.2310.07	19/26	19/26	300	1	2430
BLS.2310.08	24/29	24/29	300	1	2455
BLS.2310.09	24/29	24/29	400	1	2935
BLS.2310.10	34/35	34/35	400	1	2915
BLS.2310.11	34/35	34/35	500	1	4700
BLS.2310.12	29/32	29/32	160	1	1980



Friedrich Condensers

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2311.01	19/26 or 24/29	19/26 or 24/29	200	1	2650
BLS.2311.02	19/26 or 24/29	19/26 or 24/29	250	1	2850




Order Now



Friedrich Condensers (A)

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2312.01	19/26	24/29	150	1	2582
BLS.2312.02	19/26 or 24/29	24/29	200	1	2738
BLS.2312.03	19/26 or 24/29	24/29	250	1	2906



Cold Finger Condensers, Immersion (B)

Item Code	Socket	Cone	Length (mm)	Pack of	INR/Piece
BLS.2313.01	19/26	19/26	130	1	600



Order Now





Allihin Condenser

- Manufactured with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- Available with glass and plastic screw thread connector
- Inner bulb section provides increased cooling surface and is ideal for Reflux Applications

Item Code	SIZE	JOINT	Stopcock	Pack of	INR/Piece
BLS.2302.84	150 MM	24/29	GLASS Connector	1	625
BLS.2302.85	160 MM	14/23	GLASS Connector	1	877
BLS.2302.86	160 MM	19/26	GLASS Connector	1	877
BLS.2302.87	250 MM	14/23	GLASS Connector	1	933
BLS.2302.88	250 MM	19/26	GLASS Connector	1	933
BLS.2302.89	250 MM	24/29	GLASS Connector	1	933
BLS.2302.90	250 MM	24/29	GLASS Connector	1	933
BLS.2302.91	300 MM	24/29	GLASS Connector	1	790
BLS.2302.92	300 MM	24/40	GLASS Connector	1	790
BLS.2302.93	300 MM	29/32	GLASS Connector	1	1081
BLS.2302.94	400 MM	24/29	GLASS Connector	1	869
BLS.2302.95	400 MM	29/32	GLASS Connector	1	1209
BLS.2302.96	400 MM	24/40	GLASS Connector	1	1209
BLS.2302.97	500 MM	24/40	GLASS Connector	1	1140
BLS.2302.98	150 MM	24/40	GL 14	1	625
BLS.2302.99	160 MM	14/23	GL 14	1	916
BLS.2302.100	160 MM	19/26	GL 14	1	916
BLS.2302.101	250 MM	14/23	GL 14	1	970
BLS.2302.102	250 MM	19/26	GL 14	1	970
BLS.2302.103	250 MM	24/29	GL 14	1	970
BLS.2302.104	250 MM	24/40	GL 14	1	970
BLS.2302.105	300 MM	24/29	GL 14	1	1111
BLS.2302.106	300 MM	24/40	GL 14	1	1111
BLS.2302.107	300 MM	29/32	GL 14	1	1111
BLS.2302.108	400 MM	24/29	GL 14	1	1235
BLS.2302.109	400 MM	29/32	GL 14	1	1235
BLS.2302.110	400 MM	24/40	GL 14	1	1235
BLS.2302.111	500 MM	24/40	GL 14	1	1235



Order Now



Measuring Cylinder with Round Base, Class-A, DIN/ISO

- Complies as per DIN EN ISO 4788 With conformity batch certificate
- "Eichordnung" (as per German weights and regulation standards), "H" mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With round base, Manufacture from Boro 3.3, * Non DIN


Item Code	Capacity (ml)	Sub division	Tolerance (± ml)	Pack of	INR/Piece
BLS.R160*	5	0.1 ml	0.05	2	240
BLS.R161	10	0.2 ml	0.1	2	240
BLS.R162	25	0.5 ml	0.25	2	285
BLS.R163	50	1 ml	0.5	2	310
BLS.R164	100	1 ml	0.5	2	355
BLS.R165	250	2 ml	1	2	585
BLS.R166	500	5 ml	2.5	2	873
BLS.R167	1000	10 ml	5	1	1527
BLS.R168	2000	20 ml	10	1	2707



Measuring Cylinder with Round Base, Class-A, DIN/ISO

- Complies as per DIN EN ISO 4788, With conformity Individual certificate
- "Eichordnung" (as per German weights and regulation standards), "H" mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With round base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	Sub division	Tolerance (± ml)	Pack of	INR/Piece
BLS.R169*	5	0.1 ml	0.05	2	440
BLS.R170	10	0.2 ml	0.1	2	440
BLS.R171	25	0.5 ml	0.25	2	485
BLS.R172	50	1 ml	0.5	2	610
BLS.R173	100	1 ml	0.5	2	655
BLS.R174	250	2 ml	1	2	1250
BLS.R175	500	5 ml	2.5	2	1900
BLS.R176	1000	10 ml	5	1	2280
BLS.R177	2000	20 ml	10	1	4000



Measuring Cylinder Round Base with USP Grade

- Complies as per USP, With batch certificate, With round base
- Manufacture from Boro 3.3

Item Code	Capacity	Sub division (ml)	Tolerance (± ml)	Pack of	INR/Piece
BLS.U.161	5 ml	0.1	0.05	2	340
BLS.U.162	10 ml	0.2	0.1	2	340
BLS.U.163	25 ml	0.5	0.15	2	385
BLS.U.164	50 ml	1	0.25	2	410
BLS.U.165	100 ml	1	0.5	2	455
BLS.U.166	250 ml	2	1	2	685
BLS.U.167	500 ml	5	1.5	2	973
BLS.U.168	1000 ml	10	3	1	1627
BLS.U.169	2000 ml	20	6	1	2807



Measuring Cylinder Round Base with USP Grade

- Complies as per USP, With individual certificate
- With round base, Manufacture from Boro 3.3

Item Code	Capacity	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.U.170	5 ml	0.1	0.05	2	550
BLS.U.171	10 ml	0.2	0.1	2	550
BLS.U.172	25 ml	0.5	0.15	2	585
BLS.U.173	50 ml	1	0.25	2	710
BLS.U.174	100 ml	1	0.5	2	655
BLS.U.175	250 ml	2	1	2	985
BLS.U.176	500 ml	5	1.5	2	1280
BLS.U.177	1000 ml	10	3	1	1930
BLS.U.178	2000 ml	20	6	1	3550



Measuring Cylinder Round Base, Class B

- Complies as per DIN EN ISO 4788
- “Eichordnung” (as per German weights and regulation standards), “H” mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With round base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.CB.171*	5	1	0.1	2	260
BLS.CB.172	10	0.2	0.2	2	260
BLS.CB.173	25	0.5	0.5	2	350
BLS.CB.174	50	1	1	2	400
BLS.CB.175	100	1	1	2	450
BLS.CB.176	250	2	2	2	650
BLS.CB.177	500	5	5	2	1150
BLS.CB.178	1000	10	10	1	1750
BLS.CB.179	2000	20	20	1	3200



Measuring Cylinder with Hexagonal Base, Class-A, DIN/ISO

- Complies as per DIN EN ISO 4788, With conformity batch certificate
- “Eichordnung” (as per German weights and regulation standards), “H” mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With hexagonal base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.H.160*	5	0.1	0.05	2	400
BLS.H.161	10	0.2	0.1	2	490
BLS.H.162	25	0.5	0.25	2	490
BLS.H.163	50	1	0.5	2	680
BLS.H.164	100	1	0.5	2	780
BLS.H.165	250	2	1	2	1050
BLS.H.166	500	5	2.5	2	1550
BLS.H.167	1000	10	5	1	1980
BLS.H.168	2000	20	10	1	3800





Measuring Cylinder with Hexagonal Base, Class-A, DIN/ISO

- Complies as per DIN EN ISO 4788, With conformity Individual certificate
- "Eichordnung" (as per German weights and regulation standards), "H" mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With hexagonal base, Manufacture from Boro 3.3, * Non DIN


Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of	INR/Piece
BLS.H.169*	5	0.1	0.05	2	470
BLS.H.170	10	0.2	0.1	2	530
BLS.H.171	25	0.5	0.25	2	620
BLS.H.172	50	1	0.5	2	750
BLS.H.173	100	1	0.5	2	850
BLS.H.174	250	2	1	2	1260
BLS.H.175	500	5	2.5	2	1750
BLS.H.176	1000	10	5	1	2180
BLS.H.177	2000	20	10	1	4200



Measuring Cylinder Graduated Hexagonal Base - USP Standard

- Complies as per USP, With batch certificate, With hexagonal base
- Manufacture from Boro 3.3

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of	INR/Piece
BLS.UH.161	5	0.1	0.05	2	670
BLS.UH.162	10	0.2	0.1	2	730
BLS.UH.163	25	0.5	0.15	2	820
BLS.UH.164	50	1	0.25	2	950
BLS.UH.165	100	1	0.5	2	1050
BLS.UH.166	250	2	1	2	1460
BLS.UH.167	500	5	1.5	2	1950
BLS.UH.168	1000	10	3	1	2380
BLS.UH.169	2000	20	6	1	4400



Measuring Cylinder Graduated Hexagonal Base - USP Standard

- Complies as per USP, With individual certificate
- With hexagonal base, Manufacture from Boro 3.3

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of	INR/Piece
BLS.UH.170*	5	0.1	0.05	2	770
BLS.UH.171	10	0.2	0.1	2	830
BLS.UH.172	25	0.5	0.15	2	920
BLS.UH.173	50	1	0.25	2	1050
BLS.UH.174	100	1	0.5	2	1150
BLS.UH.175	250	2	1	2	1560
BLS.UH.176	500	5	1.5	2	2050
BLS.UH.177	1000	10	3	1	2480
BLS.UH.178	2000	20	6	1	4500

Measuring Cylinder Hexagonal Base - Class B

- Complies as per DIN EN ISO 4788
- “Eichordnung” (as per German weights and regulation standards), “H” mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With hexagonal base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.CBH.161*	5	1	0.1	2	325
BLS.CBH.162	10	0.2	0.2	2	375
BLS.CBH.163	25	0.5	0.5	2	425
BLS.CBH.164	50	1	1	2	475
BLS.CBH.165	100	1	1	2	605
BLS.CBH.166	250	2	2	2	815
BLS.CBH.167	500	5	5	2	1230
BLS.CBH.168	1000	10	10	1	1900
BLS.CBH.169	2000	20	20	1	3400



Mixing Cylinder with Hexagonal base, Class-A

- Complies as per DIN EN ISO 4788, With individual certificate
- “Eichordnung” (as per German weights and regulation standards), “H” mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With hexagonal base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	N/S	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.MC06	10	19/10	0.2	0.1	2	820
BLS.MC07	25	14/23	0.5	0.25	2	930
BLS.MC08	50	19/26	1	0.5	2	1045
BLS.MC09	100	24/29	1	0.5	2	1200
BLS.MC10	250	29/32	2	1	2	1800
BLS.MC11	500	34/35	5	2.5	2	2300
BLS.MC12	1000	45/40	10	5	1	2800
BLS.MC13	2000	45/40	20	10	1	4400




Mixing Cylinder with Hexagonal base, USP

- Complies as per USP, With individual certificate
- With hexagonal base, Manufacture from Boro 3.3

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.MUH.17*	5	0.1	0.05	2	820
BLS.MUH.18	10	0.2	0.1	2	820
BLS.MUH.19	25	0.5	0.15	2	930
BLS.MUH.20	50	1	0.25	2	1045
BLS.MUH.21	100	1	0.5	2	1200
BLS.MUH.22	250	2	1	2	1800
BLS.MUH.23	500	5	1.5	2	2300
BLS.MUH.24	1000	10	3	1	2800
BLS.MUH.25	2000	20	6	1	4400





Mixing Cylinders with Glass stopper and Round Base Class B

- Complies as per DIN EN ISO 4788
- "Eichordnung" (as per German weights and regulation standards), "H" mark signifies German regulation as DIN 12600 Calibration (TC, In)
- With round base, Manufacture from Boro 3.3, * Non DIN

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of	INR/ Piece
141.222.01*	5	0.1	0.1	2	415
141.222.02	10	0.2	0.2	2	440
141.222.03	25	0.5	0.5	2	490
141.222.04	50	1	1	2	555
141.222.05	100	1	1	2	680
141.222.06	250	2	2	2	1160
141.222.07	500	5	5	2	1560
141.222.08	1000	10	10	1	2167
141.222.09	2000	20	20	1	3600



Nessler Cylinder, for colour comparison Class-A

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of	INR/ Piece
BLS.1606.03	50	25 & 50	0.4	4	375
BLS.1606.04	100	50 & 100	0.8	2	575



Cones, Imhoff, Sediment, Sharp Tip, Graduated

- From 0 to 1 ml in 0.1 ml. Division, 1 to 10 ml. In 0.5 ml. and 10 to 40 ml. In 1 ml. Also marked at 1000 ml. Approx. Total Height 454 mm., Approx. Top Dia 100 mm.

Item Code	Pack of	INR/Piece
BLS.IMC.01	1	5690



Dishes, Crystallizing, without Spout

- Crystallizing Dishes, As per DIN 12337, Made of Boro 3.3

Item Code	Ø(mm)xh	Capacity	Pack of	INR/Piece
BLS.2001	40 X 25MM	60 ML	10	135
BLS.2002	50 X 30MM	65 ML	10	145
BLS.2003	60 X 35MM	80 ML	10	160
BLS.2004	70 X 40MM	180 ML	10	210
BLS.2005	80 X 45MM	200 ML	10	275
BLS.2006	95 X 55MM	280ML	10	390
BLS.2007	100 X 50MM	300 ML	5	410
BLS.2008	150 X 75MM	1200 ML	5	895
BLS.2009	190 X 100MM	2500 ML	2	1560



Dishes, Crystallizing with Spout

- Crystallizing Dishes, As per DIN 12338, Made of Boro 3.3

Item Code	Ø(mm)xh	Capacity	Pack of	INR/Piece
BLS.2010	40 X 25MM	60 ML	10	135
BLS.2011	50 X 30MM	65 ML	10	155
BLS.2012	60 X 35MM	80 ML	10	175
BLS.2013	70 X 40MM	180 ML	10	215
BLS.2014	80 X 45MM	200 ML	10	275
BLS.2015	95 X 55MM	280ML	10	395
BLS.2016	100 X 50MM	300 ML	5	415
BLS.2017	150 X 75MM	1200 ML	5	900
BLS.2018	190 X 100MM	2500 ML	2	1550



Dishes, Evaporating

- Complies with DIN 12336, Manufactured from Boro 3.3 glass
- High resistance to chemical attack and thermal shock
- Flat base and Curved sides with spout

Item Code	OD x Height (mm)	Pack of	INR/Piece
BLS.ED.01	50X25 MM	10	190
BLS.ED.02	60X30 MM	10	210
BLS.ED.03	70X35 MM	10	250
BLS.ED.04	80X45 MM	10	450
BLS.ED.05	95X55 MM	10	500
BLS.ED.06	105X55 MM	5	580
BLS.ED.07	150X80 MM	5	930
BLS.ED.08	200X100 MM	5	1890





Petri Dish Manufactured from BORO 3.3 Glass

- Best for repeated Autoclaving, Made of Boro 3.3
- As per ASTM E438 Type 1 Class A

Item Code	OD x Height (mm)	Pack of	INR/Piece
BLS.PD01	50X17 MM	10	155
BLS.PD02	60X17 MM	10	155
BLS.PD03	80X17 MM	10	192
BLS.PD04	90X15 MM	10	192
BLS.PD05	90X17 MM	10	192
BLS.PD06	100X15 MM	10	192
BLS.PD07	100X17 MM	10	230
BLS.PD08	100X20 MM	10	230
BLS.PD09	120X20 MM	10	230
BLS.PD10	150X20 MM	10	579
BLS.PD11	200X20 MM	5	1430



Dessicator vaccum with cover diepressed

- with porceleine plate

Item Code	Capacity	Pack of	INR/Piece
BLS.M101.05	150 MM	1	5500
BLS.M101.06	210 MM	1	8800
BLS.M101.07	250 MM	1	13500
BLS.M101.08	300 MM	1	16500



Dessicator non vaccum with cover diepressed

- with porceleine plate

Item Code	Capacity	Pack of	INR/Piece
BLS.M101.01	150 MM	1	4250
BLS.M101.02	210 MM	1	7000
BLS.M101.03	250 MM	1	9000
BLS.M101.04	300 MM	1	14000



Kipps Apparatus

- Made from Borosilicate Glass 3.3

Item Code	Capacity	Pack of	INR/Piece
BLS.2601.01	500 ML	1	9550
BLS.2601.02	1000 ML	1	12400



BORO
3.3
GLASS

Chemical
Resistant

WHITE
BLUE AMBER



Order Now

Watch Glass, Soda Lime Glass

Item Code	Size	Pack of	INR/Piece
BLS.WGS.01	25 MM	20	30
BLS.WGS.02	30 MM	20	33
BLS.WGS.03	40 MM	20	35
BLS.WGS.04	50 MM	20	38
BLS.WGS.05	60 MM	20	43
BLS.WGS.06	65 MM	20	45
BLS.WGS.07	70 MM	20	53
BLS.WGS.08	75 MM	20	60
BLS.WGS.09	80 MM	20	65
BLS.WGS.10	90 MM	20	73
BLS.WGS.11	100 MM	20	80
BLS.WGS.12	125 MM	20	135
BLS.WGS.13	150 MM	10	175
BLS.WGS.14	200 MM	10	650
BLS.WGS.15	225 MM	10	1300
BLS.WGS.16	250 MM	10	2000
BLS.WGS.17	275 MM	10	2500
BLS.WGS.18	300 MM	10	2750



Chemical
Resistant

WHITE
BLUE AMBER



Order Now



Order Now

Jars, Rectangular, Museum, With Cover Soda Lime Glass

- Not recommended for use over a direct flame or on a hot plate

Item Code	Approx L x H x B (cm)	Pack of	INR/Piece
BLS.JRM.01	15 x 15 x 15	1	1974
BLS.JRM.02	20 x 12 x 10	1	1482
BLS.JRM.03	20 x 12 x 12	1	1866
BLS.JRM.04	20 x 20 x 12	1	2730
BLS.JRM.05	20 x 20 x 16.5	1	3396
BLS.JRM.06	22 x 15 x 10	1	2610
BLS.JRM.07	26 x 15 x 10	1	2772
BLS.JRM.08	14 x 21.5 x 10	1	3595
BLS.JRM.09	21 x 17 x 13	1	4140
BLS.JRM.10	22 x 14 x 14	1	4000
BLS.JRM.11	22.5 x 22.5 x 12.5	1	5178
BLS.JRM.12	25 x 25 x 15	1	7128
BLS.JRM.13	36 x 15 x 10	1	9504
BLS.JRM.14	38 x 28 x 23	1	19656
BLS.JRM.15	68 x 12.5 x 12.5	1	8208
BLS.JRM.16	75 x 15 x 15	1	12960
BLS.JRM.17	25 x 17 x 15	1	2940
BLS.JRM.18	25 x 25 x 12	1	4638



Order Now

Soxhlet Extraction Apparatus

- Complete with condenser & Flask, As per DIN 12602,
- Available with Screw thread connector

Item code	Extractor Cap (ml)	Socket	Cone	Flask Cap	Condensor Type	Pack	INR/Piece
BLS.2307.01	60 ML	34/35	24/29	150	ALLIHIN	1	1540
BLS.2307.02	100 ML	40/38	24/29	150	ALLIHIN	1	1860
BLS.2307.03	100 ML	45/40	29/32	250	ALLIHIN	1	1960
BLS.2307.04	200 ML	50/42	24/29	500	ALLIHIN	1	3200
BLS.2307.05	250 ML	45/40	29/32	500	ALLIHIN	1	3500
BLS.2307.06	500 ML	60/46	29/32	1000	ALLIHIN	1	5870
BLS.2307.07	1000 ML	71/55	29/32	2000	ALLIHIN	1	12000
BLS.2307.09	100 ML	45/40	29/32	250	DIMROTH	1	2438
BLS.2307.10	150 ML	45/40	29/32	250	DIMROTH	1	2739
BLS.2307.11	250 ML	45/40	29/32	500	DIMROTH	1	3500
BLS.2307.12	500 ML	60/46	29/32	500	DIMROTH	1	5870
BLS.2307.13	1000 ML	71/55	29/32	500	DIMROTH	1	11000

Condenser for Soxhlet Apparatus

- Extractor made of Boro 3.3
- Available with Glass and plastic screw thread connector

Item Code	Cone	Length (mm)	Extractor (ml)	Connector	Pack of	INR/Piece
BLS.AS.01	45/40	300	100	SCREW THREAD	1	1090
BLS.AS.02	45/40	400	250	SCREW THREAD	1	1090
BLS.AS.03	60/46	400	500	SCREW THREAD	1	1450
BLS.AS.04	71/55	400	1000	SCREW THREAD	1	1950
BLS.AS.05	45/40	300	100	GLASS	1	1050
BLS.AS.06	45/40	400	250	GLASS	1	1050
BLS.AS.07	60/46	400	500	GLASS	1	1400
BLS.AS.08	71/55	400	1000	GLASS	1	1800
BLS.AS.09	34/55	300	60	GLASS	1	650
BLS.AS.10	40/38	300	100	GLASS	1	900
BLS.AS.11	50/42	400	200	GLASS	1	1000



Order Now

Extractor for Soxhlet Apparatus

- Extractor made of Boro 3.3

Item code	Capacity	Socket	Cone	Pack	INR/Piece
BLS.2307.14	60 ML	34/35	24/29	1	800
BLS.2307.15	100 ML	40/38	24/29	1	1150
BLS.2307.16	100 ML	45/40	29/32	1	1200
BLS.2307.17	200 ML	50/42	24/29	1	1300
BLS.2307.18	250 ML	45/40	29/32	1	1400
BLS.2307.19	500 ML	60/46	29/32	1	2820
BLS.2307.20	1000 ML	71/55	29/32	1	4600



Order Now

Handcrafted Borosilicate 3.3 Glass, Highly Resistance to Chemical Attack and Thermal Shock



BORO
3.3
GLASS



Order Now



FILTRATION



All Glass Filter Holder -47 mm, Filtration Assembly

- Made of Boro 3.3 with fritted glass filter base
- The base design has an integral vacuum connection located above the filtrate drip to prevent contamination of vacuum line from droplets
- Borosilicate glass funnel, Capacity of Funnel 300 ml, base and tubulated cap; anodized aluminum spring clamp
- For HPLC Mobile phase Filtration

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.1400.01	500 ML	1	7500
BLS.1400.02	1000 ML	1	13850
BLS.1400.03	2000 ML	1	19500
BLS.1400.04	5000 ML	1	27587



Spares for All Glass Filter Holder

Item	Capacity	Description	Pack of	INR/Piece
BLS.FA.01	500 ml	Flask for filter holder	1	2200
BLS.FA.02	1000 ml	Flask for filter holder	1	3500
BLS.FA.03	2000 ml	Flask for filter holder	1	8500
BLS.FA.04	300 ml	Funnel for filter holder	1	3500
BLS.FA.05	47 mm	Filter Support Base for Filter Holder	1	4300
BLS.FA.06	47mm	Aluminium Clamp for Filter Holder	1	3000



All Glass Filter Holder -47 mm, Filtration Assembly

- Made of Boro 3.3 with fritted glass filter base
- The filtration base has a silicon stopper
- The base design has an integral vacuum connection located above the filtrate drip to prevent contamination of vacuum line from droplets
- Borosilicate glass funnel, Capacity of Funnel 300 ml, base and tubulated cap; anodized aluminum spring clamp
- For HPLC Mobile phase Filtration



Order Now

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.M1400.01	500 ML	1	7500
BLS.M1400.02	1000 ML	1	13850
BLS.M1400.03	2000 ML	1	19500
BLS.M1400.04	5000 ML	1	27587

Spares for All Glass Filter Holder - 47 mm

Item	Capacity	Description	Pack of	INR/ Piece
BLS.FA.07	500 ml	Flask for filter holder	1	2200
BLS.FA.08	1000 ml	Flask for filter holder	1	3500
BLS.FA.09	2000 ml	Flask for filter holder	1	8500
BLS.FA.10	300 ml	Funnel for filter holder	1	3500
BLS.FA.11	47 mm	Filter Support Base for Filter Holder	1	4300
BLS.FA.12	47mm	Aluminium Clamp for Filter Holder	1	3000



Order Now

Filter Crucible

- Made of Boro 3.3
- With sintered disc

Item Code	Porosity	Capacity	Dia of Disc mm	Height	Pack of	INR/Piece
BLS.1900.01	1	15 ML	20	50	10	360
BLS.1900.02	2	15 ML	20	50	10	360
BLS.1900.03	3	15 ML	20	50	10	360
BLS.1900.04	4	15 ML	20	50	10	360
BLS.1900.05	1	30 ML	30	60	10	470
BLS.1900.06	2	30 ML	30	60	10	470
BLS.1900.07	3	30 ML	30	60	10	470
BLS.1900.08	4	30 ML	30	60	10	470
BLS.1900.09	1	50 ML	40	65	10	595
BLS.1900.10	2	50 ML	40	65	10	595
BLS.1900.11	3	50 ML	40	65	10	595
BLS.1900.12	4	50 ML	40	65	10	595
BLS.1900.13	5	50ML	40	65	10	800

Funnels, Buchner, with sintered disc, ASTM

- Made from ASTM E-438, TYPE-1, BORO 3.3 GLASS
- Comes with fire polished rim and stem
- Porosity 1= 90 - 150 µm, Porosity 2= 40 - 90 µm, Porosity 3= 15 - 40 µm, Porosity 4= 5 - 15 µm



Order Now

Item Code	Capacity	Disc Dia (mm)	Porosity	Pack of	INR/Piece
BLS.1905.1	35 ML	30	1	2	580
BLS.1905.2	35 ML	30	2	2	580
BLS.1905.3	35 ML	30	3	2	580
BLS.1905.4	35 ML	30	4	2	580
BLS.1905.6	80 ML	40	1	2	1100
BLS.1905.7	80 ML	40	2	2	1100
BLS.1905.8	80 ML	40	3	2	1100
BLS.1905.9	80 ML	40	4	2	1100
BLS.1905.10	200 ML	65	1	2	1700
BLS.1905.11	200 ML	65	2	2	1700
BLS.1905.12	200 ML	65	3	2	1700
BLS.1905.13	200 ML	65	4	2	1700
BLS.1905.14	500 ML	90	1	2	4100
BLS.1905.15	500 ML	90	2	2	4100
BLS.1905.16	500 ML	90	3	2	4100
BLS.1905.17	500 ML	90	4	2	4100
BLS.1905.18	1000 ML	120	1	2	8050
BLS.1905.19	1000 ML	120	2	2	8050
BLS.1905.20	1000 ML	120	3	2	8050
BLS.1905.21	1000 ML	120	4	2	8050



FUNNELS



Dropping Funnel

- Cylindrical with stem inside cone, Solid Glass Stopcock, DIN/ISO
- Complies ISO 4800 DIN 3585
- Available with PE Stopper
- Graduated dropping funnel available on request

Item Code	Capacity (ml)	Socket & Cone N/S	Bore (MM)	Stopcock Type	Pack of	INR/ Piece
BLS.1503.46	50	14/23	2.5	SOLID GLASS	1	690
BLS.1503.47	50	29/32	2.5	SOLID GLASS	1	720
BLS.1503.48	100	14/23	2.5	SOLID GLASS	1	750
BLS.1503.49	100	29/32	2.5	SOLID GLASS	1	800
BLS.1503.50	250	29/32	4	SOLID GLASS	1	1050
BLS.1503.51	500	29/32	4	SOLID GLASS	1	1390
BLS.1503.52	1000	29/32	6	SOLID GLASS	1	1850



Order Now



Dropping Funnel

- Cylindrical with stem inside cone, Rotaflow, DIN/ISO
- Complies ISO 4800 DIN 3585
- Available with PE Stopper
- Graduated dropping funnel available on request

Item Code	Capacity (ml)	Socket & Cone N/S	Bore (MM)	Stopcock Type	Pack of	INR/ Piece
BLS.1503.53	50	29/32	2.5	Rotaflow	1	720
BLS.1503.54	100	29/32	2.5	Rotaflow	1	790
BLS.1503.55	250	29/32	4	Rotaflow	1	990
BLS.1503.56	500	29/32	4	Rotaflow	1	1450
BLS.1503.57	1000	29/32	6	Rotaflow	1	1990



Order Now



Dropping Funnel, PTFE Stopcock

- Cylindrical with stem inside cone, PTFE Stopcock, ISO 4800 DIN 3585
- Available with PE Stopper
- Graduated dropping funnel available on request

Item Code	Capacity (ml)	Socket & Cone N/S	Bore (MM)	Stopcock Type	Pack of	INR/ Piece
BLS.1503.53P	50	29/32	2.5	PTFE KEY	1	850
BLS.1503.54P	100	29/32	2.5	PTFE KEY	1	890
BLS.1503.55P	250	29/32	4	PTFE KEY	1	1150
BLS.1503.56P	500	29/32	4	PTFE KEY	1	1550
BLS.1503.57P	1000	29/32	6	PTFE KEY	1	2250



Order Now





Pressure Equalising Funnel, Glass Stopcock

- Pear shaped with Glass Stopcock & Cone.Cap.
- Made from DIN ISO 3585, BORO 3.3 GLASS
- With Drip Stem

Item Code	Capacity	Socket & Cone N/S	BORE (mm)	PACK	INR/Piece
BLS.1503.63	50 ml	14/23	2.5	1	1228
BLS.1503.64	100 ml	14/23	2.5	1	1276
BLS.1503.65	250 ml	29/32	4	1	1350
BLS.1503.66	500 ml	29/32	4	1	2000



Order Now



Pressure Equalising Funnel, Rotaflow

- Pear shaped with Rotaflow & Cone.Cap.
- Made from DIN ISO 3585, BORO 3.3 GLASS
- With Drip Stem

Item Code	Capacity	Socket & Cone N/S	BORE (mm)	PACK	INR/Piece
BLS.1503.63R	50 ml	14/23	2.5	1	1100
BLS.1503.64R	100 ml	14/23	2.5	1	1200
BLS.1503.65R	250 ml	29/32	4	1	1300
BLS.1503.66R	500 ml	29/32	4	1	1700



Order Now



Pressure Equalising Funnel, with PTFE Stopcock

- Pear shaped with PTFE Stopcock & Cone.Cap.
- Made from DIN ISO 3585, BORO 3.3 GLASS
- With Drip Stem

Item Code	Capacity	Socket & Cone N/S	BORE (mm)	PACK	INR/Piece
BLS.1503.63P	50 ml	14/23	2.5	1	2000
BLS.1503.64P	100 ml	14/23	2.5	1	2200
BLS.1503.65P	250 ml	29/32	4	1	2300
BLS.1503.66P	500 ml	29/32	4	1	2700



Order Now





Pressure Equalising Funnel, Glass Stopcock

- Cylindrical shaped with Glass Stopcock & Cone.Cap.
- Made from DIN ISO 3585, BORO 3.3 GLASS
- With Drip Stem

Item Code	Capacity	Socket & Cone N/S	BORE (mm)	PACK	INR/Piece
BLS.1503.67	50 ml	29/32	2.5	1	1350
BLS.1503.68	100 ml	29/32	2.5	1	1400
BLS.1503.69	250 ml	29/32	4	1	1550
BLS.1503.70	500 ml	29/32	4	1	2300



Order Now



Pressure Equalising Funnel, with PTFE Stopcock

- Cylindrical shaped with PTFE Stopcock & Cone.Cap.
- Made from DIN ISO 3585, BORO 3.3 GLASS
- With Drip Stem

Item Code	Capacity	Socket & Cone N/S	BORE (mm)	PACK	INR/Piece
BLS.1503.67P	50 ml	29/32	2.5	1	1800
BLS.1503.68P	100 ml	29/32	2.5	1	2200
BLS.1503.69P	250 ml	29/32	4	1	2300
BLS.1503.70P	500 ml	29/32	4	1	2500



Order Now





Separating Funnel Squibb Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards, Available with PE Stopper

Item Code	CAPACITY (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.01	25	19/26	2.5	SOLID GLASS	1	467
BLS.1503.02	50	19/26	2.5	SOLID GLASS	1	566
BLS.1503.03	60	19/26	2.5	SOLID GLASS	1	666
BLS.1503.04	100	19/26	2.5	SOLID GLASS	1	742
BLS.1503.05	125	19/26	2.5	SOLID GLASS	1	1030
BLS.1503.06	250	29/32	4	SOLID GLASS	1	1126
BLS.1503.07	500	29/32	4	SOLID GLASS	1	1500
BLS.1503.08	1000	29/32	6	SOLID GLASS	1	1875
BLS.1503.09	2000	29/32	6	SOLID GLASS	1	3340



Order Now



Separating Funnel Squibb Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards, Available with PE Stopper

Item Code	CAPACITY (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.18	60	19/26	2.5	PTFE KEY	1	1025
BLS.1503.19	125	19/26	2.5	PTFE KEY	1	1250
BLS.1503.20	250	29/32	4	PTFE KEY	1	1350
BLS.1503.21	500	29/32	4	PTFE KEY	1	1850
BLS.1503.22	1000	29/32	6	PTFE KEY	1	1950
BLS.1503.23	2000	29/32	6	PTFE KEY	1	3625



Order Now



Separating Funnel Squibb Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards, Available with PE Stopper

Item Code	CAPACITY (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.10	60	19/26	2.5	Rotaflow	1	760
BLS.1503.11	100	19/26	2.5	Rotaflow	1	760
BLS.1503.12	125	19/26	2.5	Rotaflow	1	866
BLS.1503.13	250	29/32	4	Rotaflow	1	960
BLS.1503.14	500	29/32	4	Rotaflow	1	1290
BLS.1503.15	1000	29/32	6	Rotaflow	1	1620
BLS.1503.16	2000	29/32	6	Rotaflow	1	2863
BLS.1503.17	5000	29/32	6	Rotaflow	1	5295



Order Now





Separating Funnel Pear / Globe Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards
- Available with PE Stopper

Item Code	Capacity (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.30	125	19/26	2.5	SOLID GLASS	1	745
BLS.1503.31	250	29/32	4	SOLID GLASS	1	850
BLS.1503.32	500	29/32	4	SOLID GLASS	1	1075
BLS.1503.33	1000	29/32	6	SOLID GLASS	1	1660
BLS.1503.34	2000	29/32	6	SOLID GLASS	1	3100



Separating Funnel Pear / Globe Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards
- Available with PE Stopper

Item Code	Capacity (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.41	125	19/26	2.5	PTFE KEY	1	1270
BLS.1503.42	250	29/32	4	PTFE KEY	1	1270
BLS.1503.43	500	29/32	4	PTFE KEY	1	1450
BLS.1503.44	1000	29/32	6	PTFE KEY	1	1990
BLS.1503.45	2000	29/32	6	PTFE KEY	1	3630
BLS.1503.46A	3000	34/35	6	PTFE KEY	1	6000
BLS.1503.47A	5000	34/35	6	PTFE KEY	1	10200



Separating Funnel Pear / Globe Shape

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards
- Available with PE Stopper

Item Code	Capacity (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/ Piece
BLS.1503.35	125	19/26	2.5	Rotaflow	1	820
BLS.1503.36	250	29/32	4	Rotaflow	1	900
BLS.1503.37	500	29/32	4	Rotaflow	1	1000
BLS.1503.38	1000	29/32	6	Rotaflow	1	1550
BLS.1503.39	2000	29/32	6	Rotaflow	1	3000
BLS.1503.40	5000	34/35	6	Rotaflow	1	10000



Order Now



Graduated Separating Funnel

- Made from DIN ISO 3585, BORO 3.3 GLASS
- Complies with DIN 4800 Standards
- Available with PE Stopper

Item Code	Capacity (ml)	Socket & Cone N/S	BORE (MM)	Stopcock Type	PACK	INR/Piece
BLS.1503.24	50	19/26	2.5	PTFE KEY	1	1195
BLS.1503.25	100	19/26	2.5	PTFE KEY	1	1280
BLS.1503.26	250	29/32	4	PTFE KEY	1	1418
BLS.1503.27	500	29/32	4	PTFE KEY	1	1717
BLS.1503.28	1000	29/32	6	PTFE KEY	1	2295
BLS.1503.29	2000	29/32	6	PTFE KEY	1	3783



Order Now



Amber Colour Separating Funnel, Interchangeable Stopper, Squib Shape, Plain Stem.

Item Code	Capacity (ml)	Stopcock Type	PACK Size	INR/Piece
BLS.1503.25.A1	30	GlassStopcock	1	1235
BLS.1503.25.A2	60	GlassStopcock	1	1465
BLS.1503.25.A3	125	GlassStopcock	1	1550
BLS.1503.25.A4	250	GlassStopcock	1	1750
BLS.1503.25.A5	500	GlassStopcock	1	2590
BLS.1503.25.A6	1000	GlassStopcock	1	3490
BLS.1503.25.A7	2000	GlassStopcock	1	5520
BLS.1503.25.A8	30	PTFEKey	1	1635
BLS.1503.25.A9	60	PTFEKey	1	1690
BLS.1503.25.A10	125	PTFEKey	1	1770
BLS.1503.25.A11	250	PTFEKey	1	1975
BLS.1503.25.A12	500	PTFEKey	1	2590
BLS.1503.25.A13	1000	PTFEKey	1	3200
BLS.1503.25.A14	2000	PTFEKey	1	6100



Order Now





Funnel, DIN/ISO & USP

- Complies ISO 4798
- Made of Boro 3.3

Item Code	Capacity (ml)	PACK	INR/Piece
BLS.1500.01	25 MM	10	102
BLS.1500.02	35 MM	10	135
BLS.1500.03	50 MM	10	150
BLS.1500.04	55 MM	10	150
BLS.1500.05	65 MM	10	195
BLS.1500.06	70 MM	10	230
BLS.1500.07	75 MM	10	230
BLS.1500.08	100 MM	5	270
BLS.1500.09	120 MM	5	470
BLS.1500.10	125 MM	5	470
BLS.1500.11	150 MM	5	560



Order Now



Powder Funnel

- Available with Cone
- Made of Boro 3.3

Item Code	Capacity (ml)	N/S	TYPE	PACK	INR/Piece
BLS.1501.01	45 mm	14/23	Cone	10	270
BLS.1501.02	70 mm	14/23	Cone	10	350
BLS.1501.03	70 mm	29/32	Cone	10	390
BLS.1501.04	80 mm	29/32	Cone	10	460
BLS.1501.05	100 mm	14/32	Cone	5	485
BLS.1501.06	100 mm	29/32	Cone	5	530
BLS.1501.07	125 mm	24/29	Cone	5	655
BLS.1501.08	150 mm	24/29	Cone	5	1058
BLS.1502.09	125 mm	-----	Plain	5	520
BLS.1502.10	150 mm	-----	Plain	5	810
BLS.1502.11	80 mm	-----	Plain	10	210
BLS.1502.12	100 mm	-----	Plain	5	320



Order Now



FLASKS



Flasks, Conical (Erlenmeyer) Narrow Mouth

- Flask, Erlenmeyer
- Complies with DIN ISO 1773
- Narrow Neck with Graduation
- Has Reinforced thick Rim to reduce chipping & breakage

Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.1201.01	25	42	22	75	10	90
BLS.1201.02	50	51	22	90	10	95
BLS.1201.03	100	64	22	105	10	100
BLS.1201.03.1	150	74	28	118	10	125
BLS.1201.04	250	85	34	145	10	150
BLS.1201.05	500	105	34	180	10	210
BLS.1201.06	1000	131	42	220	6	370
BLS.1201.07	2000	166	50	280	2	1020
BLS.1201.08	3000	187	50	310	1	1820
BLS.1201.09	5000	220	50	365	1	2950



Order Now



Flasks, Conical (Erlenmeyer) Wide Mouth, ISO

- Flask, Erlenmeyer
- Complies with DIN ISO 24450
- Wide Neck with Graduation
- Has Reinforced thick Rim to reduce chipping & breakage

Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.1202.01*	25	42	31	70	10	104
BLS.1202.02	50	51	34	85	10	108
BLS.1202.03	100	64	34	105	10	126
BLS.1202.04	250	85	50	140	10	185
BLS.1202.05	500	105	50	175	10	263
BLS.1202.06	1000	131	50	220	6	452
BLS.1202.07	2000	166	76	276	2	1350



Order Now



Flask, Erlenmeyer with Joint, DIN 4797

- Flask ,Conical with Joint
- Complies with ISO 4797
- Body is thick-walled

Item Code	Capacity (ml)	Socket Size	H. (mm)	D. (mm)	Pack Size	INR/ Piece
BLS.EGN.01	25	14/23	70	42	10	190
BLS.EGN.02	25	19/26	70	42	10	190
BLS.EGN.03	50	14/23	85	51	10	210
BLS.EGN.04	50	19/26	85	51	10	220
BLS.EGN.05	50	24/29	85	51	10	220
BLS.EGN.06	50	29/32	85	51	10	220
BLS.EGN.07	100	14/23	100	64	10	270
BLS.EGN.08	100	19/26	100	64	10	280
BLS.EGN.09	100	24/29	100	64	10	280
BLS.EGN.10	100	29/32	100	64	10	280
BLS.EGN.11	150	19/26	118	72	10	330
BLS.EGN.12	150	24/29	118	72	10	330
BLS.EGN.13	150	29/32	118	72	10	330
BLS.EGN.14	200	29/32	131	79	10	340
BLS.EGN.15	250	19/26	85	10	10	350
BLS.EGN.16	250	24/29	85	10	10	350
BLS.EGN.17	250	29/32	85	10	10	350
BLS.EGN.18	300	29/32	156	87	10	390
BLS.EGN.19	500	19/26	175	105	10	450
BLS.EGN.20	500	24/29	175	105	10	450
BLS.EGN.21	500	29/32	175	105	10	450
BLS.EGN.22	1000	24/29	220	131	6	650
BLS.EGN.23	1000	29/32	220	131	6	660
BLS.EGN.24	1000	34/35	220	131	6	670
BLS.EGN.25	2000	29/32	270	166	2	1500
BLS.EGN.26	2000	34/35	270	166	2	1520
BLS.EGN.27	3000	45/50	310	187	1	2200
BLS.EGN.28	5000	45/50	365	220	1	3200



Order Now



Flask, Conical

- With Ground Joint and hollow stopper
- Flask, Conical with Joint
- Complies with ISO 4797
- Body is thick-walled

Item Code	Capacity (ml)	Neck Size	Dia (mm)	Height	Pack	INR/Piece
BLS.GJE.01	100	24/29	64	100	10	340
BLS.GJE.02	100	29/32	64	100	10	340
BLS.GJE.03	250	29/32	85	140	10	350
BLS.GJE.04	500	24/29	105	175	10	535
BLS.GJE.05	500	29/32	105	175	10	554
BLS.GJE.06	1000	29/32	131	220	6	780
BLS.GJE.07	2000	29/32	166	270	2	1450



Order Now



Flask Erlenmeyer, with Screw Cap, ASTM

- Flask, Conical with Screw Cap
- Screw Cap Made of Polypropylene
- Manufactured from 33 expansion, low extractable borosilicate glass conforming to USP Type I and ASTM E438, Type I, Class A requirements
- Resistant to steam sterilization

Item Code	Capacity (ml)	Thread Size	Dia (mm)	Height	Pack	INR/Piece
BLS.1204.01	50	25	51	85	10	260
BLS.1204.02	100	25	64	100	10	290
BLS.1204.03	150	25	118	118	10	310
BLS.1204.04	250	32	85	140	10	310
BLS.1204.05	500	32	105	175	10	415
BLS.1204.06	1000	32	131	220	6	754



Order Now

Filter Flasks.

- With Glass Connector
- Thick walled
- Without graduation printed in white, amber and blue

Item Code	Capacity (ml)	Pack	INR/Piece
BLS.1205.01	50 ML	10	230
BLS.1205.02	100 ML	10	340
BLS.1205.03	250 ML	10	500
BLS.1205.04	500 ML	6	600
BLS.1205.05	1000 ML	6	1000
BLS.1205.06	2000 ML	2	1709
BLS.1205.07	3000 ML	1	3600
BLS.1205.08	5000 ML	1	6380
BLS.1205.09	10000 ML	1	12000
BLS.1205.10	20000 ML	1	21700



Order Now

Flask, plain side arm and ground socket

- With Glass Connector and ground joint
- Thick walled
- Without graduation printed in white, amber and blue

Item Code	Capacity (ml)	Neck Size	Pack	INR/Piece
BLS.1205.11	100 ML	19/26	10	395
BLS.1205.12	100 ML	24/29	10	395
BLS.1205.13	250 ML	24/29	10	595
BLS.1205.14	250 ML	29/32	10	595
BLS.1205.15	500 ML	24/29	6	780
BLS.1205.16	500 ML	29/32	6	780
BLS.1205.161	1000 ML	24/29	6	1250
BLS.1205.162	1000 ML	29/32	6	1250



Order Now



TILT Measure 24/29

Item Code	Flask Capacity	Reservoir	Pack of	INR/Piece
BLS.1001.19	250	10 ML	2	1010
BLS.1001.20	250	20 ML	2	1230
BLS.1001.21	250	25 ML	2	1230
BLS.1001.22	500	50 ML	2	1400
BLS.1001.23	500	100 ML	2	1600



Order Now



Flask, Round Bottom, Narrow Neck, ISO

- Manufactured from 33 expansion, borosilicate glass conforming to USP Type I and ASTM E438, Type I, Class A requirements
- Uniform wall thickness distribution makes these flasks ideal for heating applications.
- Complies with ISO 1773
- With beaded rim

Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.1207.01	50	51	26	90	10	130
BLS.1207.02	100	64	26	110	10	146
BLS.1207.03	250	85	34	143	10	160
BLS.1207.04	500	105	34	168	10	270
BLS.1207.05	1000	131	42	200	6	450
BLS.1207.06	2000	166	50	240	2	1280
BLS.1207.07	3000	185	50	260	1	2100
BLS.1207.08	5000	223	50	305	1	3150
BLS.1207.09	10000	279	65	380	1	6650
BLS.1207.10	20000	350	75	510	1	14460



Order Now

Flask, Round Bottom, Wide Neck, ISO

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with DIN 12347 & ISO 24450
- With beaded rim

Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.RBW001	50	51	34	95	10	135
BLS.RBW002	100	64	34	110	10	150
BLS.RBW003	250	85	50	143	10	170
BLS.RBW004	500	105	50	168	10	300
BLS.RBW005	1000	131	50	200	6	500
BLS.RBW006	2000	166	76	230	2	1350



Order Now

Flat Bottom, Narrow Mouth

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Uniform wall thickness distribution makes these flasks ideal for heating applications
- Complies with DIN ISO 1773
- With beaded rim

Item Code	Capacity	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.FB021	50 ml	51	26	90	10	130
BLS.FB022	100 ml	64	26	110	10	146
BLS.FB023	250 ml	85	34	143	10	160
BLS.FB024	500 ml	105	34	168	6	270
BLS.FB025	1000 ml	131	42	200	6	450
BLS.FB026	2000 ml	166	50	240	2	1280
BLS.FB027	3000 ml	185	50	260	1	2100
BLS.FB028	5000 ml	223	50	305	1	3150
BLS.FB029	10000 ml	279	65	380	1	6650
BLS.FB030	20000 ml	350	75	510	1	14460



Order Now



Order Now

Flask, Flat Bottom, Wide Neck, DIN/ISO

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Uniform wall thickness distribution makes these flasks ideal for heating applications
- Complies with DIN ISO 24450
- With beaded rim

Item Code	Capacity	D. (mm)	D1. (mm)	H. (mm)	Pack of	INR/Piece
BLS.FBW001	50 ml	51	34	90	10	135
BLS.FBW002	100 ml	64	34	105	10	150
BLS.FBW003	250 ml	85	50	138	10	170
BLS.FBW004	500 ml	105	50	163	10	300
BLS.FBW005	1000 ml	131	50	190	6	500
BLS.FBW006	2000 ml	166	76	230	2	1350



Order Now

Flask, Florentine

- Evaporating Used in Rotary Evaporator
- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass

Item Code	Capacity (ml)	Socket Size	Overall Height (mm)	Pack of	INR/Piece
BLS.1221.01	50	29/32	95	10	950
BLS.1221.02	100	24/29	107	10	1350
BLS.1221.03	100	29/32	130	10	1500
BLS.1221.04	250	24/29	135	10	2000
BLS.1221.05	250	29/32	135	10	2100
BLS.1221.06	500	24/29	153	6	2400
BLS.1221.07	500	29/32	153	6	2500
BLS.1221.08	1000	24/29	190	6	4400
BLS.1221.09	1000	29/32	190	6	4500
BLS.1221.10	2000	29/32	235	2	5800
BLS.1221.11	3000	29/32	-----	1	8660



Flat Bottom Flask, Single Neck with Joint

- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass with Ground Joint. Complies with DIN /ISO 4797 & USP Standard

Item Code	Capacity	Socket Size	Height mm	Diameter mm	pack	INR/Piece
BLS.FB037	5 ML	14/23	-----	-----	10	196
BLS.FB38	10 ML	14/23	-----	-----	10	196
BLS.FB039	25 ML	14/23	85	41	10	206
BLS.FB040	25 ML	19/26	85	41	10	206
BLS.FB041	25ML	24/29	85	41	10	206
BLS.FB042	50 ML	14/23	90	51	10	206
BLS.FB043	50 ML	19/26	90	51	10	206
BLS.FB044	50 ML	24/29	90	51	10	206
BLS.FB045	50 ML	29/32	90	51	10	206
BLS.FB046	100 ML	14/23	105	64	10	210
BLS.FB047	100 ML	19/26	105	64	10	210
BLS.FB048	100 ML	24/29	105	64	10	210
BLS.FB049	100 ML	29/32	105	64	10	210
BLS.FB050	150 ML	19/26	137	75	10	242
BLS.FB051	150 ML	24/29	137	75	10	242
BLS.FB052	150 ML	29/32	137	75	10	242
BLS.FB053	250 ML	14/23	140	85	10	272
BLS.FB054	250 ML	19/26	140	85	10	272
BLS.FB055	250 ML	24/29	140	85	10	272
BLS.FB056	250 ML	29/32	140	85	10	272
BLS.FB057	250 ML	34/35	140	85	10	272
BLS.FB058	500 ML	19/26	163	105	10	386
BLS.FB059	500 ML	24/29	163	105	10	386
BLS.FB060	500 ML	29/32	163	105	10	386
BLS.FB061	500 ML	34/35	163	105	10	386
BLS.FB062	1000 ML	19/26	200	131	6	520
BLS.FB063	1000 ML	24/29	200	131	6	520
BLS.FB064	1000 ML	29/32	200	131	6	520
BLS.FB065	1000 ML	34/35	200	131	6	520
BLS.FB066	2000 ML	24/29	240	165	2	1250
BLS.FB067	2000 ML	29/32	240	165	2	1250
BLS.FB068	2000 ML	34/35	240	165	2	1250
BLS.FB069	3000 ML	24/29	260	185	1	2650
BLS.FB070	3000 ML	29/32	260	185	1	2650
BLS.FB071	3000 ML	34/35	260	185	1	2650
BLS.FB072	3000 ML	45/50	260	185	1	2650
BLS.FB073	5000 ML	24/29	305	223	1	4050
BLS.FB074	5000 ML	29/32	305	223	1	4050
BLS.FB075	5000 ML	34/35	305	223	1	4050
BLS.FB076	5000 ML	45/40	305	223	1	4050
BLS.FB077	10000 ML	29/32	380	279	1	8250
BLS.FB078	10000 ML	34/35	380	279	1	8250
BLS.FB079	10000 ML	45/40	380	279	1	8250
BLS.FB080	10000 ML	55/44	380	279	1	8250
BLS.FB081	20000 ML	55/44	435	345	1	14410



Order Now



Round Bottom Flask, Single Neck with Joint

- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- These Flasks comes with Ground Joint
- Manufactured as per ASTM E-1403 type 1 specifications
- Complies with DIN /ISO 4797 & USP Standard

Item Code	Capacity	Socket size	Height mm	Diameter mm	Pack	INR/Piece
BLS.1209.02	25 ML	14/23	85	41	10	206
BLS.1209.03	25 ML	19/26	85	41	10	206
BLS.1209.04	25ML	24/29	85	41	10	206
BLS.1209.05	50 ML	14/23	90	51	10	206
BLS.1209.06	50 ML	19/26	90	51	10	206
BLS.1209.07	50 ML	24/29	90	51	10	206
BLS.1209.08	50 ML	29/32	90	51	10	206
BLS.1209.09	100 ML	14/23	105	64	10	210
BLS.1209.10	100 ML	19/26	105	64	10	210
BLS.1209.11	100 ML	24/29	105	64	10	210
BLS.1209.12	100 ML	29/32	105	64	10	210
BLS.1209.13	150 ML	19/26	137	75	10	245
BLS.1209.14	150 ML	24/29	137	75	10	245
BLS.1209.15	150 ML	29/32	137	75	10	245
BLS.1209.16	250 ML	14/23	140	85	10	272
BLS.1209.17	250 ML	19/26	140	85	10	272
BLS.1209.18	250 ML	24/29	140	85	10	272
BLS.1209.19	250 ML	29/32	140	85	10	272
BLS.1209.20	250 ML	34/35	140	85	10	272
BLS.1209.21	500 ML	19/26	163	105	10	386
BLS.1209.22	500 ML	24/29	163	105	10	386
BLS.1209.23	500 ML	29/32	163	105	10	386
BLS.1209.24	500 ML	34/35	163	105	10	386
BLS.1209.25	1000 ML	19/26	200	131	6	520
BLS.1209.26	1000 ML	24/29	200	131	6	520
BLS.1209.27	1000 ML	29/32	200	131	6	520
BLS.1209.28	1000 ML	34/35	200	131	6	520
BLS.1209.29	2000 ML	24/29	240	165	2	1250
BLS.1209.30	2000 ML	29/32	240	165	2	1250
BLS.1209.31	2000 ML	34/35	240	165	2	1250
BLS.1209.32	3000 ML	24/29	260	185	1	2650
BLS.1209.33	3000 ML	29/32	260	185	1	2650
BLS.1209.34	3000 ML	34/35	260	185	1	2650
BLS.1209.35	3000 ML	45/50	260	185	1	2650
BLS.1209.36	5000 ML	24/29	305	223	1	4050
BLS.1209.37	5000 ML	29/32	305	223	1	4050
BLS.1209.38	5000 ML	34/35	305	223	1	4050
BLS.1209.39	5000 ML	45/40	305	223	1	4050
BLS.1209.40	10000 ML	29/32	380	279	1	8250
BLS.1209.41	10000 ML	34/35	380	279	1	8250
BLS.1209.42	10000 ML	45/40	380	279	1	8250
BLS.1209.43	10000 ML	55/44	380	279	1	8250
BLS.1209.44	20000 ML	55/44	435	345	1	14410



Order Now

Flask Round Bottom, 2 Neck Parallel

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with DIN 12394 & USP Standard

Item Code	Capacity (ml)	Socket Size	Side Socket	Overall Height	Pack of	INR/Piece
BLS.1210.01A	25	14/23	14/23	85	10	320
BLS.1210.01B	50	14/23	14/23	90	10	294
BLS.1210.01	100	19/26	14/23	105	10	308
BLS.1210.02	100	24/29	14/23	105	10	308
BLS.1210.02.1	100	24/29	19/26	105	10	308
BLS.1210.02.2	100	29/32	19/26	105	10	308
BLS.1210.03	250	24/29	14/23	140	10	410
BLS.1210.04	250	24/29	19/26	140	10	410
BLS.1210.05	250	29/32	14/23	140	10	410
BLS.1210.06	500	24/29	14/23	163	10	600
BLS.1210.07	500	24/29	19/26	163	10	600
BLS.1210.08	500	29/32	14/23	163	10	600
BLS.1210.09	1000	24/29	14/23	200	6	850
BLS.1210.10	1000	24/29	19/26	200	6	850
BLS.1210.11	1000	29/32	14/23	200	6	850
BLS.1210.12	2000	24/29	19/26	240	2	1680
BLS.1210.13	2000	34/35	19/26	240	2	1680
BLS.1210.14	3000	34/35	19/26	260	1	3380
BLS.1210.15	3000	34/35	24/29	260	1	3380
BLS.1210.16	5000	34/35	19/26	305	1	4960
BLS.1210.17	5000	34/35	24/29	305	1	4960
BLS.1210.18	10000	34/35	24/29	380	1	8920
BLS.1210.19	10000	55/44	24/29	380	1	8920
BLS.1210.20	20000	55/44	24/29	435	1	15125




Order Now

Chromatography Sprayers, with rubber bellow

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.CHS.01	100	2	659
BLS.CHS.02	150	2	685
BLS.CHS.03	250	2	710





Chromatography Sprayers

- Bottle type with interchangeable joints, rubber bellow

Item Code	Capacity (ml)	Pack Of	INR/Piece
BLS.CHB.01	25	2	724
BLS.CHB.02	50	2	762
BLS.CHB.03	100	2	819



Flask Round Bottom, 2 Angular

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with DIN 12394 & USP Standard

Code	Capacity (ml)	Socket Size	Side Socket	Overall Height	Pack of	INR/ Piece
BLS.1210.01PA	25	14/23	14/23	85	10	320
BLS.1210.01PB	50	14/23	14/23	90	10	294
BLS.1210.01P	100	19/26	14/23	105	10	308
BLS.1210.02P	100	24/29	14/23	105	10	308
BLS.1210.02.1P	100	24/29	19/26	105	10	308
BLS.1210.02.2P	100	29/32	19/26	105	10	308
BLS.1210.03P	250	24/29	14/23	140	10	410
BLS.1210.04P	250	24/29	19/26	140	10	410
BLS.1210.05P	250	29/32	14/23	140	10	410
BLS.1210.06P	500	24/29	14/23	163	10	600
BLS.1210.07P	500	24/29	19/26	163	10	600
BLS.1210.08P	500	29/32	14/23	163	10	600
BLS.1210.09P	1000	24/29	14/23	200	6	850
BLS.1210.10P	1000	24/29	19/26	200	6	850
BLS.1210.11P	1000	29/32	14/23	200	6	850
BLS.1210.12P	2000	24/29	19/26	240	2	1680
BLS.1210.13P	2000	34/35	19/26	240	2	1680
BLS.1210.14P	3000	34/35	19/26	260	1	3380
BLS.1210.15P	3000	34/35	24/29	260	1	3380
BLS.1210.16P	5000	34/35	19/26	305	1	4960
BLS.1210.17P	5000	34/35	24/29	305	1	4960
BLS.1210.18P	10000	34/35	24/29	380	1	8920
BLS.1210.19P	10000	55/44	24/29	380	1	8920
BLS.1210.20P	20000	55/44	24/29	435	1	15125



Order Now

Flasks, Round Bottom, 3 Necks, Parallel

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with DIN 12394 & USP Standard

Code	Capacity (ml)	Centre Size	Side Socket	Overall Height	Pack of	INR/ Piece
BLS.1212.01A	25	14/23	14/23	85	10	580
BLS.1212.01B	50	14/23	14/23	95	10	542
BLS.1212.02C	100	14/23	14/23	105	10	532
BLS.1212.02	250	24/29	19/26	140	10	645
BLS.1212.03	250	19/26	19/26	140	10	645
BLS.1212.04	250	29/32	14/23	140	10	645
BLS.1212.05	250	29/32	29/32	140	10	645
BLS.1212.06	500	24/29	19/26	163	10	975
BLS.1212.07	500	19/26	19/26	163	10	975
BLS.1212.08	500	29/32	14/23	163	10	975
BLS.1212.09	500	29/32	19/26	163	10	975
BLS.1212.10	500	29/32	29/32	163	10	975
BLS.1212.11	1000	24/29	19/26	200	6	1260
BLS.1212.12	1000	29/32	14/23	200	6	1260
BLS.1212.13	1000	29/32	19/26	200	6	1260
BLS.1212.14	1000	29/32	24/29	200	6	1260
BLS.1212.15	1000	29/32	29/32	200	6	1260
BLS.1212.16	2000	24/29	19/26	240	2	2230
BLS.1212.17	2000	29/32	19/26	240	2	2230
BLS.1212.18	2000	29/32	29/32	240	2	2230
BLS.1212.19	2000	34/35	19/26	240	2	2230
BLS.1212.20	2000	34/35	24/29	240	2	2230
BLS.1212.21	3000	34/35	24/29	260	1	4853
BLS.1212.22	3000	34/35	19/26	260	1	4853
BLS.1212.23	5000	34/35	24/29	305	1	6760
BLS.1212.24	5000	34/35	24/29	305	1	6760
BLS.1212.25	10000	34/35	24/29	380	1	12890
BLS.1212.26	10000	45/40	24/29	380	1	12890
BLS.1212.27	20000	55/44	24/29	435	1	19235





Flasks, Round Bottom, 3 Necks Angular

- Manufactured from 33 expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with ISO 838 & USP Standard

Item Code	Capacity (ml)	Centre Size	Side Socket	Overall Height	Pack of	INR/ Piece
BLS.1211.01	25	19/26	14/23	85	10	580
BLS.1211.02	50	19/26	14/23	90	10	542
BLS.1211.03	100	24/29	14/23	105	10	532
BLS.1211.04	250	24/29	19/26	140	10	645
BLS.1211.05	250	19/26	19/26	140	10	645
BLS.1211.06	250	29/32	14/23	140	10	645
BLS.1211.07	250	29/32	29/32	140	10	645
BLS.1211.08	500	24/29	19/26	163	10	975
BLS.1211.09	500	19/26	19/26	163	10	975
BLS.1211.10	500	29/32	14/23	163	10	975
BLS.1211.11	500	29/32	19/26	163	10	975
BLS.1211.12	500	29/32	29/32	163	10	975
BLS.1211.13	1000	24/29	19/26	200	6	1260
BLS.1211.14	1000	29/32	14/23	200	6	1260
BLS.1211.15	1000	29/32	19/26	200	6	1260
BLS.1211.16	1000	29/32	24/29	200	6	1260
BLS.1211.17	1000	29/32	29/32	200	6	1260
BLS.1211.18	2000	24/29	19/26	240	2	2230
BLS.1211.19	2000	29/32	19/26	240	2	2230
BLS.1211.20	2000	29/32	29/32	240	2	2230
BLS.1211.21	2000	34/35	19/26	240	2	2230
BLS.1211.22	2000	34/35	24/29	240	2	2230
BLS.1211.23	3000	34/35	24/29	260	1	4853
BLS.1211.24	3000	34/35	19/26	260	1	4853
BLS.1211.25	5000	34/35	24/29	305	1	6760
BLS.1211.26	5000	34/35	24/29	305	1	6760
BLS.1211.27	10000	34/35	24/29	380	1	12890
BLS.1211.28	10000	45/40	24/29	380	1	12890
BLS.1211.29	20000	55/44	24/29	435	1	19235



Order Now

Flasks, Round Bottom, 4 Necks Parallel, DIN & USP

- Manufactured from 3.3 low expansion, borosilicate glass conforming to USP
- Type I and ASTM E438, Type I, Class A requirements
- Complies with ISO 12392 & USP Standard



Item Code	Capacity (ml)	Centre Size	Side Socket	Pack of	INR/Piece
BLS.12121.14	50	14/23	14/23	10	641
BLS.12121.15	100	14/23	14/23	10	660
BLS.12121.16	250	24/29	19/26	10	920
BLS.12121.17	250	19/26	19/26	10	920
BLS.12121.18	250	24/29	14/23	10	920
BLS.12121.19	250	29/32	14/23	10	920
BLS.12121.20	250	29/32	29/32	10	920
BLS.12121.21	500	24/29	19/26	6	1295
BLS.12121.22	500	19/26	19/26	6	1295
BLS.12121.23	500	24/29	24/29	6	1295
BLS.12121.24	500	24/29	14/23	6	1295
BLS.12121.25	500	29/32	14/23	6	1295
BLS.12121.26	500	29/32	19/26	6	1295
BLS.12121.27	500	29/32	29/32	6	1295
BLS.12121.28	500	34/35	24/29	6	1295
BLS.12121.29	1000	24/29	14/23	2	1600
BLS.12121.30	1000	24/29	24/29	2	1600
BLS.12121.31	1000	29/32	14/23	2	1600
BLS.12121.32	1000	29/32	19/26	2	1600
BLS.12121.33	1000	29/32	24/29	2	1600
BLS.12121.34	1000	29/32	29/32	2	1600
BLS.12121.35	1000	34/35	24/29	2	1600
BLS.12121.36	1000	45/40	29/32	2	1600
BLS.12121.37	2000	24/29	19/26	1	2695
BLS.12121.38	2000	24/29	14/23	1	2695
BLS.12121.39	2000	29/32	19/26	1	2695
BLS.12121.40	2000	29/32	29/32	1	2695
BLS.12121.41	2000	34/35	19/26	1	2695
BLS.12121.42	2000	34/35	24/29	1	2695
BLS.12121.43	2000	45/40	29/32	1	2695
BLS.12121.44	3000	29/32	29/32	1	5500
BLS.12121.45	3000	34/35	19/26	1	5500
BLS.12121.46	3000	34/35	24/29	1	5500
BLS.12121.47	3000	45/40	29/32	1	5500
BLS.12121.48	5000	34/35	19/26	1	7700
BLS.12121.49	5000	34/35	24/29	1	7700
BLS.12121.50	10000	34/35	24/29	1	13675
BLS.12121.51	10000	45/40	24/29	1	13675
BLS.12121.52	20000	55/44	24/29	1	19995



Order Now



Flask Pear Shape, Single Neck

- Made of 3.3 borosilicate glass
- The conical shape makes them ideal for small scale reaction
- Large labelling field

Item Code	Capacity (ml)	Socket Size	Overall Height mm	Overall Diameter mm	Pack of	INR/ Piece
BLS.121.01	5	10/19	67	23	10	175
BLS.121.02	10	10/19	75	28	10	190
BLS.121.03	10	14/23	75	28	10	190
BLS.121.04	25	10/19	90	38	10	190
BLS.121.05	25	14/23	90	38	10	208
BLS.121.06	50	14/23	110	48	10	242
BLS.121.07	50	19/26	110	48	10	242
BLS.121.08	100	14/23	125	58	10	300
BLS.121.09	100	19/26	125	58	10	300
BLS.121.10	100	24/29	125	58	10	300



Flask Pear Shape, Two Necks

Item Code	Capacity (ml)	Socket Center Necks	Socket Side Necks	Pack of	INR/ Piece
BLS.121.11	25	14/23	14/23	10	465
BLS.121.12	50	14/23	14/23	10	525
BLS.121.13	100	14/23	14/23	10	575



Flasks, Solvent Storage, Glass Stopcock

Item Code	Capacity (ml)	Socket Size	Pack of	INR/Piece
BLS.121.14	25	14/23	2	1150
BLS.121.15	50	14/23	2	1450
BLS.121.16	100	19/26	2	1500
BLS.121.17	250	24/29	2	1750
BLS.121.18	500	24/29	2	1850



Flask, Distillation, With Side Tube

- With side tube and reinforced bead
- In Compliance to ASTM 1405 Standard
- Uniform wall thickness distribution makes these Flasks ideal for heating
- All sizes have a durable matt-finished enameled area for marking
- Suitable for distillation process

Item Code	Capacity (ml)	Pack of	INR/Piece
BLS.121.19	25	2	275
BLS.121.20	50	2	290
BLS.121.21	100	2	320
BLS.121.22	125	2	315
BLS.121.23	250	2	525
BLS.121.24	500	2	620
BLS.121.25	1000	2	750



Order Now

Flask, Distillation

- With 19/26 joint, side arm

Item Code	Capacity (ml)	Ht. x OD (mm) Approx	Pack of	INR/Piece
BLS.121.26	125	70 x 215	2	475



Order Now



Flask, Kjeldahl with Joint

- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Suitable for determination of Nitrogen, As per DIN 12360

Item Code	Socket Size	Capacity (ml)	H. (mm)	Pack of	INR/Piece
BLS.1216.00	19\26	50	200	2	460
BLS.1216.01	24\29	100	200	2	540
BLS.1216.02	24\29	300	295	2	765
BLS.1216.03	24\29	500	300	2	885
BLS.1216.04	24\29	800	340	2	980

Flask, Kjeldahl without Joint

- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass.

Item Code	Capacity (ml)	D. (mm)	H. (mm)	Pack of	INR/Piece
BLS.1217.01	100	60	200	2	230
BLS.1217.02	300	85	295	2	375
BLS.1217.03	500	101	300	2	700
BLS.1217.04	800	117	340	2	865



Flask, Iodine

- Made from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Determination of Iodine with ground joint and stopper

Item Code	Capacity (ml)	Joint Size	Pack of	INR/Piece
BLS.1206.01	100	24/29	6	252
BLS.1206.02	250	29/32	6	294
BLS.1206.03	500	24/29	6	378
BLS.1206.04	500	29/32	6	378
BLS.1206.05	1000	29/32	4	836



Order Now



Flask, Culture, Haffkine

- It can repeated dry and wet sterilization without surface deterioration.
- Complies with IS 7183.
- Made up of Borosilicate 3.3 Glass.
- Used for preparation of culture in nutrient media.

Item Code	Capacity (ml)	Size (mm)	Pack of	INR/Piece
BLS.HCF.3000	3000	245x273	1	3500
BLS.HCF.4000	4000	246x310	1	3850



Order Now



VOLUMETRIC FLASK



Order Now



Volumetric Flask, Class-A, Batch Certificate, ISO

- Volumetric Flask Class A, Clear Glass
- With one graduation mark and new ergonomic PP stopper
- With ground joint
- Calibration based on the poured in volume ("In")
- Complies DIN ISO 1042
- Batch work certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.1200.18	5	10/19	0.04	2	355
BLS.1200.19	10	10/19	0.04	2	385
BLS.1200.20	20	10/19	0.04	2	415
BLS.1200.21	25	10/19	0.04	2	415
BLS.1200.22	50	12/21	0.06	2	445
BLS.1200.23	100	14/23	0.1	2	475
BLS.1200.24	200	14/23	0.15	2	565
BLS.1200.25	250	14/23	0.15	2	590
BLS.1200.26	500	19/26	0.25	2	785
BLS.1200.27	1000	24/29	0.4	2	1445
BLS.1200.28	2000	29/32	0.6	1	2765
BLS.1200.29	5000	34/35	1.2	1	4005
BLS.1200.30	10000	34/35	2.5	1	8895



Order Now



Volumetric Flask, Class-A, Individual Certificate, ISO

- Volumetric Flask Class A, Clear Glass
- With one graduation mark and new ergonomic PP stopper
- With ground joint
- Calibration based on the poured in volume ("In")
- Complies DIN ISO 1042
- Individual work certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.I.2003	5	10/19	0.04	2	715
BLS.I.2004	10	10/19	0.04	2	619
BLS.I.2005	20	10/19	0.04	2	619
BLS.I.2006	25	10/19	0.04	2	570
BLS.I.2007	50	12/21	0.06	2	546
BLS.I.2008	100	14/23	0.1	2	531
BLS.I.2009	200	14/23	0.15	2	751
BLS.I.2010	250	14/23	0.15	2	753
BLS.I.2011	500	19/26	0.25	2	987
BLS.I.2012	1000	24/29	0.4	2	1448
BLS.I.2013	2000	29/32	0.6	1	2356
BLS.I.2014	5000	34/35	1.2	1	11630
BLS.I.2015	10000	34/35	2.5	1	13630

USP Volumetric Flask, Class-A

- Volumetric Flask Class A USP, Clear Glass
- With one graduation mark
- With ground joint
- Individual certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.U.1201	5	10/19	0.02	2	805
BLS.U.1202	10	10/19	0.02	2	698
BLS.U.1203	20	10/19	0.03	2	701
BLS.U.1204	25	10/19	0.03	2	643
BLS.U.1205	50	12/21	0.05	2	615
BLS.U.1206	100	14/23	0.8	2	599
BLS.U.1207	200	14/23	0.1	2	840
BLS.U.1208	250	14/23	0.12	2	847
BLS.U.1209	500	19/26	0.15	2	1115
BLS.U.1210	1000	24/29	0.3	2	1625
BLS.U.1211	2000	29/32	0.5	1	2653



Order Now



Amber Volumetric Flask, Class-A, Batch Certificate, ISO

- With one graduation mark
- With ground joint
- Calibration based on the poured in volume (“In”)
- Complies DIN ISO 1042
- Batch work certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.AM.1200	10 ML	10/19	0.04	2	645
BLS.AM.1201	20 ML	10/19	0.04	2	645
BLS.AM.1202	25 ML	10/19	0.04	2	585
BLS.AM.1203	50 ML	12/21	0.06	2	555
BLS.AM.1204	100 ML	14/23	0.1	2	545
BLS.AM.1205	200 ML	14/23	0.1	2	780
BLS.AM.1206	250 ML	14/23	0.15	2	780
BLS.AM.1207	500 ML	19/26	0.25	2	900
BLS.AM.1208	1000 ML	24/29	0.4	2	1600
BLS.AM.1209	2000 ML	29/32	0.6	1	2995
BLS.AM.1210	5000 ML	34/35	1.2	1	4510
BLS.AM.1211	10000 ML	34/35	2.5	1	12100



Order Now





Order Now



Amber Volumetric Flask, Class-A, Individual Certificate, ISO

- With one graduation mark
- With ground joint
- Calibration based on the poured in volume (“In”)
- Complies DIN ISO 1042
- Individual work certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.AMI.1200	10 ML	10/19	0.04	2	745
BLS.AMI.1201	20 ML	10/19	0.04	2	745
BLS.AMI.1202	25 ML	10/19	0.04	2	685
BLS.AMI.1203	50 ML	12/21	0.06	2	655
BLS.AMI.1204	100 ML	14/23	0.1	2	645
BLS.AMI.1205	200 ML	14/23	0.1	2	900
BLS.AMI.1206	250 ML	14/23	0.15	2	880
BLS.AMI.1207	500 ML	19/26	0.25	2	1185
BLS.AMI.1208	1000 ML	24/29	0.4	2	1735
BLS.AMI.1209	2000 ML	29/32	0.6	1	2825
BLS.AMI.1210	5000 ML	34/35	1.2	1	4317
BLS.AMI.1211	10000 ML	34/35	2.5	1	6539



Order Now



Amber Volumetric Flask, Class-A, Individual Certificate, USP

- With one graduation mark
- With ground joint
- Complies with USP (United States Pharmacopia)
- Individual work certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.UAM.1200	5	10/19	0.02	2	900
BLS.UAM.1201	10	10/19	0.02	2	830
BLS.UAM.1202	20	10/19	0.03	2	830
BLS.UAM.1203	25	10/19	0.03	2	750
BLS.UAM.1204	50	12/21	0.05	2	730
BLS.UAM.1205	100	14/23	0.8	2	710
BLS.UAM.1206	200	14/23	0.1	2	1000
BLS.UAM.1207	250	14/23	0.12	2	1010
BLS.UAM.1208	500	19/26	0.15	2	1200
BLS.UAM.1209	1000	24/29	0.3	2	1800
BLS.UAM.1210	2000	29/32	0.5	1	3000

Volumetric Flask, Class-B

- With one graduation mark
- With ground joint
- Calibration based on the poured in volume (“In”)
- Complies DIN ISO 1042

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.CB.11.1	5	10/19	0.08	2	216
BLS.CB.11.2	10	10/19	0.08	2	206
BLS.CB.11.3	20	10/19	0.08	2	206
BLS.CB.11.4	25	10/19	0.08	2	202
BLS.CB.11.5	50	12/21	0.12	2	221
BLS.CB.11.6	100	14/23	0.2	2	250
BLS.CB.11.7	200	14/23	0.3	2	290
BLS.CB.11.8	250	14/23	0.3	2	299
BLS.CB.11.9	500	19/26	0.5	2	400
BLS.CB.11.10	1000	24/29	0.8	2	650
BLS.CB.11.11	2000	29/32	1.2	1	1350



Order Now

Amber Volumetric Flask, Class-B

- With one graduation mark
- With ground joint
- Calibration based on the poured in volume (“In”)
- Complies DIN ISO 1042

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.ACB.1	5	10/19	0.08	2	400
BLS.ACB.2	10	10/19	0.08	2	400
BLS.ACB.3	20	10/19	0.08	2	400
BLS.ACB.4	25	10/19	0.08	2	400
BLS.ACB.5	50	12/21	0.12	2	450
BLS.ACB.6	100	14/23	0.2	2	550
BLS.ACB.7	200	14/23	0.3	2	590
BLS.ACB.8	250	14/23	0.3	2	590
BLS.ACB.9	500	19/26	0.5	2	1040
BLS.ACB.10	1000	24/29	0.8	2	1350
BLS.ACB.11	2000	29/32	1.2	1	2700



Order Now



Order Now



Volumetric Flask Wide Neck Clear Glass

- Complies DIN /ISO1042 available with glass stopper and poly stopper
- Individual certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.WM.01	5*	10/19	0.04	2	710
BLS.WM.02	10*	10/19	0.04	2	610
BLS.WM.04	20	14/23	0.06	2	615
BLS.WM.05	25	14/23	0.1	2	650
BLS.WM.07	50	14/15	0.1	2	630
BLS.WM.08	100	19/26	0.1	2	670
BLS.WM.09	200	19/26	0.15	2	900
BLS.WM.10	250	19/26	0.15	2	960
BLS.WM.11	500	24/29	0.4	2	990
BLS.WM.12	1000	29/32	0.6	2	1500



Order Now



Amber Volumetric Flask Wide Neck

- Complies DIN /ISO1042 available with glass stopper and poly stopper
- Individual certified

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.WMA.01	5*	10/19	0.04	2	845
BLS.WMA.02	10*	10/19	0.04	2	740
BLS.WMA.03	20*	12/21	0.06	2	750
BLS.WMA.04	20	14/15	0.06	2	760
BLS.WMA.05	25	14/15	0.1	2	830
BLS.WMA.06	25	12/21	0.06	2	830
BLS.WMA.07	50	14/15	0.1	2	785
BLS.WMA.08	100	19/20	0.1	2	850
BLS.WMA.09	200	19/20	0.15	2	1100
BLS.WMA.10	250	19/26	0.15	2	1600
BLS.WMA.11	500	24/29	0.4	2	1650
BLS.WMA.12	1000	29/32	0.6	2	1750

Volumetric Flasks Pharma use , Class A

- Compliance with DIN ISO 1042 Standards
- With Individual certificate
- With PP Stopper

Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of	INR/Piece
BLS.PH.01	5	10/19	0.02	2	805
BLS.PH.02	10	10/19	0.02	2	750
BLS.PH.03	20	10/19	0.03	2	750
BLS.PH.04	25	10/19	0.03	2	750
BLS.PH.05	50	12/21	0.05	2	750
BLS.PH.06	100	14/23	0.8	2	630
BLS.PH.07	200	14/23	0.1	2	900
BLS.PH.08	250	14/23	0.12	2	900
BLS.PH.09	500	19/26	0.15	2	1200
BLS.PH.10	1000	24/29	0.3	2	1700
BLS.PH.11	2000	29/32	0.5	1	2700
BLS.PH.12	5000	34/35	1.2	1	4050



Order Now



Mojjonier Flask

Item Code	Particulars	Pack Of	INR/Piece
BLS.MOF.01	Mojjonier Flask as per ISI specifications, with Silicone Stopper	4	900
BLS.MOF.02	Silicon Cork for Mojjonier Flask.	10	110



Order Now

**Volumetric Flask
Specially Designed
for
Pharma Labs**



Order Now



PIPETTES



Order Now



Graduated Pipettes Type-3 (Serological), Class A

- Batch certificate
- Compliance with ISO 835 Standard
- These pipettes are for complete delivery having 0 point at top
- Manufactured from Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.1700.01	0.1	0.006	WHITE	2	410
BLS.1700.02	0.2	0.006	BLACK	2	410
BLS.1700.04	1	0.007	YELLOW	2	350
BLS.1700.05	2	0.01	BLACK	2	350
BLS.1700.08	5	0.03	RED	2	370
BLS.1700.13	10	0.05	ORANGE	2	450
BLS.1700.16	25	0.1	WHITE	1	550
BLS.1700.17	30	0.03	BLACK	1	695
BLS.1700.18	40	0.05	WHITE	1	695
BLS.1700.19	50	0.05	RED	1	695
BLS.1700.20	100	0.08	YELLOW	1	788



Order Now



Graduated Pipettes Type-3 (Serological), Class A

- Individual certificate
- Compliance with ISO 835 Standard
- These pipettes are for complete delivery having 0 point at top
- Manufactured from Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.1700.21	0.1	0.006	WHITE	2	490
BLS.1700.22	0.2	0.006	BLACK	2	490
BLS.1700.24	1	0.007	YELLOW	2	390
BLS.1700.25	2	0.01	BLACK	2	400
BLS.1700.26	5	0.03	RED	2	435
BLS.1700.33	10	0.05	ORANGE	2	498
BLS.1700.36	25	0.1	WHITE	1	591
BLS.1700.37	30	0.03	BLACK	1	795
BLS.1700.38	40	0.05	WHITE	1	795
BLS.1700.39	50	0.05	RED	1	795
BLS.1700.40	100	0.08	YELLOW	1	1395

Graduated Pipettes Type-3 (Serological), USP

- Individual certificate
- Compliance with USP Standard
- These pipettes are for complete delivery having 0 point at top
- Manufactured from Boro 3.3

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.U700.01	0.1	0.01	0.01	WHITE	2	490
BLS.U700.02	0.2	0.01	0.01	BLACK	2	490
BLS.U700.03	1	0.01	0.01	YELLOW	2	390
BLS.U700.04	2	0.02	0.01	BLACK	2	385
BLS.U700.05	5	0.05	0.02	RED	2	454
BLS.U700.06	10	0.1	0.03	ORANGE	2	505
BLS.U700.07	25	0.1	0.05	WHITE	1	605



Order Now



Graduated Pipettes Type-3 (Serological), USP

- Batch certificate
- Compliance with USP Standard
- These pipettes are for complete delivery having 0 point at top
- Manufactured from Boro 3.3

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.U700.B1	0.1	0.01	0.01	WHITE	2	410
BLS.U700.B2	0.2	0.01	0.01	BLACK	2	410
BLS.U700.B3	1	0.01	0.01	YELLOW	2	350
BLS.U700.B4	2	0.02	0.01	BLACK	2	350
BLS.U700.B5	5	0.05	0.02	RED	2	370
BLS.U700.B6	10	0.1	0.03	ORANGE	2	450
BLS.U700.B7	25	0.1	0.05	WHITE	1	550



Order Now





Order Now

Graduated Pipettes Type-3 (Serological), Class B

- Compliance with ISO 835 Standard
- These pipettes are for complete delivery having 0 point at top
- Manufactured from Boro 3.3

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.CBP.001	0.1	0.01	0.005	WHITE	2	230
BLS.CBP.002	0.2	0.01	0.008	BLACK	2	230
BLS.CBP.003	1	0.1	0.02	RED	2	230
BLS.CBP.004	1	0.01	0.02	YELLOW	2	230
BLS.CBP.005	2	0.1	0.02	GREEN	2	230
BLS.CBP.006	5	0.1	0.04	BLUE	2	230
BLS.CBP.007	10	0.1	0.06	ORANGE	2	250
BLS.CBP.008	25	0.1	0.1	WHITE	1	270



Order Now



Graduated Pipettes Type 1 (Mohr), Class A

- As per DIN ISO 835 Standard
- Individual Certified
- Made of Boro 3.3
- These pipettes are for partial delivery having 0 point at top

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.MA.001	0.1	0.01	0.006	WHITE	2	435
BLS.MA.002	0.2	0.01	0.006	BLACK	2	435
BLS.MA.003	1	0.01	0.007	YELLOW	2	381
BLS.MA.004	1	0.1	0.007	RED	2	357
BLS.MA.005	2	0.02	0.01	BLACK	2	400
BLS.MA.006	2	0.1	0.01	GREEN	2	371
BLS.MA.007	5	0.05	0.03	RED	2	469
BLS.MA.008	5	0.1	0.03	BLUE	2	435
BLS.MA.009	10	0.1	0.05	ORANGE	2	499
BLS.MA.010	25	0.1	0.1	WHITE	1	590

Graduated Pipettes Type 1 (Mohr), Class A

- As per DIN ISO 835 Standard
- Batch Certified
- Made of Boro 3.3
- These pipettes are for partial delivery having 0 point at top

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.MA.B1	0.1	0.01	0.006	WHITE	2	430
BLS.MA.B2	0.2	0.01	0.006	BLACK	2	430
BLS.MA.B3	1	0.01	0.007	YELLOW	2	380
BLS.MA.B4	1	0.1	0.007	RED	2	360
BLS.MA.B5	2	0.02	0.01	BLACK	2	400
BLS.MA.B6	2	0.1	0.01	GREEN	2	380
BLS.MA.B7	5	0.05	0.03	RED	2	470
BLS.MA.B8	5	0.1	0.03	BLUE	2	435
BLS.MA.B9	10	0.1	0.05	ORANGE	2	500
BLS.MA.B10	25	0.1	0.1	WHITE	1	590



Order Now



Graduated Pipettes (Mohr), CLASS-B

- As per DIN ISO 835 Standard
- Made of Boro 3.3
- These pipettes are for partial delivery having 0 point at top

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of	INR/ Piece
BLS.MB.001	0.1	0.01	0.005	WHITE	2	238
BLS.MB.002	0.2	0.01	0.008	BLACK	2	238
BLS.MB.003	1	0.1	0.02	RED	2	238
BLS.MB.004	1	0.01	0.02	YELLOW	2	225
BLS.MB.005	2	0.1	0.02	GREEN	2	236
BLS.MB.006	5	0.1	0.04	BLUE	2	290
BLS.MB.007	10	0.1	0.06	ORANGE	2	310
BLS.MB.008	25	0.1	0.1	WHITE	1	350



Order Now



Order Now



Volumetric Pipettes, 1 mark, Class A

- With Batch Certificate
- Compliance with ISO 648 Standard
- Made of Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of	INR/Piece
BLS.VP.17	0.5	0.005	2 BLACK	2	200
BLS.VP.170	1	0.008	BLUE	2	290
BLS.VP.171	2	0.01	ORANGE	2	290
BLS.VP.172	3	0.01	BLACK	2	290
BLS.VP.173	4	0.01	2 RED	2	290
BLS.VP.174	5	0.015	WHITE	2	390
BLS.VP.175	6	0.01	2 ORANGE	1	390
BLS.VP.176	7	0.01	2 GREEN	1	390
BLS.VP.177	8	0.02	BLUE	1	390
BLS.VP.178	9	0.02	BLACK	1	390
BLS.VP.179	10	0.02	RED	1	390
BLS.VP.180	15	0.03	GREEN	1	390
BLS.VP.181	20	0.03	YELLOW	1	390
BLS.VP.182	25	0.03	BLUE	1	450
BLS.VP.183	30	0.03	BLACK	1	450
BLS.VP.184	40	0.05	WHITE	1	450
BLS.VP.185	50	0.05	RED	1	450
BLS.VP.186	100	0.08	YELLOW	1	620



Order Now



Volumetric Pipettes, 1 mark, Class A

- With Individual Certificate
- Compliance with ISO 648 Standard", Made of Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of	INR/Piece
BLS.VP.18	0.5	0.005	2 BLACK	2	300
BLS.VP.187	1	0.008	BLUE	2	300
BLS.VP.188	2	0.01	ORANGE	2	300
BLS.VP.189	3	0.01	BLACK	2	300
BLS.VP.190	4	0.01	2 RED	2	400
BLS.VP.191	5	0.015	WHITE	2	400
BLS.VP.192	6	0.01	2 ORANGE	1	400
BLS.VP.193	7	0.01	2 GREEN	1	450
BLS.VP.194	8	0.02	BLUE	1	450
BLS.VP.195	9	0.02	BLACK	1	450
BLS.VP.196	10	0.02	RED	1	450
BLS.VP.197	15	0.03	GREEN	1	530
BLS.VP.198	20	0.03	YELLOW	1	600
BLS.VP.199	25	0.03	BLUE	1	600
BLS.VP.200	30	0.03	BLACK	1	600
BLS.VP.201	40	0.05	WHITE	1	600
BLS.VP.202	50	0.05	RED	1	615
BLS.VP.203	100	0.08	YELLOW	1	930

Volumetric Pipettes, 1 mark, Class B

- Compliance with ISO 648 Standard
- Made of Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of	INR/Piece
BLS.CB.V1	0.5	0.012	2 BLACK	2	200
BLS.CB.V17	1	0.012	BLUE	2	230
BLS.CB.V18	2	0.012	ORANGE	2	230
BLS.CB.V19	3	0.02	BLACK	2	235
BLS.CB.V20	4	0.02	2 RED	2	235
BLS.CB.V21	5	0.02	WHITE	2	235
BLS.CB.V22	6	0.03	2 ORANGE	1	255
BLS.CB.V23	7	0.03	2 GREEN	1	255
BLS.CB.V24	8	0.04	BLUE	1	255
BLS.CB.V25	9	0.04	BLACK	1	255
BLS.CB.V26	10	0.04	RED	1	255
BLS.CB.V27	15	0.06	GREEN	1	290
BLS.CB.V28	20	0.06	YELLOW	1	296
BLS.CB.V29	25	0.06	BLUE	1	296
BLS.CB.V30	30	0.06	BLACK	1	296
BLS.CB.V31	40	0.1	WHITE	1	296
BLS.CB.V32	50	0.1	RED	1	333
BLS.CB.V33	100	0.16	YELLOW	1	450



Order Now

Volumetric pipette, Class A, brown graduation, 2 marks

- With Individual Certificate
- Made of Boro 3.3
- With 2 Marks

Item Code	Capacity (ml)	Tolerance (± ml)	Color Code	Pack Of	INR/Piece
BLS.VTM014	1	0.008	BLUE	2	380
BLS.VTM015	2	0.01	ORANGE	2	385
BLS.VTM016	3	0.01	ORANGE	2	404
BLS.VTM017	5	0.015	WHITE	2	419
BLS.VTM018	10	0.02	RED	1	485
BLS.VTM019	15	0.03	GREEN	1	535
BLS.VTM020	20	0.03	YELLOW	1	600
BLS.VTM021	25	0.03	BLUE	1	600
BLS.VTM022	50	0.05	RED	1	615
BLS.VTM023	100	0.08	YELLOW	1	929



Order Now





Order Now



Volumetric Pipettes 1 mark, Class A, Batch Certificate, USP

- With Batch Certificate
- Compliance with ISO 648
- Made of Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of	INR/Piece
BLS.CB.U.1	0.5	0.006	2 BLACK	2	300
BLS.CB.U.17	1	0.006	BLUE	2	350
BLS.CB.U.18	2	0.006	ORANGE	2	370
BLS.CB.U.19	3	0.01	BLACK	2	370
BLS.CB.U.20	4	0.01	2 RED	2	370
BLS.CB.U.21	5	0.01	WHITE	2	400
BLS.CB.U.22	6	0.01	2 ORANGE	1	400
BLS.CB.U.23	7	0.01	2 GREEN	1	400
BLS.CB.U.24	8	0.02	BLUE	1	400
BLS.CB.U.25	9	0.02	BLACK	1	400
BLS.CB.U.26	10	0.02	RED	1	430
BLS.CB.U.27	15	0.03	GREEN	1	500
BLS.CB.U.28	20	0.03	YELLOW	1	550
BLS.CB.U.29	25	0.03	BLUE	1	550
BLS.CB.U.30	30	0.03	BLACK	1	550
BLS.CB.U.31	40	0.05	WHITE	1	550
BLS.CB.U.32	50	0.05	RED	1	550
BLS.CB.U.33	100	0.08	YELLOW	1	625



Order Now



Volumetric Pipettes 1 mark, Class A, Individual Certificate, USP

- With Individual Certificate
- Compliance with ISO 648, Made of Boro 3.3

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of	INR/Piece
BLS.CB.UI.1	0.5	0.006	2 BLACK	2	380
BLS.CB.UI.17	1	0.006	BLUE	2	410
BLS.CB.UI.18	2	0.006	ORANGE	2	430
BLS.CB.UI.19	3	0.01	BLACK	2	430
BLS.CB.UI.20	4	0.01	2 RED	2	440
BLS.CB.UI.21	5	0.01	WHITE	2	480
BLS.CB.UI.22	6	0.01	2 ORANGE	1	475
BLS.CB.UI.23	7	0.01	2 GREEN	1	475
BLS.CB.UI.24	8	0.02	BLUE	1	475
BLS.CB.UI.25	9	0.02	BLACK	1	475
BLS.CB.U.26	10	0.02	RED	1	485
BLS.CB.UI.27	15	0.03	GREEN	1	540
BLS.CB.UI.28	20	0.03	YELLOW	1	605
BLS.CB.UI.29	25	0.03	BLUE	1	640
BLS.CB.UI.30	30	0.03	BLACK	1	640
BLS.CB.UI.31	40	0.05	WHITE	1	640
BLS.CB.UI.32	50	0.05	RED	1	630
BLS.CB.UI.33	100	0.08	YELLOW	1	950

Milk Pipette Gerber

- Complies with IS 1223 (Part II)
- These Pipettes are used for testing milk by the Gerber method.
- Sturdy, designed to last long, Gerber Milk Pipettes are one-mark transfer Pipettes for measuring 10.75 ml
- They can be also be used in rural Milk Collection Centres

Item Code	Capacity (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.MPG.01	10.75	0.03	1	305

Milk Pipette Gerber, Class A With Individual Works Certificate

Item Code	Capacity (ml)	Tolerance (\pm ml)	Pack of	INR/Piece
BLS.MPG.02	10.75	0.015	1	525

Drum Sampling Tube Length 1000 Mm, Dia 19mm Heavy Wall

Item Code	Length (mm)	Pack of	INR/Piece
BLS.DST.01	1000	1	525




Order Now

Pipette, Pasteur

- Boro Glass 3.3 Expansion

Item Code	Length MM	Pack of	INR/Piece
BLS.PIP.01	145	25	20
BLS.PIP.02	230	25	25



Order Now



Pipette, Dropping With Capillary Jet

- Pipette with rubber teat

Item Code	Length MM	Pack of	INR/Piece
BLS.PIJ.03	5 cm. with 5 cm. jet	10	90
BLS.PIJ.04	8 cm. with 10 cm. jet	10	110



Pipette, Dropper

- Pipette with rubber teat

Item Code	Length MM	Pack of	INR/Piece
BLS.PID.05	150	10	110



Milk Pipette Bacteriological

- Complies with IS 2025
- These Pipettes are used for the bacteriological examination of milk
- 1.1 ml is graduated at 0.5 to 1.1 ml
- 2.2 ml is graduated at 1.0, 2.0 , 2.1 and 2.2 ml

Item Code	Capacity (ml)	Tolerance (± ml)	Pack of	INR/Piece
BLS.MPB.06	1.1	0.03	10	250
BLS.MPB.07	2.2	0.04	10	280





STOPCOCK TUBES JOINTS



Culture Tube

- Round Bottom, Clear With Screw Cap And Liner
- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass
- Leakproof
- Comes with PP Screw Cap

Item Code	O.D. x Height(mm)	Capacity	Pack of	INR/Piece
BLS.2201.01	13 X 100 MM	5 ML	100	26
BLS.2201.02	13 X 75 MM	5 ML	100	33
BLS.2201.03	16 X 100MM	10 ML	100	36
BLS.2201.04	16 X 125 MM	15ML	100	43
BLS.2201.05	16 X 160MM	20 ML	100	44
BLS.2201.06	18 X 180 MM	30 ML	100	45
BLS.2201.07	20 X 100 MM	15 ML	100	36
BLS.2201.08	20 X 200 MM	40 ML	50	51
BLS.2201.09	16 X 75 MM	5 ML	100	34
BLS.2201.10	25 X 100 MM	30 ML	50	58
BLS.2201.11	25 X 150 MM	50 ML	50	63
BLS.2201.12	25 X 200 MM	60 ML	50	63
BLS.2201.13	32 X 200 MM	100 ML	25	260
BLS.2201.14	38 X 200 MM	150 ML	25	280

Culture Tube

- Flat Bottom, Clear With Screw Cap And Liner
- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass
- Leakproof
- Comes with PP Screw Cap



Item Code	O.D. x Height(mm)	Capacity	Pack of	INR/Piece
BLS.2201F.01	13 X 100 MM	5 ML	100	26
BLS.2201F.02	13 X 75 MM	5 ML	100	33
BLS.2201F.03	16 X 100 MM	10 ML	100	36
BLS.2201F.04	16 X 125 MM	15 ML	100	43
BLS.2201F.05	16 X 160 MM	20 ML	100	44
BLS.2201F.06	18 X 180 MM	30 ML	100	45
BLS.2201F.07	20 X100 MM	15 ML	100	36
BLS.2201F.08	20 X 200 MM	40 ML	50	51
BLS.2201F.09	16 X 50 MM	5 ML	100	34
BLS.2201F.10	25 X 100 MM	25 ML	50	58
BLS.2201F.11	25 X 150 MM	50 ML	50	63
BLS.2201F.12	25 X 200 MM	60 ML	50	63
BLS.2201F.13	32 X 200 MM	100 ML	25	260
BLS.2201F.14	38 X 200 MM	150 ML	25	280
BLS.2201F.15	25 X 57 MM	15 ML	100	56
BLS.2201F.16	25 X 75 MM	20 ML	100	58
BLS.2201F.17	25 X 95 MM	30 ML	100	60
BLS.2201F.18	25 X 50 MM	10 ML	100	36

Centrifuge Tube Conical Bottom

- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass

Item Code	Description	Capacity OD x H	Capacity	Pack of	INR/Piece
BLS.CB02.01	PLAIN	110x15 MM	10 ML	100	42
BLS.CB02.02	PLAIN	120x17 MM	15 ML	100	46
BLS.CB02.03	PLAIN	125x 22 MM	25 ML	100	110
BLS.CB02.04	PLAIN	30x135 MM	50 ML	100	140
BLS.CB02.05	GRADUATED	13X100 MM	5 ML	100	60
BLS.CB02.06	GRADUATED	15X110 MM	10 ML	100	65
BLS.CB02.07	GRADUATED	17X120 MM	15 ML	100	75
BLS.CB02.08	GRADUATED	30X135 MM	50 ML	100	150



BORO
3.3
GLASS

Chemical
Resistant

WHITE
PRINTING



Order Now

Test Tube, Re-usable With Rim, ISO

- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass
- With Rim
- Uniform wall Thickness

Item Code	O.D. x Height(mm)	Capacity	Thickness (mm)	Pack of	INR/Piece
BLS.2200.01	10X75MM	3 ML	1	100	6
BLS.2200.02	12X75MM	5 ML	1	100	7
BLS.2200.03	12X100MM	7 ML	1	100	7
BLS.2200.04	13 X 100MM	10 ML	1	100	7
BLS.2200.05	15X125MM	13 ML	1.2	100	10
BLS.2200.06	15X150MM	15 ML	1.2	100	12
BLS.2200.07	16 X 100 MM	14 ML	1.2	100	14
BLS.2200.07A	16 X 125 MM	15 ML	1.2	100	14
BLS.2200.08	16X150MM	20 ML	1.2	100	14
BLS.2200.08A	16X160MM	20 ML	1.2	100	17
BLS.2200.09	18X150MM	27 ML	1.2	100	21
BLS.2200.09B	18X100MM	25 ML	1.2	100	21
BLS.2200.09A	18X180MM	27 ML	1.2	100	21
BLS.2200.09B	20X100MM	27 ML	1.2	50	21
BLS.2200.09D	20X150 MM	38 ML	1.2	50	21
BLS.2200.09C	20X200MM	50 ML	1.2	50	21
BLS.2200.10A	22X175MM	38 ML	1.2	50	21
BLS.2200.10	25X100MM	39 ML	1.2	50	17
BLS.2200.11	25X150MM	55 ML	1.2	50	22
BLS.2200.12	25X200MM	70 ML	1.2	50	29
BLS.2200.13	32X200MM	100 ML	1.4	25	46
BLS.2200.14	38X200MM	170 ML	1.4	25	57



BORO
3.3
GLASS

Chemical
Resistant

WHITE
PRINTING




Order Now



Test Tube, Re-usable Without Rim, ISO

- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass

Item Code	O.D. x Height (mm)	Capacity	Thickness (mm)	Pack of	INR/Piece
BLS.WR.01	10X75MM	3 ML	1	100	9
BLS.WR.02	12X75MM	5 ML	1	100	9
BLS.WR.03	12X100MM	7 ML	1	100	12
BLS.WR.04	13 X 100MM	10 ML	1	100	12
BLS.WR.05	15X125MM	13 ML	1.2	100	14
BLS.WR.06	15X150MM	15 ML	1.2	100	16
BLS.WR.07	16 X 100 MM	14 ML	1.2	100	16
BLS.WR.08	16 X 125 MM	15 ML	1.2	100	16
BLS.WR.09	16X150MM	20 ML	1.2	100	16
BLS.WR.10	16X160MM	20 ML	1.2	100	16
BLS.WR.11	18X150MM	27 ML	1.2	100	17
BLS.WR.12	18X100MM	25 ML	1.2	100	20
BLS.WR.13	18X180MM	27 ML	1.2	100	20
BLS.WR.14	20X100MM	27ML	1.2	50	20
BLS.WR.15	20X150MM	38ML	1.2	50	24
BLS.WR.16	20X200MM	50 ML	1.2	50	20
BLS.WR.17	22X175MM	38 ML	1.2	50	20
BLS.WR.18	25X100MM	39 ML	1.2	50	16
BLS.WR.19	25X150MM	55 ML	1.2	50	21
BLS.WR.20	25X200MM	70 ML	1.2	50	33
BLS.WR.21	32X200MM	100 ML	1.4	25	50
BLS.WR.22	38X200MM	170 ML	1.4	25	62



Ureometer Doremus

Item Code	Particulars	Pack Of	INR/Piece
BLS.UD.01	Ureometer Doremus	2	850.00


Test Tube With Side Arm

- Schlenk Type with socket and stopper.

Item Code	Capacity (ml)	Socket Size	Pack Of	INR/Piece
BLS.TTSA.01	10	10/19	10	568
BLS.TTSA.02	20	14/23	10	610
BLS.TTSA.03	25	19/26	10	640
BLS.TTSA.04	50	19/26	10	676
BLS.TTSA.05	100	24/29	10	743
BLS.TTSA.06	150	24/29	10	984



Order Now




Thiele's Melting Point Tubes

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.TMPT.01	150 x 18	10	117
BLS.TMPT.02	150 x 25	10	150



Order Now




Viscometer


- Ostwald, Standard size, College Pattern.

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.VM.01	80-100 Sec.	2	346
BLS.VM.02	100-120 Sec.	2	346



Order Now






Tubes, Digestion


- Folin-Wu, marked at 35 ml. and 50 ml., 25 mm O.D. x 200 mm. length.

Item Code	Pack Of	INR/Piece
BLS.TD.01	10	103



Wasserman Tube, Rimless.

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.WTR.01	50 x 10	100	12
BLS.WTR.02	75 x 10	100	12



Durham Tube

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.DT.01	25 x 6	100	8
BLS.DT.02	37 x 6	100	8
BLS.DT.03	50 x 6	100	10



Capillary Tubes

- Length, 100 mm. one end sealed, Pack of 100 pcs

Item Code	Pack Of	INR/Piece
BLS.CT.01	100	250

Capillary Tubes

- Length, 100 mm. both end open, Pack of 100 pcs.

Item Code	Pack Of	INR/Piece
BLS.CT.02	100	250



Order Now




Glass Spreader

Item Code	Products	Pack Of	INR/Piece
BLS.GS.01	Spreader L Shape	10	157
BLS.GS.02	Spreader Lower Portion at angle	10	215
BLS.GS.03	Spreader Triangular 50mm	10	280



Order Now



Weighing Scoops


- Has open tubular arm
- Suitable for use when small quantity of dyes or powders are to be weighed
- Made of Boro 3.3

Item Code	Cap. (ml)	Pack of	INR/Piece
BLS.2100.01	3	10	280
BLS.2100.02	6	10	280
BLS.2100.03	10	10	340



Order Now





Polarimeter Tube

- With Centre Bulb, screw caps and cover glasses.

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.PMT.01	100	1	1800
BLS.PMT.02	200	1	1850
BLS.PMT.03	400	1	1900



Order Now



Polarimeter Tubes

- With Centre Cup, screw caps and cover glasses.

Item Code	Size (mm)	Pack Of	INR/Piece
BLS.PMT.04	100	1	1850
BLS.PMT.05	200	1	1900
BLS.PMT.06	400	1	1950



Order Now



Test Tubes, Graduated

- Fire polished rim and uniform wall thickness
- Made of borosilicate 3.3 glass
- High thermal shock resistance & chemical attack resistance
- Round Bottom, With rim

Item Code	Capacity ml	Size mm	Pack of	INR/Piece
BLS.TTG.01	3	75 x 10	10	60
BLS.TTG.02	5	75 x 12	10	64
BLS.TTG.03	7	100 x 12	10	76
BLS.TTG.04	13	125 x 15	10	82
BLS.TTG.05	27	150 x 18	10	102
BLS.TTG.06	55	150 x 25	10	118
BLS.TTG.07	70	200 x 25	10	136

Culture Tubes, Flat Bottom Amber

- Made from Boro Glass 3.3
- Printed in Matt finish white colour enamel
- Uniform Wall Thickness, Leakproof
- Comes with PP Screw Cap and Liner

Item Code	Capacity ml	Size mm	Pack of	INR/Piece
BLS.2201A.01	3	16 x 38	100	74
BLS.2201A.02	5	16 x 50	100	74
BLS.2201A.03	10	25 x 50	100	90
BLS.2201A.04	15	25 x 57	100	90
BLS.2201A.05	20	25 x 72	100	110
BLS.2201A.06	30	25 x 95	100	116
BLS.2201A.07	50	25 x 150	50	137



Culture Tubes, Round Bottom, Amber

- Made from Boro Glass 3.3, Printed in Matt finish white colour enamel, Uniform Wall Thickness, Leakproof
- Comes with PP Screw Cap and Liner

Item Code	Capacity ml	Size mm	Pack of	INR/Piece
BLS.2201A.08	5	12 x 100	100	78
BLS.2201A.09	5	16 x 75	100	74
BLS.2201A.10	10	16 x 125	100	90
BLS.2201A.11	20	16 x 150	100	120
BLS.2201A.12	25	18 x 150	100	100
BLS.2201A.13	30	18 x 180	100	120
BLS.2201A.14	50	25 x 150	50	132
BLS.2201A.15	60	25 x 200	50	164
BLS.2201A.16	100	32 x 200	25	263
BLS.2201A.17	150	38 x 200	25	368



Tube Flat Bottom With Rim

- Made of borosilicate glass, designed with a flat bottom
- High thermal shock resistance
- Used for pathological tests and disintegration apparatus

Item Code	O.D. x Length mm	Pack of	INR/Piece
BLS.TFB.01	18 x 138	100	50
BLS.TFB.02	18 x 55	100	36
BLS.TFB.03	14 x 110	100	42




Order Now

BORO
3.3
GLASS

Chemical
Resistant

WHITE
PRINTING



Tube Flat Bottom Without Rim

- Made of borosilicate glass, designed with a flat bottom
- High thermal shock resistance
- Used for pathological tests and disintegration apparatus

Item Code	O.D. x Length mm	Pack of	INR/Piece
BLS.TFB.04	12 x 75	100	23



Order Now



Test Tube - With Joint & Stopper, Plain

Item Code	Length x Dia, mm	Socket Size	Capacity ml	Pack of	INR/Piece
BLS.TTP.01	100 x 12	10/19	5	10	180
BLS.TTP.02	125 x 15	12/21	10	10	216
BLS.TTP.03	150 x 18	14/23	20	10	250
BLS.TTP.04	150 x 25	19/26	25	10	250
BLS.TTP.05	200 x 25	19/26	50	10	285
BLS.TTP.06	200 x 32	24/29	100	10	410
BLS.TTP.07	200 x 38	24/29	150	10	470



Order Now



Test Tube - With Joint & Stopper, Graduated

Item Code	Size mm	Capacity ml	Socket Size	Pack of	INR/Piece
BLS.TTG.01	100 x 12	5	10/19	10	218
BLS.TTG.02	125 x 16	10	12/21	10	234
BLS.TTG.03	150 x 16	15	12/21	10	266
BLS.TTG.04	150 x 18	20	14/23	10	280
BLS.TTG.05	150 x 22	25	19/26	10	256
BLS.TTG.06	200 x 25	50	19/26	10	286
BLS.TTG.07	230 x 32	100	24/29	10	450



Order Now

Centrifuge Tube, With Screw Cap, Plain

Item Code	Capacity ml	Height x O.D. mm	Pack of	INR/Piece
BLS.CTP.01	10	110 x 15	100	166
BLS.CTP.02	15	120 x 17	100	210
BLS.CTP.03	50	135 x 30	100	410



Order Now



Centrifuge Tube, With Screw Cap, Graduated

Item Code	Capacity ml	Height x O.D. mm	Pack of	INR/Piece
BLS.CTG.01	10	110 x 15	100	250
BLS.CTG.02	15	120 x 17	100	450
BLS.CTG.03	50	135 x 30	100	590



Order Now




Centrifuge Tube

- Conical Bottom Plain, With Interchangeable Stopper.

Item Code	Capacity ml	Height x O.D. mm	Pack of	INR/Piece
BLS.CCP.01	5	100 x 13	100	300
BLS.CCP.02	12	110x16	100	310
BLS.CCP.03	15	120x17	100	410
BLS.CCP.04	25	125x22	50	640
BLS.CCP.05	50	140x29	50	500



Order Now






Centrifuge Tube

- Conical Bottom Graduated, With Interchangeable Stopper.

Item Code	Capacity ml	Height x O.D. mm	Pack of	INR/Piece
BLS.CCG.01	5	100 x13	100	320
BLS.CCG.02	12	110x16	100	340
BLS.CCG.03	15	120x17	100	446
BLS.CCG.04	25	125x22	50	700
BLS.CCG.05	50	140x29	50	560



Blood Sugar Tubes

- Folin Wu, as per I.S. 3740 : 1966, Capacity 25 ml., marked at 4 ml, 12.5 ml and 25 ml

Item Code	Capacity ml	Pack of	INR/Piece
BLS.BST.01	25	10	260



Impinger, Graduated

- For Sampling Small Gas Volume As per Standard Specification

Item Code	Capacity ml	Pack of	INR/Piece
BLS.IG.01	35	10	545
BLS.IG.02	50	10	555
BLS.IG.03	80	10	655
BLS.IG.04	150	5	865
BLS.IG.05	225	5	1105
BLS.IG.06	240	5	1155
BLS.IG.07	275	5	1155



Sockets In Compliance To Din 12249


- Made of Boro 3.3

Item Code	Products	Pack Of	INR/Piece
BLS.I.001	Socket Single NS 7/16	10	62
BLS.I.002	Socket Single NS 10/19	10	75
BLS.I.003	Socket Single NS 12/21	10	89
BLS.I.004	Socket Single NS 14/23	10	97
BLS.I.005	Socket Single NS 19/26	10	104
BLS.I.006	Socket Single NS 24/29	10	112
BLS.I.007	Socket Single NS 29/32	10	169
BLS.I.008	Socket Single NS 34/35	10	219
BLS.I.009	Socket Single NS 40/38	10	310
BLS.I.010	Socket Single NS 45/40	10	377
BLS.I.011	Socket Single NS 50/42	10	464
BLS.I.012	Socket Single NS 55/44	10	645

Sockets Full Length In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.051	Socket full length Single NS 7/25	10	97
BLS.I.052	Socket full length Single NS 10/30	10	97
BLS.I.053	Socket full length Single NS 12/32	10	104
BLS.I.054	Socket full length Single NS 14/35	10	104
BLS.I.055	Socket full length Single NS 19/38	10	110
BLS.I.056	Socket full length Single NS 24/29	10	157
BLS.I.057	Socket full length Single NS 29/42	10	212
BLS.I.058	Socket full length Single NS 34/45	10	314
BLS.I.059	Socket full length Single NS 45/50	10	408



Order Now



Sockets In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.037	Socket Double NS 7/16	10	75
BLS.I.038	Socket Double NS 10/19	10	104
BLS.I.039	Socket Double NS 14/23	10	110
BLS.I.040	Socket Double NS 19/26	10	140
BLS.I.041	Socket Double NS 24/29	10	176
BLS.I.042	Socket Double NS 29/32	10	242
BLS.I.043	Socket Double NS 34/35	10	314



Order Now



Cone Double In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.044	Cone Double NS 7/16	10	75
BLS.I.045	Cone Double NS 10/19	10	104
BLS.I.046	Cone Double NS 14/23	10	110
BLS.I.047	Cone Double NS 19/26	10	140
BLS.I.048	Cone Double NS 24/29	10	176
BLS.I.049	Cone Double NS 29/32	10	242
BLS.I.050	Cone Double NS 34/35	10	314



Order Now



Cone Double with Tip In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.025	Cone with tip NS 7/16	10	87
BLS.I.026	Cone with tip NS 10/19	10	110
BLS.I.027	Cone with tip NS 12/21	10	130
BLS.I.028	Cone with tip NS 14/23	10	140
BLS.I.029	Cone with tip NS 19/26	10	155
BLS.I.030	Cone with tip NS 24/29	10	160
BLS.I.031	Cone with tip NS 29/32	10	200
BLS.I.032	Cone with tip NS 34/35	10	260
BLS.I.033	Cone with tip NS 40/38	10	361
BLS.I.034	Cone with tip NS 45/40	10	405
BLS.I.035	Cone with tip NS 50/42	10	500
BLS.I.036	Cone with tip NS 55/44	10	673

Cone Single In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.013	Cone Single NS 7/16	10	62
BLS.I.014	Cone Single NS 10/19	10	74
BLS.I.015	Cone Single NS 12/21	10	89
BLS.I.016	Cone Single NS 14/23	10	97
BLS.I.017	Cone Single NS 19/26	10	104
BLS.I.018	Cone Single NS 24/29	10	112
BLS.I.019	Cone Single NS 29/32	10	169
BLS.I.020	Cone Single NS 34/35	10	219
BLS.I.021	Cone Single NS 40/38	10	306
BLS.I.022	Cone Single NS 45/40	10	378
BLS.I.023	Cone Single NS 50/42	10	465
BLS.I.024	Cone Single NS 55/44	10	646



Cone Full Length In Compliance To Din 12249

- Made of Boro 3.3

Item Code	Products	Pack of	INR/Piece
BLS.I.060	Cone full length Single NS 7/16	10	97
BLS.I.061	Cone full length Single NS 10/19	10	97
BLS.I.062	Cone full length Single NS 12/21	10	104
BLS.I.063	Cone full length Single NS 14/23	10	104
BLS.I.064	Cone full length Single NS 19/26	10	110
BLS.I.065	Cone full length Single NS 24/29	10	157
BLS.I.066	Cone full length Single NS 29/32	10	212
BLS.I.067	Cone full length Single NS 34/35	10	314
BLS.I.068	Cone full length Single NS 45/50	10	408



Order Now

Hollow Stoppers In Compliance With Din 12252 Standard

Item Code	Products	Pack of	INR/Piece
BLS.I.098	Stopper Hollow Hexa, flat bottom 10/19	10	39
BLS.I.099	Stopper Hollow Hexa, flat bottom 14/23	10	51
BLS.I.100	Stopper Hollow Hexa, flat bottom 19/26	10	77
BLS.I.101	Stopper Hollow Hexa, flat bottom 24/29	10	106
BLS.I.102	Stopper Hollow Hexa, flat bottom 29/32	10	142
BLS.I.103	Stopper Hollow Hexa, flat bottom 34/35	10	187
BLS.I.104	Stopper Hollow Hexa with tip 10/19	10	43
BLS.I.105	Stopper Hollow Hexa with tip 14/23	10	51
BLS.I.106	Stopper Hollow Hexa with tip 19/26	10	77
BLS.I.107	Stopper Hollow Hexa with tip 24/29	10	106
BLS.I.108	Stopper Hollow Hexa with tip 29/32	10	150
BLS.I.109	Stopper Hollow Hexa with tip 34/35	10	187





Stopper, Glass, Amber Hollow, Hexagonal Head

- Conformity to DIN 12252 Standards

Item	Cone	Pack of	INR/Piece
BLS.SG.01	10/19	10	84
BLS.SG.02	12/21	10	86
BLS.SG.03	14/23	10	90
BLS.SG.04	19/26	10	100
BLS.SG.05	24/29	10	116
BLS.SG.06	29/32	10	190
BLS.SG.07	34/35	10	236



Order Now



Stopper, Solid, Penny Head-Long Neck Flasks

Item	Flask Capacity	Cone	Pack of	INR/Piece
BLS.SG.08	Upto 25 ml	10/19	10	94
BLS.SG.09	50 ml	12/21	10	98
BLS.SG.10	100, 200, 250 ml	14/23	10	98
BLS.SG.11	500 ml	19/26	10	114
BLS.SG.12	1000 ml	24/29	10	220
BLS.SG.13	2000 ml	29/32	10	268
BLS.SG.14	5000 ml	34/35	10	285



Order Now



Stopper, Amber, Solid, Penny Head-Long Neck Flasks

Item	Flask Capacity	Cone	Pack of	INR/Piece
BLS.SG.15	Upto 25 ml	10/19	10	112
BLS.SG.16	50 ml	12/21	10	146
BLS.SG.17	100, 200, 250 ml	14/23	10	146
BLS.SG.18	500 ml	19/26	10	168
BLS.SG.19	1000 ml	24/29	10	260
BLS.SG.20	2000 ml	29/32	10	310
BLS.SG.21	5000 ml	34/35	10	336



Order Now

Stopper, Solid, Flat Head For Reagent Bottles

Item	Cone	Pack of	INR/Piece
BLS.SG.22	14/23	10	102
BLS.SG.23	19/26	10	124
BLS.SG.24	24/29	10	178
BLS.SG.25	29/32	10	268
BLS.SG.26	34/35	10	414



Order Now



Stopper, Amber, Solid, Flat Head For Reagent Bottles

Item	Cone	Pack of	INR/Piece
BLS.SG.27	14/23	10	152
BLS.SG.28	19/26	10	198
BLS.SG.29	24/29	10	282
BLS.SG.30	29/32	10	428
BLS.SG.31	34/35	10	590



Order Now



Joint Clip, PP

- Autoclavable

Item	To Fit Conical Joint Size	Pack of	INR/Piece
BLS.JCP.01	14/23	50	59
BLS.JCP.02	19/26	50	59
BLS.JCP.03	24/29	50	64
BLS.JCP.04	29/32	50	64
BLS.JCP.05	34/35	50	116



Order Now





PP Stoppers for Long Neck Volumetric Flask

- Conformity to DIN 12254 Standard

Item	Flask Capacity	Cone	Pack of	INR/Piece
BLS.PPS.01	Upto 25 ml	10/19	100	28
BLS.PPS.02	50 ml	12/21	100	28
BLS.PPS.03	100, 200,250 ml	14/23	100	32
BLS.PPS.04	500 ml	19/26	100	34
BLS.PPS.05	1000 ml	24/29	100	36
BLS.PPS.06	2000 ml	29/32	100	40



Order Now



PTFE Needle, Straight

Item	Bore	Pack of	INR/Piece
BLS.SP.01	0-3	10	200
BLS.SP.02	0-6	10	300



Order Now



Glass Stopcock Straight

Item	Size	Bore	Pack of	INR/Piece
BLS.SP.07	12.5	2.5	10	250
BLS.SP.08	14.5	2.5	10	270
BLS.SP.09	14.5	4	10	270
BLS.SP.10	18.8	6	10	600



Order Now

PTFE Needle Valve Stopcock, For Burette

Item	Bore	Pack of	INR/Piece
BLS.SP.11	0-3	10	300



Order Now

BORO
3.3
GLASS

 Chemical
Resistant

GLASS



PTFE Key Stopcock, For Burette

Item	Size (mm)	Bore	Pack of	INR/Piece
BLS.SP.12	12.5	2.5	10	350



Order Now

BORO
3.3
GLASS

 Chemical
Resistant

NEEDLE



Glass Key Stopcock, For Burette

Item	Bore	Pack of	INR/Piece
BLS.SP.13	0-3	10	200



Order Now

BORO
3.3
GLASS

 Chemical
Resistant

PTFE






PTFE Key Stopcock, Straight


Item	Size	Bore	Pack of	INR/Piece
BLS.SP.03	12.5	2.5	10	300
BLS.SP.04	14.5	2.5	10	452
BLS.SP.05	14.5	4	10	452
BLS.SP.06	18.8	6	10	700



Order Now



DISTILLATION
APPARATUS



R.M. Value Apparatus


- Ideal for use in dairy industries
- Facilitates the determination of butter fat, and the analysis of oil, fat and waxes.

Item	Capacity (mL)	Pack of	INR/Piece
BLS.DA.001	300	1	2800

Spare parts available on request



Order Now




Arsenic Apparatus

- Gutzeit modified form according to I.S. Specifications.

Item	Pack of	INR/Piece
BLS.DA.002	1	1200



Order Now



Distilling Apparatus, With Graham Condenser, Interchangeable Joints and Stopper (Phenol Distillation)

- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Interchangeable Joints & Stopper.
- Flat bottom distillation flask 500 ml 24/29, 19/26.
- With Coil condenser 200mm 19/26.

Item	Capacity (mL)	Condenser Jacket (mm)	Interchangeable Joint	Pack of	INR/Piece
BLS.DA.003	500	200	19/26	1	2200

Spare parts available on request



Order Now

Distilling Apparatus, with Friedrichs Condenser, Interchangeable Joint and Stopper Glass, Boro 3.3

- Ideal for batch production of high purity distilled water
- With Friedrich's Spiral Condenser for higher distillation rates
- General purpose Batch Distillation Assembly equipped with an Interchangeable stoppered neck that facilitates addition.
- The Flask has a flat base with a delivery tube on the side

Item	Capacity	Interchangeable Joint	Pack of	INR/Piece
BLS.DA.004	2000 ML	24/29	1	4950

Spare parts available on request



Order Now



Distilling Apparatus, with Friedrichs Condenser, Interchangeable Joint Glass Boro 3.3


- A compact distillation assembly with specially designed Friedrich's Condensers
- This Condenser is designed with vapour tubing rising at
- A 1000 ml Erlenmeyer Flask is provided with an interchangeable 34/35 joint

Item	Capacity (mL)	Interchangeable Joint	Pack of	INR/Piece
BLS.DA.005	1000	34/35	1	3600

Spare parts available on request



Order Now



Distilling Apparatus, Ammonia, with Graham condenser.


- Made From Heat Resistant, Low Expansion Boro Glass 3.3
- With Interchangeable Joints.
- With Splash Head 24/29, 19/26.
- With Kjeldahl flask 500ml 24/29.
- With Coil condenser 200mm 19/26.


Item	Capacity (mL)	Pack of	INR/Piece
BLS.DA.006	500	1	2500

Spare parts available on request



Order Now






Reflux Assembly

- Includes Round Bottom Flask.
- Includes Reversible Coil Condenser (200mm).
- Includes Flask with Socket (24/29).

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.007	1000	1	1659



Order Now



Reflux Assembly, with Multiple Adapter

- Includes Round Bottom Flask.
- Includes Multiple Adapter with two Necks.
- Includes Stirrer Guide, with Rubber Sleeve Gland & Link Stirrer (450mm).
- Includes Vertical Allihn Condenser (300mm).
- All Joints are 24/29.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.008	500	1	2450



Order Now



Reaction Assembly, with T Connection Adapter

- Includes Round Bottom Flask (500mL).
- Includes Liebig Condenser (400mm).
- Includes T Connection Adapter, Separating Funnel (100mL) & Stopper.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.009	500	1	2150



Order Now

Distillation Assembly

- Distillation Assembly, consists of R.B. flask, splash head, double surface condenser and receiver adapter.
- All Joints are 24/29.

Item	Condenser (mm)	Capacity (mL)	Pack of	INR/Piece
BLS.DA.010	200	2000	1	3234
BLS.DA.011	300	3000	1	5141
BLS.DA.012	400	5000	1	6626
BLS.DA.013	600	10000	1	12470



Order Now

BORO
3.3
GLASS



Distillation Apparatus


- Includes Round Bottom Flask.
- Includes Liebig Condenser (400mm).
- Includes Receiver Adapter, Separating Funnel (100mL) & Stopper.
- All Joints are 24/29.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.014	500	1	2600



Order Now

BORO
3.3
GLASS



Alcohol Distillation Unit

- Ideal for distilling alcohol in the laboratory to produce the purest grade
- Thorpe's revenue still for purification of ethyl alcohol popularly used in pharmaceutical industries.
- Comes with standard Joints.


Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.015	1000	1	2500


Spare parts available on request



Order Now

BORO
3.3
GLASS






Preparation Assembly

- Consists of Round Bottom Flask, Still Head, Thermometer, Liebig Condenser & Receiver Adapter.
- Comes with standard Joints.

Item	Condenser (mm)	Capacity (mL)	Pack of	INR/Piece
BLS.DA.016	300	500	1	2289
BLS.DA.017	350	1000	1	2608
BLS.DA.018	400	2000	1	3665



Order Now




Vacuum Distillation

- Includes Round Bottom Flask with Recovery Bend.
- Includes Jacketed Coil Condenser (150mm).
- Includes Receiver Adapter Bend with Vent & Round Bottom Flask (250mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.019	1000	1	2850



Order Now



Kjeldahl Distillation Assembly, with Round Bottom Flask

- Includes Round Bottom Flask.
- Includes Multiple Adapter with two Necks & Splash Head Vertical.
- Includes Liebig Condenser.
- Includes Receiver Adapter & Dropping Funnel (100mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.020	1000	1	3500



Order Now

Kjeldahl Distillation Assembly, with Kjeldahl Flask


- Consists of Kjeldahl Flask.
- Includes multiple Adapter with two Necks & Splash Head Vertical.
- Includes Liebig Condenser Receiver Adapter, Dropping Funnel (100mL) & Receiving Flask (250mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.021	500	1	3550



Order Now

BORO
3.3
GLASS



Steam Distillation Assembly, with Double Neck Round Bottom Flask

- Consists of Round Bottom Flask with two Necks.
- Includes Splash Head Vertical.
- Includes Liebig Condenser (200mm), Receiver Adapter & Air Leak Tube.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.022	500	1	2650



Order Now

BORO
3.3
GLASS



Steam Distillation Assembly, with Round Bottom Flask


- Consists of Round Bottom Flask.
- Includes Steam Distillation Head.
- Includes Liebig Condenser (400mm) & Receiver Adapter.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.023	500	1	2300



Order Now

BORO
3.3
GLASS






Steam Distillation Assembly, with Multiple Adapter

- Consists of Round Bottom Flask.
- Includes Multiple Adapter with two Necks & Sloping Recovery Bend.
- Includes Jacketed Coil Condenser & Receiver Adapter.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.024	1000	1	2890



Order Now




Vacuum Sublimation Assembly

- Consists of Test Tube.
- Includes Adapter with T Connection.
- Includes Immersion Condenser.
- Comes with standard Joints.

Item	Pack of	INR/Piece
BLS.DA.025	1	1500



Order Now



Recovery Assembly, with Dropping Funnel

- Consists of Round Bottom Flask.
- Includes Multiple Adapter with two Necks & Receiver Adapter.
- Includes Recovery Condenser (400mm) & Dropping Funnel (100mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.026	250	1	2700



Order Now

Recovery Assembly, with Separating Funnel


- Consists of Round Bottom Flask.
- Includes Still Head, Receiver Adapter, Separating Funnel (100mL) & Stopper.
- Includes Jacketed Coil Condenser (150mm).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.027	2000	1	3686



Order Now

BORO
3.3
GLASS



Solvent Recovery Assembly, with Coil Condenser

- Consists of Round Bottom Flask.
- Includes Sloping Recovery Bend & Receiver Adapter.
- Includes Jacketed Coil Condenser (150mm).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.028	150	1	2350



Order Now

BORO
3.3
GLASS



Solvent Recovery Assembly, with Liebig Condenser


- Consists of Round Bottom Flask.
- Includes Sloping Recovery Bend & Receiver Adapter Bend with Vent.
- Includes Liebig Condenser (400mm) & Round Bottom Flask (250mL).
- Comes with standard Joints.


Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.029	250	1	2250



Order Now

BORO
3.3
GLASS






Solvent Recovery Assembly, with Buchner Flask

- Consists of Round Bottom Flask (500mL).
- Includes Sloping Recovery Bend & Buchner Flask (500mL).
- Includes Air Condenser (200mm) & Ether Condenser.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.030	500	1	5500



Order Now




Fractionation Assembly

- Consists of Round Bottom Flask.
- Includes Still Head Recovery, Thermometer, Bend with multiple connections & Vacuum Connection.
- Includes Air Condenser, Liebig Condenser & three Round Bottom Flasks (250mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.032	250	1	4500



Order Now



Fractionation Assembly, with Double Neck Round Bottom Flask

- Consists of Round Bottom Flask.
- Includes Swap Neck Adapter, Multiple Adapter with two Necks at 45°, Still Head, Thermometer, Ball Joint Adapter with Socket, Cup Joint Adapter with Cone, Reduction Adapter, Vacuum Release Stopcock & Joint Clip.
- Includes Air Condenser, Immersion Condenser, Liebig Condenser, Separating Funnel and Round Bottom Flask with two Necks (500mL).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.033	1000	1	7500



Order Now

Continuous Water Distillation Assembly


- Consists of Round Bottom Flask with two Necks.
- Includes Dropping Funnel (100mL), Splash Head, Receiver Adapter & Conical Funnel.
- Includes Jacketed Coil Condenser.
- With standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.034	2000	1	5590



Order Now

BORO
3.3
GLASS



Vacuum Drying Pistol


- Consists of Desiccant Flask (100mL) & Boiling Flask (250mL).

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.035	100	1	4950



Order Now

BORO
3.3
GLASS



Micro Acetyl Group Determination Apparatus (Wiesenberger)


Item	Pack of	INR/Piece
BLS.DA.036	1	2852



Order Now

BORO
3.3
GLASS






Mercury Distillation Assembly

- Consists of Distillation Flask.
- Includes Stopcock controlled Air Bleeding Tube, Vacuum Receiver Adapter & Receiving Bottle.
- Includes Liebig Condenser (200mm).
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.037	500	1	3485



Order Now




Distilling Apparatus, Dean & Stark, (Moisture Test), with Stopcock

- Made from heat resistant, low expansion 3.3 Borosilicate Glass.
- Comes with standard Joints.

Item	Receiver Capacity (mL)	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.038	5	500	1	2100
BLS.DA.039	10	1000	1	2500
BLS.DA.040	25	1000	1	2690



Order Now



Essential Oil Determination Unit, Clevenger Type, Glass Boro 3.3

- Vertical Tube combined with Condenser and Measuring Tube with Stopcock.
- A Return Tube for the Aqueous part of the Distillate connects the bottom of the Measuring Tube & the Vertical Tube.
- Comes with standard Joints.

Item	Flask Capacity (mL)	Pack of	INR/Piece
BLS.DA.041	1000	1	3500
BLS.DA.042	2000	1	4139
BLS.DA.043	3000	1	8102
BLS.DA.044	5000	1	9880
BLS.DA.045	10000	1	17193
BLS.DA.046	20000	1	27934

Distilling Apparatus, Dean and Stark

- Best for Moisture Test
- Made from heat resistant, Low Expansion 3.3 Borosilicate Glass
- Round bottom Flask 1000ml: 24/29
- Liebig condenser 300mm-19/26

Item Code	Capacity	Pack Of	INR/Piece
BLS.2403.01	5 ML	1	2179
BLS.2403.02	10 ML	1	2179
BLS.2403.03	25 ML	1	2179



Order Now



Essential Oil Determination Apparatus (Clevenger Apparatus)

- Made from Borosilicate Glass 3.3
- For Oil Heavier Than Water
- Round bottom Flask 1000ml: 24/29
- Liebig condenser 300mm-24/29

Item Code	Receiver	Pack Of	INR/Piece
BLS.2401A.01	5 ml receiver	1	6074
BLS.2401A.02	10 ml receiver	1	6150



Order Now



Essential Oil Determination Apparatus (Clevenger Apparatus)


- Made from Borosilicate Glass 3.3
- For Oil Lighter Than Water
- Round bottom Flask 1000ml: 24/29
- Liebig condenser 300mm-24/29

Item Code	Receiver	Pack Of	INR/Piece
BLS.2401.01	5 ml receiver	1	6074
BLS.2401.02	10 ml receiver	1	6150



Order Now






Utility Sets

- Complete set comprising 5 items of Glassware.

Item	Description	Pack of	INR/Piece
BLS.DA.047	Pear Shaped Flask 50 ml, Still Head, Liebig Condenser, Receiver Adapter Bend, Receiver Adapter Long. 1 each.	1	3007



Order Now



Utility Sets

- Complete set comprising 9 items of Glassware

Item	Description	Pack of	INR/Piece
BLS.DA.048	Pear Shaped Flask 50 ml, Still Head, Liebig Condenser, Screw Cap Adapter, Receiver Adapter, Air Leak/Steam Inlet Tube, Dropping Funnel 50 ml R/F STPK, Stopper & Thermometer 1 each.	1	4375



Order Now



Utility Sets

- Complete set comprising 16 items of Glassware.

Item	Description	Pack of	INR/Piece
BLS.DA.049	Still Head, Receiver, Air Leak/Steam Inlet Tube, Liebig Condenser, Dropping Funnel 100 ml, Reducing Adapter, Multiple Adapter, R/B Flask 50 ml, 100 ml & 250 ml, Conical Flask 250 ml, Stoppers 3, Thermometer Pocket, Receiver Adapter & Thermometer.	1	8743



Order Now

Water Stills With Silica Sheathed Heaters

- Water stills are carefully designed to produce high purity pyrogen free distilled water. The water still of borosilicate glass comprises of horizontal type boiler, condenser, constant level device, silica sheathed (Quartz) heater, along with stand and clamps.

Compact Design. All parts are replaceable.

- Features:
- Borosilicate condenser & boiler are fitted with a removable silica sheathed heater & screw threaded connectors for ease of cleaning when scaling is formed.
- Distillate temp. is around 25 to 45°C which is ensured by an efficient condenser.
- The stand is powder coated for rust free operation and lustrous appearance.
- The unit automatically switches off if water level in the boiler falls below heater.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Boiler is provided with a Replaceable Side Over Flow for easy draining and cleaning of boiling chamber, which also reduces the chances of breakage.
- Fuse is provided for safety in case of voltage fluctuation or short circuit.
- Electrical Power: 220/240 V, 50/60Hz, Single Phase Supply.
- Unique Feature: This model is equipped with in Built Safety Cut Off Device which protect the glass in case of water failure & overheating.



Single Still Distillation Unit

- Conductivity 1 to 2.0 $\mu\text{s}/\text{cm}$
- pH 5.5-6.0

Item Code	Output	Cooling Water Consumption	Power Rating KW	Pack of	INR/Piece
BLS.SSD.01	1.5 ltr/hr	40 ltr/hr	1.5 Kw	1	34000
BLS.SSD.02	2.5 ltr/hr	60 ltr/hr	1.7 Kw	1	42500
BLS.SSD.03	4.0 ltr/hr	120 ltr/hr	3.0 Kw	1	49500

Double Still Distillation Unit

- Conductivity 0.8 to 1 $\mu\text{s}/\text{cm}$
- pH 6.0-7.0

Item Code	Output	Cooling Water Consumption	Power Rating KW	Pack of	INR/Piece
BLS.DSD.01	1.5 ltr/hr	80 ltr/hr	3.0 Kw	1	46000
BLS.DSD.02	2.5 ltr/hr	120 ltr/hr	3.4 Kw	1	68950
BLS.DSD.03	4.0 ltr/hr	150 ltr/hr	6.0 Kw	1	92000



* Installation Charges Rs.5500.00 Extra



Order Now



Automatic Water Distillation Equipment (Cabinet Model)

- Compact & User Friendly
- This is a fully automatic water distillation equipment has been designed for better and accurate control of the distillation unit and can be used in research laboratories, hospitals etc.
- It has been incorporated with advanced microprocessor based electronic circuitry.
- The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine.
- Also there is alarm system which beeps as and when user attention is required.

The distillation has following features:

- Replaceable silica sheathed (Quartz) heater: The horizontal quartz jacket is fitted with removable silica heater and screw threaded connectors for ease of cleaning when scaling is formed.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Boiler is provided with a Replaceable Side over Flow for easy draining and cleaning of boiling chamber, which also reduces the chances of breakage.
- The front cover is easily removable making the access to the glass parts very easy.
- Electrical Power: 220/240 V, 50/60Hz, Single Phase Supply.

Additional In-built Safety Features:

- Gate Valve: Conserves cooling water wastage in case of power failure.
- Flow Switch: Additional in-built safety feature for the equipment unit shut off in case of cooling water failure.
- Temperature switch: The boiler is equipped with a safety temperature switch which shuts off the unit if water level in the boiler falls below the heater, thus saving the glass parts from any damages.
- Reservoir Level Sensor: This helps in automatic working of the water distillation equipment. Depending on the water level in the reservoir it will automatically switch On/Off the equipment, thus saving energy. (Reservoir can also be provided with a storage capacity of 5 ltr, 10 ltr & 20 ltr made of Borosilicate Glass or polypropylene at an extra cost).

Technical Specifications:

Item Code	Output Capacity	Stage	Pack of	INR/Piece
BLS.WDU.01	2.0 mL	Single Stage	1	76500
BLS.WDU.02	4.0 mL	Single Stage	1	102000
BLS.WDU.03	2.0 mL	Double Stage	1	129500
BLS.WDU.04	4.0 mL	Double Stage	1	150550

Distillate Quality

Item Code	Output Capacity	pH	Conductivity $\mu\text{s}/\text{cm}$	Cooling Water	Power Rating
BLS.WDU.01	2.0	5.5-6.0	<3.0	1.5 ltr/min	1.5 Kw
BLS.WDU.02	4.0	5.5-6.0	<3.0	2.5 ltr/min	3.0 Kw

* Installation Charges Rs.5500.00 Extra



Order Now

Water Distillation Automatic Electricity Heated

- All Glass Distillation Unit, N.P.L. Design
- Heater embedded in spiral Glass tube complete with C.I heavy base
- S.S. Rod, Clamps, Boards etc.

Item Code	Flask Ltr	Description	INR/Piece
BLS.WDU.05	3 ltr	Single Distillation without cut off	21680
BLS.WDU.06	3 ltr	Single Distillation with thermal sensor auto cut off	28450
BLS.WDU.07	5 ltr	Single Distillation without cut off	22500
BLS.WDU.08	5 ltr	Single Distillation with thermal sensor auto cut off	29700
BLS.WDU.09	10 ltr	Single Distillation without cut off	26850
BLS.WDU.10	10 ltr	Single Distillation with thermal sensor auto cut off	34690
BLS.WDU.11	3 ltr	Double Distillation without cut off	38620
BLS.WDU.12	3 ltr	Double Distillation with thermal sensor auto cut off	45550
BLS.WDU.13	5 ltr	Double Distillation without cut off	42280
BLS.WDU.14	5 ltr	Double Distillation with thermal sensor auto cut off	49998
BLS.WDU.15	10 ltr	Double Distillation without cut off	53550
BLS.WDU.16	10 ltr	Double Distillation with thermal sensor auto cut off	58950
BLS.WDU.17	3 ltr	Tripple Distillation without cut off	56950
BLS.WDU.18	3 ltr	Tripple Distillation with thermal sensor auto cut off	64550
BLS.WDU.19	5 ltr	Tripple Distillation without cut off	62200
BLS.WDU.20	5 ltr	Tripple Distillation with thermal sensor auto cut off	68550
BLS.WDU.21	10 ltr	Tripple Distillation without cut off	75250
BLS.WDU.22	10 ltr	Tripple Distillation with thermal sensor auto cut off	81998

Spare Parts :

Item Code	Description	INR/Piece
BLS.WDU.23	Flask with heater 3 Litre	10580
BLS.WDU.24	Flask with heater 5 Litre	11680
BLS.WDU.25	Flask with heater 10 Litre	17650
BLS.WDU.26	Condenser for 3 Litre Distillation with 40/38 Cone	3798
BLS.WDU.27	Condenser for 5 Litre Distillation with 40/38 Cone	3799
BLS.WDU.28	Condenser for 10 Litre Distillation with 50/42 Cone	4250
BLS.WDU.29	Automatic thermal sensor cut off for Single Distillation	9790
BLS.WDU.30	— do — for Double Distillation	10180
BLS.WDU.31	— do — for Tripple Distillation	11390
BLS.WDU.32	Receiving tube for condensor	750
BLS.WDU.33	Water Softner suitable for above Distillations	16500

* Installation Charges Rs.5500.00 Extra



BORO
3.3
GLASS

Chemical
Resistant



Order Now



Order Now

Water Stills

- Comprises of a horizontal Borosilicate glass boiler fitted with a 3KW chromium plated immersion heater with cut off, high efficiency coil condenser ensure a reliable output of single distillate. The still is fitted on a sheet metal epoxy coated stand, suitable for bench or wall mounting. For use on 220/240 V. 50/60 Hz single phase supply. As per Picture. Distillate
- Output: 4 Litres/hr Approx, ph: 5 to 6.5 Pyrogen free.

Item Code	Quantity	INR/Piece
BLS.WDU.34	1	29950

Spares for above Distillation Unit

Item Code	Description	Pack of	INR/Piece
BLS.WDU.35	Boiler for Water still	1	14008
BLS.WDU.36	Condenser for Water Still	1	8848
BLS.WDU.37	Heater 3KW fitted with thermostat	1	8786

* Installation Charges Rs.5500.00 Extra



Order Now

Single Stage Water Distillation Unit

- Distillate is pyrogen free also it is free of heavy metals Switch on time is less than minute providing distilled water instantly. Low maintenance is required.

Single Stage Distillation with Borosilicate Glass Condenser

Item	Output	Cooling Water Consumption	Power Rating	Pack Of	INR/Piece
BLS.WDU.38	2.5 ltr/hr	35 ltr/hr	2.0 KW	1	46775
BLS.WDU.39	5.0 ltr/hr	65 ltr/hr	4.4 KW	1	76600
BLS.WDU.40	10 ltr/hr	120 ltr/hr	9.0 KW	1	165980

Single Stage Distillation with Quartz Condenser

Item	Output (mL)	Cooling Water Consumption	Power Rating	Pack Of	INR/Piece
BLS.WDU.41	2.5 ltr/hr	35 ltr/hr	2.0 KW	1	69500
BLS.WDU.42	5.0 ltr/hr	65 ltr/hr	4.4 KW	1	125000
BLS.WDU.43	10 ltr/hr	120 ltr/hr	9.0 KW	1	220000

* Installation Charges Rs.5500.00 Extra

All Quartz Double Distillation (Horizontal Model)

Features

- Replaceable Silica Heater : The horizontal quartz jacket is fitted with removable silica heater and screw threaded connectors for ease of cleaning.
- Distillate temperature is approx. between 25° C to 45° C which is ensured by an efficient condenser.
- The stand is powder coated for rust free operation and lustrous appearance.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Teflon Stop cork should be provided for easy draining, cleaning and maintenance.

Additional In-built Safety Features

- Gate Valve : Conserves cooling water wastage in case of power failure.
- Flow Switch : In-built safety feature for the equipment unit shut off in case of cooling water failure.
- Temperature switch : The boiler is equipped with a safety temperature switch which shuts off the unit if water level in the boiler falls below the heater, thus saving the glass parts from any damages.
- This new dual - safety cut off has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry. This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction.
- The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine. Also there is alarm system which beeps as and when user attention is required.

Double Distillate Quality

Parameters	Values
Specific Conductivity	0.1-0.5 ps/cm
Biological Activity (distillate quality)	Pyrogen Free
pH	6.9 - 7
Organic Matter	Nil
Total Solids	0.1 mg/ltr
Silica	<0.01 mg/ltr

Item Code	Output	Cooling Water Consumption	Power Rating	Pack of	INR/Piece
BLS.WDU.44	1.5 ltr/hr	50 ltr/hr	3.0 kw	1	176850
BLS.WDU.45	2.5 ltr/hr	70 ltr/hr	5.0 kw	1	245425
BLS.WDU.46	4.0 ltr/hr	120 ltr/hr	8.0 kw	1	360970
BLS.WDU.47	5.0 ltr/hr	150 ltr/hr	9.0 kw	1	408850

Note : All are with 3 phase power supply.

* **Installation Charges Rs.5500.00 Extra.**



Order Now



All Quartz Double Distillation

- It has been designed keeping in view customer requirements Et easy serviceability of the equipment. All Quartz Double Distillation consists of demountable upper & lower boiler. The lower boiler has a built in heater enclosed in a quartz boiler with a cup on top.
- The upper boiler has a built in quartz coil and condensing unit which is mounted on the boiler with the help of ball and socket joint. Double walled condenser ensures separate condensation of vapours coming from the two boilers using a single cooling circuit.
- The unit is mounted on a specially designed powder coated stand and is also provided with automatic Safety Control Unit.
- This new dual - safety cut off device has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry.
- This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction.
- The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine. Also there is alarm system which beeps as and when user attention is required.

Double Distillate Quality

Parameters	Values
Specific Conductivity	< 1 ps/cm
Biological Activity (distillate quality)	Pyrogen Free
Organic Matter	Nil
Total Solids	0.1 mg/Ltr
Silica	<0.01 mg/ltr

****All parameters are under standard test conditions.**

****We recommend a Quartz Reservoir for storage of High Purity Water.**



Order Now

Item Code	Output	Cooling Water Consumption	Power Rating	Pack of	INR/Piece
BLS.WDU.44	1.5 ltr/hr	50 ltr/hr	3.0 kw	1	137600
BLS.WDU.45	2.5 ltr/hr	70 ltr/hr	5.0 kw	1	209950
BLS.WDU.46	4.0 ltr/hr	120 ltr/hr	8.0 kw	1	340410
BLS.WDU.47	5.0 ltr/hr	150 ltr/hr	9.0 kw	1	386250

Note : All are with 3 phase power supply.

*** Installation Charges Rs.5500.00 Extra.**

Water Softner

- It softens the hard water and provides good quality water for use in laboratories. It helps to remove all the calcium and magnesium ions in hard water and the soft water thus obtained has hardness less than 5 ppm as CaCO₃. It is specially designed for easy serviceability and recharging the resin with sodium chloride solution. The softened water can be used as feed water to the Distillation Units. The use of hard water in boilers,
- would leave the boiler with a lot of scaling and sedimentation, hence to improve the quality of the distillate and for longer life of the glass/ Quartz boilers, it is recommended to use softened.



Item Code	Quantity	INR/Piece
BLS.WDU.48	1	18000

Laboratory Rubberware



Order Now

Natural Rubber Tubing - Grade 1 :

- The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
- Comes in orange colour. Shore Hardness :45A Tolerance: ± 0.2 MM Temp: -20°C to $+70^{\circ}\text{C}$.
- Roll of 10 meter length.

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Roll
BLS.RUB.01	3	1	5	413
BLS.RUB.02	4	1	6	485
BLS.RUB.03	5	1.5	8	605
BLS.RUB.04	6	1.5	9	768
BLS.RUB.05	6.5	1.5	9.5	828
BLS.RUB.06	7	1.5	10	893
BLS.RUB.07	8	2	12	1030
BLS.RUB.08	9	2	13	1200
BLS.RUB.09	10	2	14	1510
BLS.RUB.10	12	2	16	1649
BLS.RUB.11	15	3	21	3202
BLS.RUB.12	16	3	22	3370
BLS.RUB.13	19	3	25	3785
BLS.RUB.14	20	3.5	27	3960
BLS.RUB.15	25	3.5	32	4584



Order Now

Natural Rubber Tubing - Grade 2 :

- The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
- Comes in Maroon colour. Shore Hardness: 45A Tolerance: ± 0.2 MM Temp: -20°C to $+70^{\circ}\text{C}$.
- Roll of 10 meter length.

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Roll
BLS.RUB.16	3	1	5	396
BLS.RUB.17	4	1	6	413
BLS.RUB.18	5	1.5	8	519
BLS.RUB.19	6	1.5	9	656
BLS.RUB.20	7	1.5	10	759
BLS.RUB.21	8	1.5	11	867
BLS.RUB.22	9	2	13	1052
BLS.RUB.23	10	2	14	1280
BLS.RUB.24	12	2	16	1448
BLS.RUB.25	15	3	21	2945
BLS.RUB.26	16	3	22	3084
BLS.RUB.27	19	3	25	3468
BLS.RUB.28	20	3.5	27	3672
BLS.RUB.29	25	3.5	32	4248

Natural Rubber Tubing - Grade 3 :

- The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
- Comes in Red colour. Shore Hardness: 45A Tolerance: ±0.2MM Temp: -20°C to +70°C.
- Roll of 10 meter length

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Roll
BLS.RUB.30	3	1	5	312
BLS.RUB.31	4	1	6	322
BLS.RUB.32	5	1.5	8	413
BLS.RUB.33	6	1.5	9	533
BLS.RUB.34	7	1.5	10	644
BLS.RUB.35	8	1.5	11	742
BLS.RUB.36	9	2	13	927
BLS.RUB.37	10	2	14	1052
BLS.RUB.38	12	2	16	1299



Order Now

Pressure Tubing Green

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Mtr.
BLS.RUB.39	6.4	3.2	12.8	236



Blood Pressure Tube in Green Superior

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Mtr.
BLS.RUB.40	3	2.5	8	149



Order Now



Silicon Rubber Tubing

- It is suitable for laboratory, pharmaceutical, industrial, educational, medical, food grade etc usages.
- Silicon rubber tubing is suitable for use over a temperature range of -50°C to 250°C. Meets USP VI Standards and FDA 21 CFR 177.2600 compliant Shore Hardness: 45A.

Item	Inner Diameter (ID in MM)	Wall Thickness (W in MM)	Outer Diameter (OD in MM)	INR/Mtr.
BLS.RUB.41	1	1	3	69
BLS.RUB.42	2	1	4	84
BLS.RUB.43	3	1	5	93
BLS.RUB.44	3	1.5	6	149
BLS.RUB.45	4	1	6	149
BLS.RUB.46	4	1.5	7	173
BLS.RUB.47	4	2	8	249
BLS.RUB.48	5	1	7	173
BLS.RUB.49	5	1.5	8	226
BLS.RUB.50	6	1	8	226
BLS.RUB.51	6	1.5	9	273
BLS.RUB.52	6	2	10	345
BLS.RUB.53	6	3	12	540
BLS.RUB.54	7	1.5	10	309
BLS.RUB.55	7	3.5	14	369
BLS.RUB.56	8	1.5	11	617
BLS.RUB.57	8	2	12	333
BLS.RUB.58	8	3	14	393
BLS.RUB.59	9	2	13	581
BLS.RUB.60	10	2	14	480
BLS.RUB.61	10	3	16	540
BLS.RUB.62	12	2	16	821
BLS.RUB.63	12	3.5	19	581
BLS.RUB.64	14	3	20	1020
BLS.RUB.65	15	4	23	1092
BLS.RUB.66	16	3	22	1584
BLS.RUB.67	25	4	33	1332



Order Now



Silicon Rubber Cork : For Filtration Flasks

Item	Size	Pack of	INR/Piece
BLS.RUB.68	Big	10	264
BLS.RUB.69	Small	10	180

CORKS / STOPPERS:

- Various sizes are specially designed according to the industrial and laboratory glassware requirements. Shore hardness is 45-50 A
- Natural Rubber Solid Corks:
- RANGE 1 (available in Maroon colour only)

Item	Bottom (in MM) ±.2mm	Top (in MM) ±.2mm	Height (in MM) ±.2mm	Pack of	INR/ Piece
BLS.RUB.70	6	9	16	10	372
BLS.RUB.71	8	10.5	20	10	389
BLS.RUB.72	9	13	15.5	10	408
BLS.RUB.73	11	14	18.5	10	509
BLS.RUB.74	13	16.5	20	10	605
BLS.RUB.75	14	19	21	10	742
BLS.RUB.76	15	21	22	10	828
BLS.RUB.77	17.5	22.5	23	10	929
BLS.RUB.78	20	24.5	24	10	1301
BLS.RUB.79	20	26	27.5	10	1472
BLS.RUB.80	21	26.5	27.5	10	1680
BLS.RUB.81	21.5	28	31	10	2141
BLS.RUB.82	26	30	33	10	2621
BLS.RUB.83	29	33	32	10	3017
BLS.RUB.84	30	34.5	34.5	10	3324



Order Now

Crucible Sleeves

- For glass filtering fasks. Enables a clean & firm seal between funnels, vacuum filters, etc. and the fask.

Bottom (in MM)	Top (in MM)	Height (in MM)	Wall Thickness (in MM)
11	22	20	2.5
22.5	28	20	2.5
23.5	36.5	25	3
28	46	30.5	3
38	56	35	3.5
47	68	41	4
57	81	43.5	5

Item	Rubber Type	Price per SET in INR
BLS.RUB.85/A	Natural Rubber	497
BLS.RUB.85/B	Silicone Rubber	1347

*Available in set of 7 pcs only.



Order Now



Order Now

Natural Rubber Solid Corks

- RANGE 2 (available in Orange Colour only)

Item	Bottom (in MM) ±.2mm	Top (in MM) ±.2mm	Height (in MM) ±.2mm	Pack of	INR/Piece
BLS.RUB.86	3	4.5	12	10	32
BLS.RUB.87	4	5.8	14	10	34
BLS.RUB.88	5	7	16	10	38
BLS.RUB.89	8	10.5	20	10	50
BLS.RUB.90	9	11.5	20	10	63
BLS.RUB.91	10	12.5	20	10	63
BLS.RUB.92	11	14	24	10	67
BLS.RUB.93	13	16	24	10	75
BLS.RUB.94	15	18	24	10	96
BLS.RUB.95	17	20.5	26	10	112
BLS.RUB.96	18	21	26	10	133
BLS.RUB.97	19	22.5	28	10	154
BLS.RUB.98	21	24.5	28	10	207
BLS.RUB.99	23	26.5	28	10	240
BLS.RUB.100	25	28.5	28	10	297
BLS.RUB.101	27	31	32	10	315
BLS.RUB.102	29	31	32	10	353
BLS.RUB.103	31	36	35	10	504
BLS.RUB.104	33	38.5	38.5	10	621
BLS.RUB.105	35	45.5	36.5	10	785
BLS.RUB.106	39	44.5	38.5	10	984
BLS.RUB.107	41	47	42	10	1152

Silicon Rubber Corks



Order Now

Item	Bottom (in MM) ±.2mm	Top (in MM) ±.2mm	Height (in MM) ±.2mm	Pack of	INR/Piece
BLS.RUB.108	3	4.5	12	10	19
BLS.RUB.109	8	10.5	20	10	22
BLS.RUB.110	9	11.5	20	10	23
BLS.RUB.111	10	12.5	20	10	30
BLS.RUB.112	11	14	24	10	35
BLS.RUB.113	13	16	24	10	45
BLS.RUB.114	15	18	24	10	57
BLS.RUB.115	17	20.5	26	10	69
BLS.RUB.116	18	21	26	10	78
BLS.RUB.117	19	22.5	28	10	90
BLS.RUB.118	21	24.5	28	10	113
BLS.RUB.119	23	26.5	28	10	135
BLS.RUB.120	25	28.5	28	10	159
BLS.RUB.121	27	31	32	10	185
BLS.RUB.122	29	31	32	10	238
BLS.RUB.123	31	36	35	10	308
BLS.RUB.124	33	38.5	38.5	10	392
BLS.RUB.125	35	45.5	36.5	10	452
BLS.RUB.126	39	44.5	38.5	10	564
BLS.RUB.127	41	47	42	10	600

Filteration Rubber Cones

- To avoid glass to glass contact. Used on many filtering apparatus, fasks, Buchner funnel etc.

Silicon Rubber Cones

Item	Bottom (in MM)	Pack of	INR/Piece
BLS.RUB.128	250/500ml	10	466
BLS.RUB.129	1/2 Litre	10	845
BLS.RUB.130	5 Litre	10	1059
BLS.RUB.131	10 Litre	10	1440

Natural Rubber Cones

Item	Bottom (in MM)	Pack of	INR/Piece
BLS.RUB.132	250/500ml	10	137
BLS.RUB.133	1/2 Litre	10	224
BLS.RUB.134	5 Litre	10	286
BLS.RUB.135	10 Litre	10	557



Turnover Flange Septa - For Test Tube: Pack of 100 Pcs.

- These septa are ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability.

Non - Serrated in Natural Rubber

Serrated in Natural Rubber

Item	Size	INR/Piece	Item	Size	INR/Piece
BLS.RUB.136	12mm	35	BLS.RUB.140	12mm	35
BLS.RUB.137	15mm	42	BLS.RUB.141	15mm	42
BLS.RUB.138	18mm	57	BLS.RUB.142	18mm	57
BLS.RUB.139	25mm	69	BLS.RUB.143	25mm	69

Non - Serrated in Silicon Rubber

Serrated in Silicon Rubber

Item	Size	INR/Piece	Item	Size	INR/Piece
BLS.RUB.144	12mm	50	BLS.RUB.148	12mm	50
BLS.RUB.145	15mm	66	BLS.RUB.149	15mm	66
BLS.RUB.146	18mm	90	BLS.RUB.150	18mm	90
BLS.RUB.147	25mm	114	BLS.RUB.151	25mm	114



Turnover Flange Septa - For Socket: Pack of 100 Pcs.

Non-Serrated in Natural Rubber

Serrated in Natural Rubber

Item	Size	INR/Piece	Item	Size	INR/Piece
BLS.RUB.152	B - 14	59	BLS.RUB.156	B - 14	59
BLS.RUB.153	B - 19	75	BLS.RUB.157	B - 19	75
BLS.RUB.154	B - 24	93	BLS.RUB.158	B - 24	93
BLS.RUB.155	B - 29	114	BLS.RUB.159	B - 29	114

Non-Serrated in Silicon Rubber

Serrated in Silicon Rubber

Item	Size	INR/Piece	Item	Size	INR/Piece
BLS.RUB.160	B - 14	90	BLS.RUB.164	B - 14	90
BLS.RUB.161	B - 19	135	BLS.RUB.165	B - 19	135
BLS.RUB.162	B - 24	156	BLS.RUB.166	B - 24	156
BLS.RUB.163	B - 29	234	BLS.RUB.167	B - 29	234





Pipette Bulbs

- Rubber pipette bulb allows safe, manual control of filling or discharging toxic liquids through a pipette by finger pressure (thus avoiding mouth contact).

Silicon Rubber

Item	Size	Capacity	Pack of	INR/Piece
BLS.RUB.168	Small	5ml	100	72
BLS.RUB.169	Medium	10ml	100	96
BLS.RUB.170	Large	15ml	100	117
BLS.RUB.171	Extra large	20ml	50	137
BLS.RUB.172	Oval	25ml	50	249
BLS.RUB.173	Super Large	50ml	50	492
BLS.RUB.174	Extra Super Large	100ml	50	633

Natural Rubber

Item	Size	Capacity	Pack of	INR/Piece
BLS.RUB.175	Small	5ml	100	35
BLS.RUB.176	Medium	10ml	100	39
BLS.RUB.177	Large	15ml	100	47
BLS.RUB.178	Extra large	20ml	50	51
BLS.RUB.179	Oval	25ml	50	89
BLS.RUB.180	Super Large	50ml	50	141
BLS.RUB.181	Extra Super Large	100ml	50	249



Rubber Bellow With Cotton Net

- For use with automatic burettes.

Item	Pack of	INR/Piece
BLS.RUB.182	10	420



Atomizer Bulb

- Typically, an atomizer is used to dispense something in small, controlled amounts.

Item	Size	Pack of	INR/Piece
BLS.RUB.183	Big	10	209
BLS.RUB.184	Small	10	149



Order Now

TEATS

- Teats are used in laboratory with droppers for dispensing drops or qualitative amounts of liquids or chemicals.

Item	Type	Rubber Type	Capacity	Pack of	INR/Piece
BLS.RUB.185	Conical	Silicon Rubber	1ml	100	39
BLS.RUB.186	Conical	Silicon Rubber	2-3ml	50	51
BLS.RUB.187	Conical	Natural Rubber	1ml	100	9
BLS.RUB.188	Conical	Natural Rubber	2-3ml	50	25
BLS.RUB.189	Round	Natural Rubber	1ml	100	11
BLS.RUB.190	Round	Latex Rubber	Small	100	15
BLS.RUB.191	Round	Latex Rubber	Large	50	23



Pipette Filler

- These bulb type pipette fillers are designed for one hand operation. Pipette fillers improve worker safety by eliminating mouth pipetting and handling of hazardous materials.
- Users can control air evacuation, liquid uptake, and liquid dispensing with three valves containing chemically resistant stainless steel balls. Pinching or releasing valves provides smooth liquid flow. Fits standard size pipets.
- Pipette filler with 3 valves:
- Valve - A: Release air Valve, S: Filling Valve, E: Delivery

Item	Rubber Type	Size	Pack of	INR/Piece
BLS.RUB.192	Silicon Rubber	50 ml	10	528
BLS.RUB.193	Natural Rubber	50 ml	10	192



Safety Burner Tube

- For use with Bunsen Burners. It is available in Natural Rubber and Neoprene Rubber. The burner tube has reinforced ends for better grip.

Natural Rubber

Item	Size	Pack of	INR/Piece
BLS.RUB.194	450mm	10	168
BLS.RUB.195	600mm	10	213
BLS.RUB.196	900mm	10	276
BLS.RUB.197	1000mm	10	300





Hand Protector

- Helps maintain a secure grip on hot, cold, or slippery items such as bottles, glasses and beakers etc. Temp Range: -50°C to + 250°C

Item	Rubber Type	Pack of	INR/Piece
BLS.RUB.198	Silicon Rubber	10	1308



Order Now



Flask Stand

- With 12-step inner wall for good stability.
- Suitable for round bottom flasks, flat bottom flasks, beakers etc. Temp Range: -50°C to + 250°C.

Item	Rubber Type	Pack of	INR/Piece
BLS.RUB.199	Silicon Rubber	1	2928



Order Now



Laboratory Mat

Item	Dimensions	Rubber Type	Pack of	INR/Piece
BLS.RUB.200	12" x 12"	Natural Rubber	1	3600
BLS.RUB.201	12" x 12"	Silicone Rubber	1	5700



Order Now

Sheet

- Used to avoid direct surface contact of glassware products on the solid surface.

Item	Dimensions	Rubber Type	Pack of	INR/Piece
BLS.RUB.202	9.5" x 9.5" x 2.7mm	Natural Rubber	1	281
BLS.RUB.203	9.5" x 9.5" x 2.7mm	Silicone Rubber	1	2280



Order Now




Corrugated Rubber Sheet

- Used in Industrial Shelves, Hospital and Medical Buildings etc.

Item	Dimensions	Pack of	INR/Piece
BLS.RUB.204	350x150 MM	1	153



Order Now



Multipurpose Rubber Bulb

- Used for inflating Chloroform Bellow, Kelly Pad, Stomach Wash Pump.

Item	Pack of	INR/Piece
BLS.RUB.205	10	221



Order Now





Safety Rider for Volumetric Flask, Hexagonal Shape, Silicon Rubber

Item	Color	Suitable for	Pack of	INR/Piece
BLS.RUB.206	Yellow	5 - 25 ml	10	68
BLS.RUB.207	Green	50 ml	10	88
BLS.RUB.208	Blue	100 - 250 ml	10	160
BLS.RUB.209	Orange	500 ml	10	400
BLS.RUB.210	Red	1000 ml	10	480



Burette Clamp

- Fisher Type die pressed sheet made of mild steel & powder coated, to hold one burette.

Item	Type	Pack of	INR/Piece
BLS.MTW.01	Mild Steel, Powder Coated	1	260
BLS.MTW.02	Mil Steel, Chrome Plated	1	358



Burette Clamp

- Fisher Type die pressed sheet to hold one burette.

Item	Type	Pack of	INR/Piece
BLS.MTW.03	Mild Steel, Powder Coated	1	208



Double Burette Clamp


- Aluminium pressure die casting

Item	Type	Pack of	INR/Piece
BLS.MTW.04	Aluminium, Powder Coated, Holds 2 Burette	1	683
BLS.MTW.05	Aluminium, Powder Coated, Holds 1 Burette	1	488

Double Burette Clamp

- Die pressed

Item	Type	Pack of	INR/Piece
BLS.MTW.06	Mild Steel, Powder Coated	1	455
BLS.MTW.07	Mil Steel, Chrome Plated	1	585



Universal Clamp

- To hold upto 12mm to 50mm with 7" m.s., chrome plated rod

Item	Type	Pack of	INR/Piece
BLS.MTW.08	Sheet made die pressed, spring controlled, locked by screw nut, cork lined jaws, powder coated	1	325



Burette Clamp

- Capacity hold upto 50mm dia with 7" rod cork lined.

Item	Type	Pack of	INR/Piece
BLS.MTW.09	Brass casting, Chrome Plated, Heavy Duty	1	1105
BLS.MTW.10	Al-alloy die casting, Mild Steel Rod Chrome Plated	1	537





Burette Clamp

- With attached boss head, movement in any angle.

Item	Type	Pack of	INR/Piece
BLS.MTW.11	Swivel type, Sheet Made, die Pressed, Powder Coated, hold upto 50mm dia	1	618



Three Prong Clamp

- with attached boss head, movement in any angle.

Item	Type	Pack of	INR/Piece
BLS.MTW.12	Aluminium made, Jaws dip coated swivel hold upto 90mm dia	1	813



Condenser Clamp

- Cork lined, finish powder coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.13	Made of al-alloy die casting, hold upto 75mm dia, Chrome Plated 7" rod,	1	488
BLS.MTW.14	Made of Brass casting, powder coated, hold upto 75mm dia, Chrome Plated 7" rod,	1	1138

Universal Clamp

- Cork lined, finish powder coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.15	Made of al-alloy die casting, hold upto 75mm dia, with M.S. Chrome Plated 7" rod,	1	520



Four Finger Clamp (Cross Pattern)

- Cork lined, finish powder coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.16	Made of al-alloy die casting, hold upto 90mm dia, with M.S. Chrome Plated 7" rod,	1	488



Three Prong Clamp

- Jaws are dip coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.17	al-alloy die casting, powder coated holds upto 90mm dia with 7" M.S. chrome plated rod.	1	488





Condenser Clamp

- With chrome plated mild steel rod.

Item	Type	Pack of	INR/Piece
BLS.MTW.18	Aluminium casting Three finger jaws, adjustable by two independent screw, rod 12" x 3/8.	1	1235
BLS.MTW.19	Moulded brass Three finger jaws, adjustable by two independent screw, rod 12" x 3/8.	1	2763



Jumbo Clamp (Three prong)

- Made of Brass casting jaws are rubber sleeves.

Item	Type	Pack of	INR/Piece
BLS.MTW.20	Chrome Finish Rod dia 12" x 3/8, Hold upto from 150mm dia articles	1	3575



Jumbo Clamp (Four/Three prong)

- Made of Al-alloy jaws are rubber sleeves.

Item	Type	Pack of	INR/Piece
BLS.MTW.21	Three Prong clamp can hold upto 150mm dia articles. M.S. Rod, Chrome plated size 12"x3/8	1	1495
BLS.MTW.22	Two Prong clamp can hold upto 150mm dia articles. M.S. Rod, Chrome plated size 12"x3/8	1	1430

Clamp Co-Axial (Three prong)

- Made of Al-alloy/Brass jaws are rubber sleeves.

Item	Type	Pack of	INR/Piece
BLS.MTW.23	Al-alloy jaws, Spring Controlled adjustable brass nut, hold upto 75mmdia, rod length 12" chrome plated.	1	1170
BLS.MTW.24	Brass moulding jaws, Spring Controlled adjustable brass nut, hold upto 75mmdia, rod length 12" chrome plated.	1	2210

**Boss Head**

- Made of Al-alloy die casting.

Item	Type	Pack of	INR/Piece
BLS.MTW.25	Mild steel with die pressed one piece thumb screw, holds upto 16 mm dia, powder coated finish.	2	208

**Boss Head**

Item	Type	Pack of	INR/Piece
BLS.MTW.26	Die Pressed Sheet made powder coated can hold upto 16mm dia.	2	156





Boss Head

- Brass Casting, Superior Quality.


Item	Type	Pack of	INR/Piece
BLS.MTW.27	Can hold upto 18mm dia. Chrome Plated	2	1040
BLS.MTW.28	Can hold upto 13mm dia. Chrome Plated	2	715



Boss Head

- Cast Iron Make, Powder Coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.29	T-type screw, can hold upto 13mm dia	2	228
BLS.MTW.30	T-type screw, can hold upto 18mm dia	2	358
BLS.MTW.31	T-type screw, can hold upto 25mm dia	2	455



Boss Head (Square)

- Made of Aluminum die casting.

Item	Type	Pack of	INR/Piece
BLS.MTW.32	T-type screw, Powder Coated. Hold upto 13mm dia.	2	455

Boss Head

- Aluminum Casting Make, Powder Coated.

Item	Type	Pack of	INR/Piece
BLS.MTW.33	T-type screw, can hold upto 16mm dia	2	423

**Boss Head**

- Made of Cast Iron die casting

Item	Type	Pack of	INR/Piece
BLS.MTW.34	Boss Head Cast Iron, can hold upto 18mm dia. With thumb screw.	2	553

**Tripod Stand**

- Cast Iron Made Having black powder coated triangular top, zinc plated legs and plastic rubber feet.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.35	6x4	1	280
BLS.MTW.36	6x5	1	377
BLS.MTW.37	7x4	1	286
BLS.MTW.38	7x5	1	390
BLS.MTW.39	7x6	1	455
BLS.MTW.40	8x4	1	299
BLS.MTW.41	8x5	1	390
BLS.MTW.42	8x6	1	585





Tripod Stand

- Sheet Made, fully Powder Coated, Having black powder coated triangular top, zinc plated legs and plastic rubber feet.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.43	6x4	1	221
BLS.MTW.44	6x5	1	247
BLS.MTW.45	7x4	1	228
BLS.MTW.46	7x5	1	260
BLS.MTW.47	7x6	1	325
BLS.MTW.48	8x4	1	247
BLS.MTW.49	8x5	1	280
BLS.MTW.50	8x6	1	358



Tripod Stand

- Heavy Cast iron round top black powder coated zinc plated rod and plastic feet.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.51	6x4	1	358
BLS.MTW.52	6x5	1	423
BLS.MTW.53	7x4	1	358
BLS.MTW.54	7x5	1	423
BLS.MTW.55	8x4	1	384
BLS.MTW.56	8x5	1	449
BLS.MTW.57	8x6	1	520



Retort Stand Sheet Full Bending Base

- Sheet thickness 4mm., Bottom edges covered with rubber sleeves, chrome plated rod.

Item	Size (Millimeter)	Pack of	INR/Piece
BLS.MTW.58	150x100x450x12	1	975
BLS.MTW.59	200x125x12	1	1365
BLS.MTW.60	250x150x750x12	1	2340

Retort Stand

- Made of cast iron powder coated base mild steel rod chrome plated.

Item	Base Size (Milimeter)	Pack of	INR/Piece
BLS.MTW.61	6x18x3/8	1	975
BLS.MTW.62	7x5x24x3/8	1	1105
BLS.MTW.63	8x5x24x12mm	1	1300
BLS.MTW.64	8x5x24x12mm	1	1495
BLS.MTW.65	9x6x30x12mm	1	2015
BLS.MTW.66	10x6x30x12mm	1	2275
BLS.MTW.67	12x7x36x12mm	1	3575
BLS.MTW.68	12x8x36x12mm	1	3738



Retort Stand 202 grade

- Stainless Steel Base, Bending type, Polish Finished, rust proof base, stainless steel rod.

Item	Base Size (Milimeter)	Pack of	INR/Piece
BLS.MTW.69	8x5x24x12mm	1	2600
BLS.MTW.70	9x6x30x12mm	1	2925



Retort Stand

- Made of mild steel with leveling screw and unbreakable nylon feet powder coated, mild steel rod chrome plated.

Item	Base Size (Milimeter)	Pack of	INR/Piece
BLS.MTW.71	6x4x18x3/8	1	683
BLS.MTW.72	7x5x24x3/8	1	845
BLS.MTW.73	8x5x24x3/8	1	910
BLS.MTW.74	8x5x24x12	1	975
BLS.MTW.75	9x6x30x12	1	1625





Retort Stand Bend Type

- Made of mild steel with powder coated heavy base, mild steel rod chrome plated.

Item	Base Size (Milimeter)	Pack of	INR/Piece
BLS.MTW.76	6x4x18x3/8	1	617
BLS.MTW.77	7x5x24x3/8	1	748
BLS.MTW.78	8x5x24x3/8	1	813
BLS.MTW.79	8x5x24x12	1	927
BLS.MTW.80	9x6x30x12	1	1398
BLS.MTW.81	10x6x30x12	1	1560
BLS.MTW.82	12x7x30x12	1	2048



Retort Ring

- Made of stainless steel, 202 grade wire polish finish, attached aluminium boss head "Thumb" type chrome plated screw.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.83	2	2	585
BLS.MTW.84	2½	2	585
BLS.MTW.85	3	2	585
BLS.MTW.86	4	2	715
BLS.MTW.87	5	2	780



Retort Ring

- Made of mild steel rod powder coated "T" type chrome plated screw.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.88	2	2	254
BLS.MTW.89	2½	2	254
BLS.MTW.90	3	2	260
BLS.MTW.91	4	2	293
BLS.MTW.92	5	2	325
BLS.MTW.93	6	2	390

Bunsen Burner

Item	Specification	Pack of	INR/Piece
BLS.MTW.94	Nickel plated burner tube 115 x 13 mm, with rotatable air regulator, mounted on a powder coated, heavy die cast base of 80mm dia, overall height approx 140mm	1	1138

**Bunsen Burner**

- Low Pressure regulator

Item	Specification	Pack of	INR/Piece
BLS.MTW.95	Heavy cast iron powder coated base brass tube, dia 12mm. With spare jet. Without Stop Cock	1	639
BLS.MTW.96	Heavy cast iron powder coated base brass tube, dia 12mm. With spare jet. With Stop Cock	1	845
BLS.MTW.97	Heavy cast iron powder coated base S.S. tube, dia 12mm. With spare jet. With Stop Cock	1	780
BLS.MTW.98	Heavy sheet base iron, powder coated base M.S. tube, dia 12mm. With spare jet. With Stop Cock	1	618

**Bunsen Burner**

Item	Specification	Pack of	INR/Piece
BLS.MTW.99	Heavy cast iron powder coated base with stop cock, Double Walled Brass Pipe with spare jet.	1	1463





Gas Tap

- All brass Chrome Plated square type Leak proof stop cock.
- 1/2" fitting for gas supply.

Item	Specification	Pack of	INR/Piece
BLS.MTW.100	One Way	1	1235
BLS.MTW.101	Two Way	1	1495
BLS.MTW.102	Three Way	1	1690
BLS.MTW.103	Four Way	1	2015



Laboratory Jack

- Made of Stainless Steel (304 G), smooth up & down movement, stability on high too.

Item	Size	Pack of	INR/Piece
BLS.MTW.104	120x140	1	9425
BLS.MTW.105	150x150	1	10075
BLS.MTW.106	200x200	1	14950
BLS.MTW.107	250x250	1	20150
BLS.MTW.108	300x300	1	26000



Laboratory Jack

- Made of mild steel, black powder coated. Smooth up & down movement, stability on high too.

Item	Size	Pack of	INR/Piece
BLS.MTW.109	120x140	1	4388
BLS.MTW.110	150x150	1	4713
BLS.MTW.111	200x200	1	5525
BLS.MTW.112	250x250	1	8125
BLS.MTW.113	300x300	1	11150

Beaker Tong

Item	Specification	Pack of	INR/Piece
BLS.MTW.114	Made of thick Stainless Steel 12" long, wrapped with heat resistant yarn.	1	415
BLS.MTW.115	Made of thick mild steel, chrome plated wire 12" long, wrapped with heat resistant yarn.	1	618

**Flask Tong**

Item	Specification	Pack of	INR/Piece
BLS.MTW.116	Made of thick Stainless Steel 12" long, wrapped with heat resistant yarn.	1	715
BLS.MTW.117	Made of thick mild steel, chrome plated wire 12" long, wrapped with heat resistant yarn.	1	618

**Furnace Tong**

Item	Size (Inch)	Type	Pack of	INR/Piece
BLS.MTW.118	12	Stainless Steel	1	585
BLS.MTW.119	12	Mild Steel	1	455
BLS.MTW.120	15	Stainless Steel	1	845
BLS.MTW.121	18	Stainless Steel	1	975
BLS.MTW.122	24	Stainless Steel	1	2275





Crucible Tong

Item	Size (Inch)	Type	Pack of	INR/Piece
BLS.MTW.123	6	Stainless Steel	1	195
BLS.MTW.124	6	Mild Steel	1	150
BLS.MTW.125	8	Stainless Steel	1	260
BLS.MTW.126	8	Mild Steel	1	182
BLS.MTW.127	8	Stainless Steel Heavy	1	390
BLS.MTW.128	8	Mild Steel Heavy	1	228
BLS.MTW.129	10	Stainless Steel	1	423
BLS.MTW.130	10	Mild Steel	1	325



Cork Borer German Type

- All Brass chrome plated, made of heavy pipe for making hole of different sizes in cork.

Item	Model	Pack of	INR/Set
BLS.MTW.131	Set of Three	1	1625
BLS.MTW.132	Set of Six	1	3315
BLS.MTW.133	Set of Twelve	1	8450



Cork Borer

- Made of brass, Chrome plated.

Item	Model	Type	Pack of	INR/Set
BLS.MTW.134	Set of Three	Brass, Chrome Plated	1	455
BLS.MTW.135	Set of Three	Iron, Chrome Plated	1	325
BLS.MTW.136	Set of Six	Brass, Chrome plated	1	813
BLS.MTW.137	Set of Six	Iron, Chrome Plated	1	488
BLS.MTW.138	Set of Twelve	Brass, Chrome plated	1	4225
BLS.MTW.139	Set of Twelve	Iron, Chrome Plated	1	3250

Cork Borer Machine with Borer

- A cork borer, often used in a chemistry or biology laboratory, is a metal tool for cutting a hole in a cork or rubber stopper to insert glass tubing. Nickel-plated borers included.

Item	Pack of	INR/Piece
BLS.MTW.140	1	18200



Spatulas

- Made of Stainless Steel sheet, heavy, one end spoon and one end flat.

Item	Size (Inch)	Pack of	INR/Piece
BLS.MTW.141	4	10	59
BLS.MTW.142	5	10	65
BLS.MTW.143	6	10	65
BLS.MTW.144	8	10	98
BLS.MTW.145	10	10	208
BLS.MTW.146	12	10	260



Micro Spatulas

- Made of Stainless Steel, Spoon Type, Spl. use for mercury

Item	Size	INR/Piece
BLS.MTW.147	4 Inch	59
BLS.MTW.148	6 Inch	72
BLS.MTW.149	8 Inch	91
BLS.MTW.150	10 Inch	117
BLS.MTW.151	12 Inch	208

Chattaway Micro Spatulas

- Made of Stainless Steel, Spoon Type, Spl. use for mercury

Item	Size	INR/Piece
BLS.MTW.152	4 Inch	59
BLS.MTW.153	6 Inch	72
BLS.MTW.154	8 Inch	91
BLS.MTW.155	10 Inch	117
BLS.MTW.156	12 Inch	208



*Pack of 10 Pcs.



Hoffman's Screw Clip

- Brass Chrome Plated.

Item	Size (mm)	Pack of	INR/Piece
BLS.MTW.157	25mm	10	358



Spirit Lamp

Item	Specification	Pack of	INR/Piece
BLS.MTW.158	Stainless Steel	1	212
BLS.MTW.159	Brass	1	585

Brush, Beaker

- Hard nylon bristles on twisted G.I. wire, head 140 x 63 mm, overall length 400 mm approx.

Item	Pack of	INR/Piece
BLS.NB.001	1	70

**Brush, Beaker**

- Hard nylon bristles on stainless steel wire, head 150 x 85 mm, overall length 400 mm.

Item	Pack of	INR/Piece
BLS.NB.002	1	160

**Brush, Beaker**

- Hard nylon bristles on wooden handle, head 150 x 75 mm, overall length 325 mm approx.

Item	Pack of	INR/Piece
BLS.NB.003	1	130





Brush, Bottle

- Hard nylon bristles, mounted on twisted G.I. wire, head 120 x 65 mm, overall length 500 mm.

Item	Pack of	INR/Piece
BLS.NB.004	1	70



Brush, Burette

- Hard nylon bristles, mounted on twisted G.I. wire, Available in following sizes

Item	Pack Size	Pack of	INR/Piece
BLS.NB.005	Head 15 X 150 mm., overall length 900 mm	1	55
BLS.NB.006	Head 25 X 150 mm., overall length 915 mm	1	60



Brush, Test Tube

- Hard nylon bristles, mounted on twisted G.I. wire, head 90 x 45 mm., overall length 250 mm.

Item	Pack of	INR/Piece
BLS.NB.007	1	35

Brush, Semi Micro Test Tubes

- For small test tube of 6-10 mm diam., head 10 x 70 mm, overall length 175 mm. Nylon White

Item	Pack of	INR/Piece
BLS.NB.008	1	30

**Brush, Flask**

- Hard nylon bristles, mounted on twisted G.I. wire, head 130 x 50 mm. overall length 360 mm.

Item	Pack of	INR/Piece
BLS.NB.009	1	60

**Brush, Flask**

- For round bottom flask upto 100 mm diam., Nylon bristles on twisted G.I. wire handle. Overall length 330 mm.

Item	Pack of	INR/Piece
BLS.NB.010	1	60

**Brush, Pipette**

- Nylon Bristles on twisted G.I. Wire, head size 125 x 10 mm, overall length 650 mm for pipettes and tubes from 8-12 mm dia.

Item	Pack of	INR/Piece
BLS.NB.011	1	40





Mortar & Pestle, Porcelain

- Mortar with spout, glazed outside except bottom, unglazed inside. Pestle unglazed to grinding surface

Item	Top Dia., mm	Capacity, ml	Pack of	INR/Piece
BLS.PCS.001	80	60	1	120
BLS.PCS.002	90	100	1	135
BLS.PCS.003	105	150	1	160
BLS.PCS.004	125	275	1	275
BLS.PCS.005	155	550	1	410
BLS.PCS.006	180	900	1	550
BLS.PCS.007	200	1500	1	1010
BLS.PCS.008	230	2000	1	1270



Mortar & Pestle, Agate Grey

- Made of Naturally occurring Agate Stone, recommended for use in laboratories demanding contamination-free results.

Item	O.D., mm	I.D. mm	Ht. mm	Pack of	INR/Piece
BLS.PCS.009	28	23	20	1	4675
BLS.PCS.010	40	31	27	1	5720
BLS.PCS.011	50	40	30	1	6050
BLS.PCS.012	60	57	33	1	8140
BLS.PCS.013	78	65	39	1	9790
BLS.PCS.014	100	87	44	1	13200
BLS.PCS.015	115	100	51	1	18425
BLS.PCS.016	125	111	61	1	27500
BLS.PCS.017	150	134	63	1	45100



Mortor & Pestle, Agate, Black

Item	O.D., mm	I.D. mm	Ht. mm	Pack of	INR/Piece
BLS.PCS.018	50	40	30	1	1280
BLS.PCS.019	60	57	33	1	1450
BLS.PCS.020	75	65	39	1	1970
BLS.PCS.021	100	87	44	1	2660
BLS.PCS.022	115	100	51	1	3450
BLS.PCS.023	125	111	61	1	5770
BLS.PCS.024	150	134	63	1	9580

Basins, Evaporating

- Porcelain, round form, with lip, both sides glazed. For bigger dishes, glazed inside and partially outside.

Item	Top Dia., mm	Capacity, ml	Pack of	INR/Piece
BLS.PCS.025	60	35	1	80
BLS.PCS.026	75	70	1	92
BLS.PCS.027	80	80	1	104
BLS.PCS.028	94	120	1	108
BLS.PCS.029	100	150	1	128
BLS.PCS.030	115	250	1	248



Combustion Boat, Porcelain

- Glazed /unglazed max
- Use temp. 1150° C

Item	Length., mm	Pack of	INR/Piece
BLS.PCS.031	60	10	32
BLS.PCS.032	86	10	40
BLS.PCS.033	100	10	48



Funnel, Buchner

- Porcelain, straight sides, integral perforated plate, glazed inside and outside.

Item	Top Dia., mm	Pack of	INR/Piece
BLS.PCS.034	35	1	160
BLS.PCS.035	50	1	200
BLS.PCS.036	60	1	212
BLS.PCS.037	75	1	320
BLS.PCS.038	100	1	424
BLS.PCS.039	125	1	580
BLS.PCS.040	150	1	1020
BLS.PCS.041	200	1	2760
BLS.PCS.042	250	1	4400
BLS.PCS.043	300	1	8800





Crucible With Lid, Silica

Item	Capacity, ml	Pack of	INR/Piece
BLS.PCS.044	15	1	962
BLS.PCS.045	25	1	990
BLS.PCS.046	50	1	1540
BLS.PCS.048	80	1	3575
BLS.PCS.047	100	1	3906
BLS.PCS.049	150	1	4565
BLS.PCS.050	200	1	9800



Crucible Without Lid, Silica

Item	Capacity, ml	Pack of	INR/Piece
BLS.PCS.051	15	1	456
BLS.PCS.052	25	1	490
BLS.PCS.053	50	1	913
BLS.PCS.055	80	1	1860
BLS.PCS.054	100	1	2090
BLS.PCS.056	150	1	2530
BLS.PCS.057	200	1	4800

Accreditation Bodies World Wide

S.NO	ACCREDITAION BODY	COUNTRY
1	Organismo Argentina de Accreditation (OAA)	Argentina
2	National Association of Testing Authorities, Auatralia (NATA)	Australia
3	Bundersministerium fur Wirtschaft, Familie Und Jugend (BMWA)	Austria
4	Belgian Accreditaion Structure (BELAC)	Belgium
5	Coordenacao Geral de Acreditacao General	Brazil
6	Standards Council of Canada (SCC)	Canada
7	Canadian Association for Laboratory Accreditation Inc.(CALA)	Canada
8	China National Accreditation Service for Conformity Assessment (CNAS)	People's Republic of China
9	Ente Costarricense de Accreditaion (ECA)	Costa Richa
10	National Accreditation Body of Republica de Cuba (ONARc)	Cuba
11	Czech Accreditation Institute (CAI)	Czech Republic
12	Danish Accreditation (DANAK)	Denmark
13	Egyptian Accreditation Council (EGAC)	Egypt
14	Finnish Accreditation Service (FINAS)	Finland
15	Comite Francais d'Accreditation (COFRAC)	France
16	Deutsche Akkreditierungsstelle GmbH (DAKKS)	Germany
17	Hellenic Accreditation System S.A. (ESYD)	Greece
18	Oficina Guatemalteca de Acreditacion (OGA)	Guatemala
19	Hong Kong Accreditation Service (HKAS)	Hong Kong China
20	National Accreditation Board for Testing and calibration Laboratories (NABAL)	India
21	National Accreditation Body of Indonesia (KAN)	Indonesia
22	Irish National Accreditation Board (INAB)	Ireland
23	Israel Laboratory Accreditation Authority (ISRAC)	Israel
24	Silstema Italiano di Accredimento (ACCREDIA)	Italy
25	Consorzio Pubblico per l' Accreditation (COPA)	Italy
26	Japan Accreditation Board for Conformity Assessment (JAB)	Japan
27	International Accreditation Japan (IAJapan)	Japan
28	Voluntary EMC Laboratory Accreditation Center INC (VLAC)	Japan
29	Korea Laboratory Accreditation Scheme (KOLAS)	Republic of Korea
30	Department of standards Malaysia (Standards Malaysia)	Malaysia)
31	entidad mexicana de acreditacion a.c. (ema)	Mexico
32	Dutch New Zealand Council (RvA)	The Netherlands
33	International Accreditation New Zealand (IANZ)	New Zealand
34	Norsk Akkreditering (NA)	Norway
35	Pakistan National Accreditation Council (PNAC)	Pakistan

S.NO	ACCREDITAION BODY	COUNTRY
36	Philippine Accreditation Office (PAO)	Philippines
37	Polish Center for Accreditation (PCA)	Poland
38	Instituto Portugues de Acreditacao (IPAC)	Portugal
39	Romanian Accreditation Association (RENAR)	Romania
40	Association of Analytical Centers "Analitica" (AAC "Analitica")	Russian Federation
41	Singapore Accreditation Council (SAC)	Singapore
42	Slovak National Accreditation Service (SNAS)	Slovakia
43	Slovenian Accreditation (SA)	Slovenia
44	South African National Accreditation System (SANAS)	South Africa
45	Entidad Nacional de Acreditacion (ENAC)	Spain
46	Sri Lanka Accreditation Board for Conformity Assessment (SLAB)	Sri Lanka
47	Swedish Board for Accreditation and Conformity Assessment (SWEDAC)	Sweden
48	Swiss Accreditation Services (SAS)	Switzerland
49	Taiwan Accreditation Foundation (TAF)	Chinese taipei
50	The Bureau of Laboratory Quality Standards, Department of Medical Science, Ministry of Public Health, Thailand (BLQSDMSc)	Thailand
51	National Standardization Council of Thailand-Office Of the National Accreditation Council (NSC-ONAC)	Thailand
52	Bureau Of Laboratory Accreditation, Department of Science Services, Ministry of Science and Technology (BLA-DSS)	Thailand
53	Tunisian Thailand Council (TUNAC)	Tunisia
54	Turkish Accreditation Agency (TURKAK)	Turkey
55	Dubai Municipality - Accreditation Department (DAC)	United Arab Emirates
56	United Kingdom Accreditation Service (UKAS)	United Kingdom
57	American Association for Laboratory Accreditation (A2LA)	USA
58	National Voluntary Laboratory Accreditation Program (NVLAP)	USA
59	International Accreditation service, Inc (IAS)	USA
60	ANSI-ASQ National Accreditation Board doing Business as A CLASS	USA
61	Laboratory Accreditation Bureau (L-A-B)	USA
62	Perry Johnson Laboratory Accreditation, Inc. (PJLA)	USA
63	American Society of Crime Laboratory Directors/Laboratory Accreditation Board (ASCLD/LAB)	USA
64	Bureau of Accreditation (BoA)	Vietnam



Biohall Colourware Exclusive Range

Choose Premium Quality Glassware * BIOHALL® Colorware, Biohall exclusive line

- Easy to identify among laboratories
- Easy product visualization
- Identification of color analysis
- Identification of reagent types
- Matte finish at marking points for use with pencil or marker
- Premium glazing: High quality borosilicate glass, thermal and physical resistance, high precision (Compatible internationally)

Available In:





India Office:

Biohall Lifesciences Pvt. Ltd.

91-92, Village Naggal, Kardhan Road, Ind. Area, Ambala Cantt-133001 (Haryana) India
Email: info@biohalllabware.com | sales@biohalllabware.com | office@biohalllabware.com

Tel.: 0171-2977825 **Mob.:** 99712 07825, 89206 09363, 95414 53583

Website: www.biohalllabware.com

Germany Sales Office:

BIOHALL Weißenschaften

41A | Ground Floor | E Straße, Düsseldorf, Germany